

DATALOGIC AUTOMATION

Sensors

Warranty terms: 36 months

Order No.	Material Description
S5 TUBULAR M18 PLASTIC HOUSING - TUB 5205	
<i>Short Diffused 10...30Vdc</i>	
G5210530	S5-5-C10-30 PROX 10/30VDC
G5210532	S5-5-C10-32 PROX 10/30VDC
G5210535	S5-5-C10-35 PROX 10/30VDC
G5210537	S5-5-C10-37 PROX 10/30VDC
<i>Short Diffused 15...264Vac</i>	
G5110510	S5-1-C8-10 PROX 15/264VAC
G5110515	S5-1-C8-15 PROX 15/264VAC
G5110520	S5-1-C8-20 PROX 15/264VAC
G5110525	S5-1-C8-25 PROX 15/264VAC
<i>Mid. Diffused 10...30Vdc</i>	
G5210630	S5-5-C35-30 PROX 10/30VDC
G5210632	S5-5-C35-32 PROX 10/30VDC
G5210635	S5-5-C35-35 PROX 10/30VDC
G5210637	S5-5-C35-37 PROX 10/30VDC
G5210692	S5-5-C35-92 PROX 10/30VDC
<i>Mid. Difused 15...264Vac</i>	
G5110610	S5-1-C30-10 PROX 15/264VAC
G5110615	S5-1-C30-15 PROX 15/264VAC
G5110620	S5-1-C30-20 PROX 15/264VAC
G5110625	S5-1-C30-25 PROX 15/264VAC
<i>Long Diffused 10...30Vdc</i>	
952051640	S5-5-C60-30
952051650	S5-5-C60-32
<i>Fixed Focus 10...30Vdc</i>	
G5210972	S5-5-L2-72 FF.PROX 10/30VDC
G5210992	S5-5-L2-92 FF.PROX 10/30VDC

Order No.	Material Description
G5210430	S5-5-D15-30 FF.PROX 10/30VDC
G5210432	S5-5-D15-32 FF.PROX 10/30VDC
G5210435	S5-5-D15-35 FF.PROX 10/30VDC
G5210437	S5-5-D15-37 FF.PROX M12 10/30VDC
952051940	S5-5-D50-92 FF PROX 50MM M12 PNP NO
Fixed Focus 15...264Vac	
G5110410	
G5110420	S5-1-D15-20 FF.PROX 15/264VAC
Fibre Optic 10...30Vdc	
G5210830	S5-5-E1-30 R.P.FO. 10/30VDC
G5210832	S5-5-E1-32 R.P.FO. 10/30VDC
Retroreflex 10...30Vdc	
G5210230	S5-5-A4-30 RRX 10/30VDC
G5210232	S5-5-A4-32 RRX 10/30VDC
G5210235	S5-5-A4-35 RRX 10/30VDC
G5210237	S5-5-A4-37 RRX 10/30VDC
G5210262	S5-5-A4-62 RRX 10/30VDC
G5210282	S5-5-A4-82 RRX 10/30VDC
Retroreflex 15...264Vac	
G5110210	S5-1-A2-10 RRX 15/264VAC
G5110215	S5-1-A2-15 RRX 15/264VAC
G5110220	S5-1-A2-20 RRX 15/264VAC
G5110225	S5-1-A2-25 RRX 15/264VAC
Polarized Retroreflex 10...30Vdc	
G5210730	S5-5-B3-30 RRX.POL 10/30VDC
G5210732	S5-5-B3-32 RRX.POL 10/30VDC
G5210735	S5-5-B3-35 RRX.POL 10/30VDC
G5210737	S5-5-B3-37 RRX.POL 10/30VDC
Polarized Retroreflex for Transparent 10...30Vdc	
952051680	S5-5-T1-30
952051690	S5-5-T1-32
Through Beam 10...30Vdc	
G5210005	S5-5-G8-05 EMITTER 10/30VDC

Order No.	Material Description
G5210007	S5-5-G8-07 EMITTER 10/30VDC
G5210000	S5-5-G12-00 EMITTER 10/30VDC
G5210002	S5-5-G12-02 EMITTER 10/30VDC
G5210135	S5-5-F8-35 RECEIVER 10/30VDC
G5210137	S5-5-F8-37 RECEIVER 10/30VDC
G5210130	S5-5-F12-30 RECEIVER 10/30VDC
G5210132	S5-5-F12-32 RECEIVER 10/30VDC
Through Beam 15...264Vac	
G5110000	S5-1-G8-00 EMITTER 15/264VAC
G5110110	S5-1-F8-10 RECEIVER 15/264VAC
G5110120	S5-1-F8-20 RECEIVER 15/264VAC
SDS5 TUBULAR M18 PLASTIC HOUSING - TUB 5220	
Background Suppression 20...100mm	
952201400	SDS5-5-M10-75
952201410	SDS5-5-M10-95
952201420	SDS5-5-M10-77
952201430	SDS5-5-M10-97
952201440	SDS5-5-M10-70
952201450	SDS5-5-M10-90
952201460	SDS5-5-M10-72
952201470	SDS5-5-M10-92
SDS10 TUBULAR M18 METAL HOUSING - TUB 5215	
Background Suppression 40...120mm	
962411000	SDS10-5-M12-30
962411010	SDS10-5-M12-32
962411020	SDS10-5-M12-35
962411030	SDS10-5-M12-37
SL5 TUBULAR M18 LASER EMISSION - TUB 5250	
Diffused 0...350mm	
952501000	SL5-5-C-92 PROX 35cm PNP LIGHT M12
952501090	SL5-5-C-82 LASER PROX 35cm PNP DARK M12
Polarized retroreflex 0,03...12m	

Order No.	Material Description
952501010	SL5-5-B-82 RRX POL12m PNP DARK M12
952501080	SL5-5-B-92 RRX POL12m PNP LIGHT M12
Through beam 0...60m	
952501030	SL5-5-G-82 LASER EMITTER60m M12
952501020	SL5-5-F-82 RECEIV.60m PNP DARK M12
952501050	SL5-5-F-92 LASER RECEI.60m PNP LIGHT M12
S10 TUBULAR M18 IP69K METAL HOUSING - TUB 5210	
Short Diffused 0...100mm	
952101250	S10-MA-5-C01-PL DIF-PROX PNP M12
952101240	S10-MA-5-C01-PD DIF-PROX PNP M12
952101230	S10-MA-5-C01-NL DIF-PROX NPN M12
952101220	S10-MA-5-C01-ND DIF-PROX NPN M12
952101570	S10-NA-5-C01-PL DIF-PROX PNP M12 STAINLESS STEEL AISI316L
952101550	S10-NA-5-C01-NL DIF-PROX NPN M12 STAINLESS STEEL AISI316L
Mid. Diffused 0...350mm	
952101290	S10-MA-5-C11-PL PROX PNP M12
952101280	S10-MA-5-C11-PD PROX PNP M12
952101270	S10-MA-5-C11-NL PROX NPN M12
952101260	S10-MA-5-C11-ND PROX NPN M12
952101610	S10-NA-5-C11-PL PROX PNP M12 STAINLESS STEEL AISI316L
952101590	S10-NA-5-C11-NL PROX NPN M12 STAINLESS STEEL AISI316L
Long Diffused 0...600mm	
952101330	S10-MA-5-C21-PL DIF-PROX PNP M12
952101310	S10-MA-5-C21-NL DIF-PROX NPN M12
952101650	S10-NA-5-C21-PL DIF-PROX PNP M12 STAINLESS STEEL AISI316L
952101630	S10-NA-5-C21-NL DIF-PROX NPN M12 STAINLESS STEEL AISI316L
Fixed Focus 14mm	
952101350	S10-MA-5-D01-PL FOC-PROX PNP M12
952101340	S10-MA-5-D01-NL FOC-PROX NPN M12
952101670	S10-NA-5-D01-PL FOC-PROX PNP M12 STAINLESS STEEL AISI316L
952101660	S10-NA-5-D01-NL FOC-PROX NPN M12 STAINLESS STEEL AISI316L
Retroreflex 0,1...4m	
952101120	S10-MA-5-A01-PD RRX PNP M12

Order No.	Material Description
952101130	S10-MA-5-A01-PL RRX PNP M12
952101100	S10-MA-5-A01-ND RRX NPN M12
952101110	S10-MA-5-A01-NL RRX NPN M12
952101440	S10-NA-5-A01-PD RRX PNP M12 STAINLESS STEEL AISI316L
952101420	S10-NA-5-A01-ND RRX NPN M12 STAINLESS STEEL AISI316L
<i>Polarized Retroreflex 0,1...3m</i>	
952101160	S10-MA-5-B01-PD RRX-POL PNP M12
952101170	S10-MA-5-B01-PL RRX-POL PNP M12
952101140	S10-MA-5-B01-ND RRX-POL NPN M12
952101150	S10-MA-5-B01-NL RRX-POL NPN M12
952101480	S10-NA-5-B01-PD RRX-POL PNP M12 STAINLESS STEEL AISI316L
952101460	S10-NA-5-B01-ND RRX-POL NPN M12 STAINLESS STEEL AISI316L
<i>Polarized Retroreflex for Transparent 0,1...0,8m</i>	
952101200	S10-MA-5-T01-PD RRX-TRAN PNP M12
952101210	S10-MA-5-T01-PL RRX-TRAN PNP M12
952101180	S10-MA-5-T01-ND RRX-TRAN NPN M12
952101190	S10-MA-5-T01-NL RRX-TRAN NPN M12
952101520	S10-NA-5-T01-PD RRX-TRAN PNP M12 STAINLESS STEEL AISI316L
952101500	S10-NA-5-T01-ND RRX-TRAN NPN M12 STAINLESS STEEL AISI316L
<i>Through Beam 0...18m</i>	
952101410	S10-MA-5-G00-XE EMITTER M12 TEST+
952101400	S10-MA-5-G00-XF EMITTER M12 TEST-
952101730	S10-NA-5-G00-XE EMITTER M12 STAINLESS STEEL AISI316L TEST+
952101720	S10-NA-5-G00-XF EMITTER M12 STAINLESS STEEL AISI316L TEST-
952101380	S10-MA-5-F01-PD RECEIVER PNP M12
952101390	S10-MA-5-F01-PL RECEIVER PNP M12
952101360	S10-MA-5-F01-ND RECEIVER NPN M12
952101370	S10-MA-5-F01-NL RECEIVER NPN M12
952101700	S10-NA-5-F01-PD RECEIVER PNP M12 STAINLESS STEEL AISI316L
952101680	S10-NA-5-F01-ND RECEIVER NPN M12 STAINLESS STEEL AISI316L
S50 TUBULAR M18 FLAT PLASTIC HOUSING - TUB 5200	
<i>Short Diffused 0...100mm</i>	
952001240	S50-PA-2-C10-PP dif-prox pnp no-nc cable axial

Order No.	Material Description
952001250	S50-PA-5-C10-PP dif-prox pnp no-nc M12 axial
952001630	S50-PA-2-C10-NN dif-prox npn no-nc cable axial
952001520	S50-PA-5-C10-NN dif-prox npn no-nc M12 axial
952001490	S50-PR-2-C10-PP dif-prox pno no-nc cable radial
952001480	S50-PR-5-C10-PP dif-prox pno no-nc M12 radial
952001800	S50-PR-2-C10-NN dif-prox npn no-nc cable radial
952001740	S50-PR-5-C10-NN dif-prox npn no-nc M12 radial
Mid. Diffused 0...400mm	
952002160	S50-PA-2-C21-PP dif-prox pnp no-nc cable axial
952002170	S50-PA-2-C21-NN dif-prox npn no-nc cable axial
952002180	S50-PA-5-C21-PP dif-prox pnp no-nc M12 axial
952002190	S50-PA-5-C21-NN dif-prox npn no-nc M12 axial
Long Diffused 0...700mm	
952001050	S50-PA-2-C01-PP dif-prox pnp no-nc cable axial
952001060	S50-PA-5-C01-PP dif-prox pnp no-nc M12 axial
952001620	S50-PA-2-C01-NN dif-prox npn no-nc cable axial
952001510	S50-PA-5-C01-NN dif-prox npn no-nc M12 axial
952001070	S50-PR-2-C01-PP dif-prox pnp no-nc cable radial
952001080	S50-PR-5-C01-PP dif-prox pnp no-nc M12 radial
952001790	S50-PR-2-C01-NN dif-prox npn no-nc cable radial
952001730	S50-PR-5-C01-NN dif-prox npn no-nc M12 radial
Diffused LASER emission 0...350mm	
952001380	S50-PL-2-C01-PP dif-prox pnp no-nc cable axial
952001390	S50-PL-5-C01-PP dif-prox pnp no-nc M12 axial
952001880	S50-PL-2-C01-NN dif-prox npn no-nc cable axial
952001850	S50-PL-5-C01-NN dif-prox npn no-nc M12 axial
952001980	S50-PH-2-C01-PP dif-prox pnp no-nc cable radial
952002000	S50-PH-5-C01-PP dif-prox pnp no-nc M12 radial
952001990	S50-PH-2-C01-NN dif-prox npn no-nc cable radial
952002010	S50-PH-5-C01-NN dif-prox npn no-nc M12 radial
Fixed Focus 5...100mm	
952001090	S50-PA-2-D00-PP foc-prox pnp no-nc cable axial
952001100	S50-PA-5-D00-PP foc-prox pnp no-nc M12 axial

Order No.	Material Description
952001640	S50-PA-2-D00-NN foc-prox npn no-nc cable axial
952001530	S50-PA-5-D00-NN foc-prox npn no-nc M12 axial
952001110	S50-PR-2-D00-PP foc-prox pnp no-nc radial
952001120	S50-PR-5-D00-PP foc-prox pnp no-nc M12 radial
952001810	S50-PR-2-D00-NN foc-prox npn no-nc cb radial
952001750	S50-PR-5-D00-NN foc-prox npn no-nc M12 radial
Background Suppression 50...100mm	
952001230	S50-PA-2-M03-PP bgd-supp pnp no-nc cable axial
952001000	S50-PA-5-M03-PP bgd-supp pnp no-nc M12 axial
952001670	S50-PA-2-M03-NN bgd-supp npn no-nc cable axial
952001560	S50-PA-5-M03-NN bgd-supp npn no-nc M12 axial
952001930	S50-PS-5-M03-PP bgd-supp pnp no-nc M12 radial
952001900	S50-PS-2-M03-NN bgd-supp npn no-nc cable radial
Fibre Optic	
952001130	S50-PA-2-E01-PP opt-fibr pnp no-nc cable axial
952001140	S50-PA-5-E01-PP opt-fibr pnp no-nc M12 axial
952001650	S50-PA-2-E01-NN opt-fibr npn no-nc cable axial
952001540	S50-PA-5-E01-NN opt-fibr npn no-nc M12 axial
Retroreflex 0,1...5m	
952002080	S50-PA-2-A00-PP rrx pnp no-nc cable axial
952002090	S50-PA-2-A00-NN rrx npn no-nc cable axial
952002100	S50-PA-5-A00-PP rrx pnp no-nc M12 axial
952002110	S50-PA-5-A00-NN rrx npn no-nc M12 axial
Polarized Retroreflex 0,1...4,5m	
952001010	S50-PA-2-B01-PP rrx-pol pnp no-nc cable
952001020	S50-PA-5-B01-PP rrx-pol pnp no-nc M12
952001610	S50-PA-2-B01-NN rrx-pol npn no-nc cable
952001500	S50-PA-5-B01-NN rrx-pol npn no-nc M12
952001030	S50-PR-2-B01-PP rrx-pol pnp no-nc cable
952001040	S50-PR-5-B01-PP rrx-pol pnp no-nc M12
952001780	S50-PR-2-B01-NN rrx-pol npn no-nc cb
952001720	S50-PR-5-B01-NN rrx-pol npn no-nc M12
Polarized Retroreflex LASER emission 0,1...16m	

Order No.	Material Description
952001360	S50-PL-2-B01-PP rrx-pol pnp no-nc cable axial
952001370	S50-PL-5-B01-PP rrx-pol pnp no-nc M12 axial
952001870	S50-PL-2-B01-NN rrx-pol npn no-nc cable axial
952001840	S50-PL-5-B01-NN rrx-pol npn no-nc M12 axial
952001940	S50-PH-2-B01-PP rrx-pol pnp no-nc cable radial
952001960	S50-PH-5-B01-PP rrx-pol pnp no-nc M12 radial
952001950	S50-PH-2-B01-NN rrx-pol npn no-nc cable radial
952001970	S50-PH-5-B01-NN rrx-pol npn no-nc M12 radial
<i>Polarized Retroreflex for Transparent 0,1...1,7m</i>	
952001260	S50-PA-2-T01-PP rrx-tran pnp no-nc cable axial
952001270	S50-PA-5-T01-PP rrx-tran pnp no-nc M12 axial
952001690	S50-PA-2-T01-NN rrx-tran npn no-nc cable axial
952001580	S50-PA-5-T01-NN rrx-tran npn no-nc M12 axial
952001280	S50-PR-2-T01-PP rrx-tran pnp no-nc cable radial
952001290	S50-PR-5-T01-PP rrx-tran pnp no-nc M12 radial
952001830	S50-PR-2-T01-NN rrx-tran npn no-nc cable radial
952001770	S50-PR-5-T01-NN rrx-tran npn no-nc M12 radial
<i>Through Beam 0...30m</i>	
952001190	S50-PA-2-G00-XG emitter cable axial
952001200	S50-PA-5-G00-XG emitter M12 axial
952001210	S50-PR-2-G00-XG emitter cable radial
952001220	S50-PR-5-G00-XG emitter M12 radial
952001150	S50-PA-2-F01-PP receiver pnp no-nc cable axial
952001160	S50-PA-5-F01-PP receiver pnp no-nc M12 axial
952001660	S50-PA-2-F01-NN receiver npn no-nc cable axial
952001550	S50-PA-5-F01-NN receiver npn no-nc M12 axial
952001170	S50-PR-2-F01-PP receiver pnp no-nc cable radial
952001180	S50-PR-5-F01-PP receiver pnp no-nc M12 radial
952001820	S50-PR-2-F01-NN receiver npn no-nc cable radial
952001760	S50-PR-5-F01-NN receiver npn no-nc M12 radial
<i>Through Beam LASER emission 0...60m</i>	
952001420	S50-PL-2-G00-XG emitter cable axial
952001430	S50-PL-5-G00-XG emitter M12 axial

Order No.	Material Description
952002060	S50-PH-2-G00-XG emitter cable radial
952002070	S50-PH-5-G00-XG emitter M12 radial
952001400	S50-PL-2-F01-PP receiver pnp no-nc cable axial
952001410	S50-PL-5-F01-PP receiver pnp no-nc M12 axial
952001890	S50-PL-2-F01-NN receiver npn no-nc cable axial
952001860	S50-PL-5-F01-NN receiver npn no-nc M12 axial
952002020	S50-PH-2-F01-PP receiver pnp no-nc cable radial
952002040	S50-PH-5-F01-PP receiver pnp no-nc M12 radial
952002030	S50-PH-2-F01-NN receiver npn no-nc cable radial
952002050	S50-PH-5-F01-NN receiver npn no-nc M12 radial
Contrats Sensor WHITE emission	
952001320	S50-PA-2-W03-PP contrast pnp no-nc cable radial
952001330	S50-PA-5-W03-PP contrast pnp no-nc M12 radial
952001600	S50-PA-5-W03-NN contrast npn no-nc M12 radial
952001710	S50-PA-2-W03-NN contrast npn no-nc cable radial
Luminescence Sensor UV emission	
952001300	S50-PA-2-U03-PP luminescence pnp no-nc cable radial
952001310	S50-PA-5-U03-PP luminescence pnp no-nc M12 radial
S50M TUBULAR M18 METAL HOUSING - TUB 5202	
Short Diffused 0...100mm	
952021020	S50-MA-2-C10-PP dif-prox pnp no-nc cable axial
952021220	S50-MA-5-C10-PP dif-prox pnp no-nc M12 axial
952021520	S50-MA-2-C10-NN dif-prox npn no-nc cable axial
952021680	S50-MA-5-C10-NN dif-prox npn no-nc M12 axial
952021490	S50-MR-2-C10-PP dif-prox pnp no-nc cable radial
952021480	S50-MR-5-C10-PP dif-prox pnp no-nc M12 radial
952021620	S50-MR-2-C10-NN dif-prox npn no-nc cable radial
952021780	S50-MR-5-C10-NN dif-prox npn no-nc M12 radial
Mid. Diffused 0...400mm	
952022120	S50-MA-2-C21-PP dif-prox pnp no-nc cable axial
952022140	S50-MA-5-C21-PP dif-prox pnp no-nc M12 axial
952022130	S50-MA-2-C21-NN dif-prox npn no-nc cable axial
952022150	S50-MA-5-C21-NN dif-prox npn no-nc M12 axial

Order No.	Material Description
Long Diffused 0...700mm	
952021010	S50-MA-2-C01-PP dif-prox pnp no-nc cable axial
952021210	S50-MA-5-C01-PP dif-prox pnp no-nc M12 axial
952021510	S50-MA-2-C01-NN dif-prox npn no-nc cable axial
952021670	S50-MA-5-C01-NN dif-prox npn no-nc M12 axial
952021150	S50-MR-2-C01-PP dif-prox pnp no-nc cable radial
952021350	S50-MR-5-C01-PP dif-prox pnp no-nc M12 radial
952021610	S50-MR-2-C01-NN dif-prox npn no-nc cable radial
952021770	S50-MR-5-C01-NN dif-prox npn no-nc M12 radial
Diffused LASER emission 0...350mm	
952021410	S50-ML-2-C01-PP dif-prox pnp no-nc cable axial
952021450	S50-ML-5-C01-PP dif-prox pnp no-nc M12 axial
952021830	S50-ML-2-C01-NN dif-prox npn no-nc cable axial
952021860	S50-ML-5-C01-NN dif-prox npn no-nc M12 axial
952021980	S50-MH-2-C01-PP dif-prox pnp no-nc cable radial
952022000	S50-MH-5-C01-PP dif-prox pnp no-nc M12 radial
952021990	S50-MH-2-C01-NN dif-prox npn no-nc cable radial
952022010	S50-MH-5-C01-NN dif-prox npn no-nc M12 radial
Fixed Focus 5...100mm	
952021030	S50-MA-2-D00-PP foc-prox pnp no-nc cable axial
952021230	S50-MA-5-D00-PP foc-prox pnp no-nc M12 axial
952021530	S50-MA-2-D00-NN foc-prox npn no-nc cable axial
952021690	S50-MA-5-D00-NN foc-prox npn no-nc M12 axial
952021160	S50-MR-2-D00-PP foc-prox pnp no-nc cable radial
952021360	S50-MR-5-D00-PP foc-prox pnp no-nc M12 radial
952021630	S50-MR-2-D00-NN foc-prox npn no-nc cable radial
952021790	S50-MR-5-D00-NN foc-prox npn no-nc M12 radial
Background Suppression 50...100mm	
952021070	S50-MA-2-M03-PP bgd-supp pnp no-nc cable axial
952021270	S50-MA-5-M03-PP bgd-supp pnp no-nc M12 axial
952021550	S50-MA-2-M03-NN bgd-supp npn no-nc cable axial
952021910	S50-MS-2-M03-PP bgd-supp pnp no-nc cable radial
952021930	S50-MS-5-M03-PP bgd-supp pnp no-nc M12 radial

Order No.	Material Description
Fibre Optic	
952021040	S50-MA-2-E01-PP opt-fibr pnp no-nc cable axial
952021240	S50-MA-5-E01-PP opt-fibr pnp no-nc M12 axial
952021880	S50-MA-2-E01-NN opt-fibr npn no-nc cable axial
952021890	S50-MA-5-E01-NN opt-fibr npn no-nc M12 axial
Retroreflex 0,1...5m	
952022080	S50-MA-2-A00-PP rrx pnp no-nc cable axial
952022090	S50-MA-2-A00-NN rrx npn no-nc cable axial
952022100	S50-MA-5-A00-PP rrx pnp no-nc M12 axial
952022110	S50-MA-5-A00-NN rrx npn no-nc M12 axial
Polarized Retroreflex 0,1...4,5m	
952021000	S50-MA-2-B01-PP rrx-pol pnp no-nc cable axial
952021200	S50-MA-5-B01-PP rrx-pol pnp no-nc M12 axial
952021500	S50-MA-2-B01-NN rrx-pol npn no-nc cable axial
952021660	S50-MA-5-B01-NN rrx-pol npn no-nc M12 axial
952021140	S50-MR-2-B01-PP rrx-pol pnp no-nc cable radial
952021340	S50-MR-5-B01-PP rrx-pol pnp no-nc M12 radial
952021600	S50-MR-2-B01-NN rrx-pol npn no-nc cable radial
952021760	S50-MR-5-B01-NN rrx-pol npn no-nc M12 radial
Polarized Retroreflex LASER emission 0,1...16m	
952021400	S50-ML-2-B01-PP rrx-pol pnp no-nc cable axial
952021440	S50-ML-5-B01-PP rrx-pol pnp no-nc M12 axial
952021820	S50-ML-2-B01-NN rrx-pol npn no-nc cable axial
952021850	S50-ML-5-B01-NN rrx-pol npn no-nc M12 axial
952021940	S50-MH-2-B01-PP rrx-pol pnp no-nc cable radial
952021950	S50-MH-2-B01-NN rrx-pol npn no-nc cable radial
952021960	S50-MH-5-B01-PP rrx-pol pnp no-nc M12 radial
952021970	S50-MH-5-B01-NN rrx-pol npn no-nc M12 radial
Polarized Retroreflex for Transparent 0,1...1,7m	
952021090	S50-MA-2-T01-PP rrx-tran pnp no-nc cable axial
952021290	S50-MA-5-T01-PP rrx-tran pnp no-nc M12 axial
952021570	S50-MA-2-T01-NN rrx-tran npn no-nc cable axial
952021730	S50-MA-5-T01-NN rrx-tran npn no-nc M12 axial

Order No.	Material Description
952021190	S50-MR-2-T01-PP rrx-tran pnp no-nc cable radial
952021390	S50-MR-5-T01-PP rrx-tran pnp no-nc M12 radial
952021650	S50-MR-2-T01-NN rrx-tran npn no-nc cable radial
952021810	S50-MR-5-T01-NN rrx-tran npn no-nc M12 radial
Through Beam 0...30m	
952021060	S50-MA-2-G00-XG emitter cable axial
952021260	S50-MA-5-G00-XG emitter M12 axial
952021180	S50-MR-2-G00-XG emitter cable radial
952021380	S50-MR-5-G00-XG emitter M12 radial
952021050	S50-MA-2-F01-PP receiver pnp no-nc cable axial
952021250	S50-MA-5-F01-PP receiver pnp no-nc M12 axial
952021540	S50-MA-2-F01-NN receiver npn no-nc cable axial
952021700	S50-MA-5-F01-NN receiver npn no-nc M12 axial
952021170	S50-MR-2-F01-PP receiver pnp no-nc cable radial
952021370	S50-MR-5-F01-PP receiver pnp no-nc M12 radial
952021640	S50-MR-2-F01-NN receiver npn no-nc cable radial
952021800	S50-MR-5-F01-NN receiver npn no-nc M12 radial
Through Beam LASER emission 0...60m	
952021430	S50-ML-2-G00-XG emitter cable axial
952021470	S50-ML-5-G00-XG emitter M12 axial
952022060	S50-MH-2-G00-XG emitter cable radial
952022070	S50-MH-5-G00-XG emitter M12 radial
952021420	S50-ML-2-F01-PP receiver pnp no-nc cable axial
952021460	S50-ML-5-F01-PP receiver pnp no-nc M12 axial
952021840	S50-ML-2-F01-NN receiver npn no-nc cable axial
952021870	S50-ML-5-F01-NN receiver npn no-nc M12 axial
952022020	S50-MH-2-F01-PP receiver pnp no-nc cable radial
952022040	S50-MH-5-F01-PP receiver pnp no-nc M12 radial
952022030	S50-MH-2-F01-NN receiver npn no-nc cable radial
952022050	S50-MH-5-F01-NN receiver npn no-nc M12 radial
Contrast Sensor WHITE emission	
952021110	S50-MA-2-W03-PP contrast pnp no-nc cable axial
952021310	S50-MA-5-W03-PP contrast pnp no-nc M12 axial

Order No.	Material Description
952021750	S50-MA-5-W03-NN contrast npn no-nc M12 axial
Luminescence Sensor UV emission	
952021300	S50-MA-5-U03-PP luminesc pnp no-nc M12 axial
S51 TUBULAR M18 - TUB 5270	
Short Diffused 0...100mm	
952701031	S51-PA-2-C10-PK dif-prox pnp-no cable PLASTIC AXIAL
952701291	S51-PA-5-C10-PK dif-prox pnp-no M12 PLASTIC AXIAL
952701101	S51-PA-2-C10-NK dif-prox npn-no cable PLASTIC AXIAL
952701361	S51-PA-5-C10-NK dif-prox npn-no M12 PLASTIC AXIAL
952701161	S51-PR-2-C10-PK dif-prox pnp-no cable PLASTIC RADIAL
952701421	S51-PR-5-C10-PK dif-prox pnp-no M12 PLASTIC RADIAL
952701231	S51-PR-2-C10-NK dif-prox npn-no cable PLASTIC RADIAL
952701491	S51-PR-5-C10-NK dif-prox npn-no M12 PLASTIC RADIAL
952701571	S51-MA-2-C10-PK dif-prox pnp-no cable METAL AXIAL
952701521	S51-MA-5-C10-PK dif-prox pnp-no M12 METAL AXIAL
952701631	S51-MA-2-C10-NK dif-prox npn-no cable METAL AXIAL
952701831	S51-MA-5-C10-NK dif-prox npn-no M12 METAL AXIAL
952701681	S51-MR-2-C10-PK dif-prox pnp-no cable METAL RADIAL
952701881	S51-MR-5-C10-PK dif-prox pnp-no M12 METAL RADIAL
952701741	S51-MR-2-C10-NK dif-prox npn-no cable METAL RADIAL
952701941	S51-MR-5-C10-NK dif-prox npn-no M12 METAL RADIAL
952701961	S51-MA-5-C20-PK dif-prox pnp-no M12 NARROW BEAM METAL AXIAL
Long diffused 10...400mm	
952701021	S51-PA-2-C01-PK dif-prox pnp-no cable PLASTIC AXIAL
952701281	S51-PA-5-C01-PK dif-prox pnp-no M12 PLASTIC AXIAL
952701091	S51-PA-2-C01-NK dif-prox npn-no cable PLASTIC AXIAL
952701351	S51-PA-5-C01-NK dif-prox npn-no M12 PLASTIC AXIAL
952701151	S51-PR-2-C01-PK dif-prox pnp-no cable PLASTIC RADIAL
952701411	S51-PR-5-C01-PK dif-prox pnp-no M12 PLASTIC RADIAL
952701221	S51-PR-2-C01-NK dif-prox npn-no cable PLASTIC RADIAL
952701481	S51-PR-5-C01-NK dif-prox npn-no M12 PLASTIC RADIAL
952701561	S51-MA-2-C01-PK dif-prox pnp-no cable METAL AXIAL
952701771	S51-MA-5-C01-PK dif-prox pnp-no M12 METAL AXIAL

Order No.	Material Description
952701621	S51-MA-2-C01-NK dif-prox npn-no cable METAL AXIAL
952701821	S51-MA-5-C01-NK dif-prox npn-no M12 METAL AXIAL
952701671	S51-MR-2-C01-PK dif-prox pnp-no cable METAL RADIAL
952701871	S51-MR-5-C01-PK dif-prox pnp-no M12 METAL RADIAL
952701731	S51-MR-2-C01-NK dif-prox npn-no cable METAL RADIAL
952701931	S51-MR-5-C01-NK dif-prox npn-no M12 METAL RADIAL
Retroreflex 0,1...4m	
952701001	S51-PA-2-A00-PK rrx pnp-no cable PLASTIC AXIAL
952701261	S51-PA-5-A00-PK rrx pnp-no M12 PLASTIC AXIAL
952701071	S51-PA-2-A00-NK rrx npn-no cable PLASTIC AXIAL
952701331	S51-PA-5-A00-NK rrx npn-no M12 PLASTIC AXIAL
952701131	S51-PR-2-A00-PK rrx pnp-no cable PLASTIC RADIAL
952701391	S51-PR-5-A00-PK rrx pnp-no M12 PLASTIC RADIAL
952701201	S51-PR-2-A00-NK rrx npn-no cable PLASTIC RADIAL
952701461	S51-PR-5-A00-NK rrx npn-no M12 PLASTIC RADIAL
952701541	S51-MA-2-A00-PK rrx pnp-no cable METAL AXIAL
952701531	S51-MA-5-A00-PK rrx pnp-no M12 METAL AXIAL
952701601	S51-MA-2-A00-NK rrx npn-no cable METAL AXIAL
952701801	S51-MA-5-A00-NK rrx npn-no M12 METAL AXIAL
952701651	S51-MR-2-A00-PK rrx pnp-no cable METAL RADIAL
952701851	S51-MR-5-A00-PK rrx pnp-no M12 METAL RADIAL
952701711	S51-MR-2-A00-NK rrx npn-no cable METAL RADIAL
952701911	S51-MR-5-A00-NK rrx npn-no M12 METAL RADIAL
Polarized Retroreflex 0,1...3m	
952701011	S51-PA-2-B01-PK rrx-pol pnp-no cable PLASTIC AXIAL
952701271	S51-PA-5-B01-PK rrx-pol pnp-no M12 PLASTIC AXIAL
952701081	S51-PA-2-B01-NK rrx-pol npn-no cable PLASTIC AXIAL
952701341	S51-PA-5-B01-NK rrx-pol npn-no M12 PLASTIC AXIAL
952701141	S51-PR-2-B01-PK rrx-pol pnp-no cable PLASTIC RADIAL
952701401	S51-PR-5-B01-PK rrx-pol pnp-no M12 PLASTIC RADIAL
952701211	S51-PR-2-B01-NK rrx-pol npn-no cable PLASTIC RADIAL
952701471	S51-PR-5-B01-NK rrx-pol npn-no M12 PLASTIC RADIAL
952701551	S51-MA-2-B01-PK rrx-pol pnp-no cable METAL AXIAL

Order No.	Material Description
952701761	S51-MA-5-B01-PK rrx-pol pnp-no M12 METAL AXIAL
952701611	S51-MA-2-B01-NK rrx-pol npn-no cable METAL AXIAL
952701811	S51-MA-5-B01-NK rrx-pol npn-no M12 METAL AXIAL
952701661	S51-MR-2-B01-PK rrx-pol pnp-no cable METAL RADIAL
952701861	S51-MR-5-B01-PK rrx-pol pnp-no M12 METAL RADIAL
952701721	S51-MR-2-B01-NK rrx-pol npn-no cable METAL RADIAL
952701921	S51-MR-5-B01-NK rrx-pol npn-no M12 METAL RADIAL
Through Beam 0...20m	
952701061	S51-PA-2-G00-XG emitter cable PLASTIC AXIAL
952701321	S51-PA-5-G00-XG emitter M12 PLASTIC AXIAL
952701191	S51-PR-2-G00-XG emitter cable PLASTIC RADIAL
952701451	S51-PR-5-G00-XG emitter M12 PLASTIC RADIAL
952701591	S51-MA-2-G00-XG emitter cable METAL AXIAL
952701791	S51-MA-5-G00-XG emitter M12 METAL AXIAL
952701701	S51-MR-2-G00-XG emitter cable METAL RADIAL
952701901	S51-MR-5-G00-XG emitter M12 METAL RADIAL
952701051	S51-PA-2-F00-PK receiver pnp-no cable PLASTIC AXIAL
952701311	S51-PA-5-F00-PK receiver pnp-no M12 PLASTIC AXIAL
952701121	S51-PA-2-F00-NK receiver npn-no cable PLASTIC AXIAL
952701381	S51-PA-5-F00-NK receiver npn-no M12 PLASTIC AXIAL
952701181	S51-PR-2-F00-PK receiver pnp-no cable PLASTIC RADIAL
952701441	S51-PR-5-F00-PK receiver pnp-no M12 PLASTIC RADIAL
952701251	S51-PR-2-F00-NK receiver npn-no cable PLASTIC RADIAL
952701511	S51-PR-5-F00-NK receiver npn-no M12 PLASTIC RADIAL
952701581	S51-MA-2-F00-PK receiver pnp-no cable METAL AXIAL
952701781	S51-MA-5-F00-PK receiver pnp-no M12 METAL AXIAL
952701641	S51-MA-2-F00-NK receiver npn-no cable METAL AXIAL
952701841	S51-MA-5-F00-NK receiver npn-no M12 METAL AXIAL
952701691	S51-MR-2-F00-PK receiver pnp-no cable METAL RADIAL
952701891	S51-MR-5-F00-PK receiver pnp-no M12 METAL RADIAL
952701751	S51-MR-2-F00-NK receiver npn-no cable METAL RADIAL
952701951	S51-MR-5-F00-NK receiver npn-no M12 METAL RADIAL
S15 TUBULAR M18 IP69K SHORT PLASTIC HOUSING -TUB 5230	

Order No.	Material Description
Short Diffused 0...100mm	
952301020	S15-PA-2-C10-PK DIF PROX PNP-NO CABLE
952301070	S15-PA-2-C10-NK DIF PROX NPN-NO CABLE
952301130	S15-PA-3-C10-PK DIF PROX PNP-NO pig-tail M12
952301180	S15-PA-3-C10-NK DIF PROX NPN-NO pig-tail M12
Long Diffused 0...350mm	
952301030	S15-PA-2-C00-PK DIF PROX PNP-NO CABLE
952301080	S15-PA-2-C00-NK DIF PROX NPN-NO CABLE
952301140	S15-PA-3-C00-PK DIF PROX PNP-NO pig-tail M12
952301190	S15-PA-3-C00-NK DIF PROX NPN-NO pig-tail M12
Retroreflex 0...4m	
952301000	S15-PA-2-A00-PK RRX PNP-NO CABLE
952301050	S15-PA-2-A00-NK RRX NPN-NO CABLE
952301110	S15-PA-3-A00-PK RRX PNP-NO pig-tail M12
952301160	S15-PA-3-A00-NK RRX NPN-NO pig-tail M12
Polarized Retroreflex 0...3m	
952301010	S15-PA-2-B00-PK RRX POL PNP-NO CABLE
952301060	S15-PA-2-B00-NK RRX POL NPN-NO CABLE
952301120	S15-PA-3-B00-PK RRX POL PNP-NO pig-tail M12
952301170	S15-PA-3-B00-NK RRX NPN-NO pig-tail M12
Through Beam 0...20m	
952301100	S15-PA-2-G00-XG EMITTER CABLE
952301210	S15-PA-3-G00-XG EMITTER pig-tail M12
952301040	S15-PA-2-F00-PK RECEIVER PNP-NO CABLE
952301090	S15-PA-2-F00-NK RECEIVER NPN-NO CABLE
952301150	S15-PA-3-F00-PK RECEIVER PNP-NO pig-tail M12
952301200	S15-PA-3-F00-NK DIF PROX NPN-NO pig-tail M12
Small SUB-MINI SENSOR - MINI 5B00	
Fixed Focus 15mm	
95B000020	SM-PR-2-D00-PP FOC-PROX 15MM PNP CABLE
95B000030	SM-PR-2-D00-NN FOC-PROX 15MM NPN CABLE
Fixed Focus 20mm	

Order No.	Material Description
95B000140	SM-PR-2-D10-PP FOC-PROX 20MM PNP CABLE
95B000150	SM-PR-2-D10-NN FOC-PROX 20MM NPN CABLE
Fixed Focus 30mm	
95B000040	SM-PR-2-D20-PP FOC-PROX 30MM PNP CABLE
95B000050	SM-PR-2-D20-NN FOC-PROX 30MM NPN CABLE
Fixed Focus 50mm	
95B000000	SM-PR-2-D30-PP FOC-PROX 50MM PNP CABLE
95B000010	SM-PR-2-D30-NN FOC-PROX 50MM NPN CABLE
Retroreflex 0,05...1,5m	
95B000060	SM-PR-2-A00-PP RRX 1,5M PNP CABLE
95B000070	SM-PR-2-A00-NN RRX 1,5M NPN CABLE
Polarized Retroreflex 0,1...1m	
95B000080	SM-PR-2-B00-PP RRX-POL 1M PNP CABLE
95B000090	SM-PR-2-B00-NN RRX-POL 1M NPN CABLE
95B000160	SM-PR-2-G00-XG EMITTER 2M CABLE
95B000120	SM-PR-2-F00-PP RECEIVER 2M PNP CABLE
95B000130	SM-PR-2-F00-NN RECEIVER 2M NPN CABLE
SM123 SUB-MINI SENSOR - MINI 5B00	
Fixed Focus 20mm	
95B000100	SM1-PR-2-D00-PL FOC PROX PNP LIGHT CABLE
95B000110	SM1-PR-2-D00-NL FOC PROX NPN LIGHT CABLE
Diffused 3...170mm	
95B000220	SM2-PR-2-D00-PL FOC PROX PNP LIGHT CABLE
95B000230	SM2-PR-2-D00-NL FOC PROX NPN LIGHT CABLE
Coaxial Polarized Retroreflex 0...500mm	
95B000320	SM3-PR-2-B00-PL RRX-POL PNP LIGHT CABLE
95B000330	SM3-PR-2-B00-NL RRX-POL NPN LIGHT CABLE
95B000340	SM3-PR-2-B00-PD RRX-POL PNP DARK CABLE
95B000350	SM3-PR-2-B00-ND RRX-POL NPN DARK CABLE
Through Beam 0...1,2m	
95B000200	SM2-PR-2-FG00-PD RX/TX PNP DARK CABLE
95B000210	SM2-PR-2-FG00-ND RX/TX NPN DARK CABLE

Order No.	Material Description
95B000300	SM3-PR-2-FG00-PD RX/TX PNP DARK CABLE
95B000310	SM3-PR-2-FG00-ND RX/TX NPN DARK CABLE
S41 MINI SENSOR - MINI 5070	
<i>Diffused 2...350mm</i>	
950701010	S41-2-C-P DIFFUSE 35cm PNP NO-NC CABLE
950701060	S41-5-C-P DIFFUSE 35cm PNP NO-NC M8
950701160	S41-2-C-N DIFFUSE 35cm NPN NO-NC CABLE
950701120	S41-5-C-N DIFFUSE 35cm NPN NO-NC M8
<i>Fixed Focus 110mm</i>	
950701020	S41-2-D-P FOC-PROXI 10cmPNP NO-NC CABLE
950701070	S41-5-D-P FOC-PROXI 10cmPNP NO-NC M8
950701170	S41-2-D-N FOC-PROXI 10cmNPN NO-NC CABLE
950701230	S41-5-D-N FOC-PROXI 10cmNPN NO-NC M8
<i>Polarized Retroreflex 0,1...2,5m</i>	
950701000	S41-2-B-P RRX POL 2,5m PNP NO-NC CABLE
950701050	S41-5-B-P RRX POL 2,5m PNP NO-NC M8
950701150	S41-2-B-N RRX POL 2,5m NPN NO-NC CABLE
950701210	S41-5-B-N RRX POL 2,5m NPN NO-NC M8
<i>Polarized Retroreflex W/O Adjustment Trimmer 0,1...2,5m</i>	
950701100	S41-2-P-P RRX POL 2,5M PNP NO-NC CABLE
950701110	S41-5-P-P RRX POL 2,5M PNP NO-NC M8
950701190	S41-2-P-N RRX POL 2,5M NPN NO-NC CABLE
950701250	S41-5-P-N RRX POL 2,5M NPN NO-NC M8
<i>Polarized Retroreflex for Transparent 0,1...0,7m</i>	
950701130	S41-2-T-P RRX-TRANS 80cmPNP NO-NC CABLE
950701140	S41-5-T-P RRX-TRANS 80cmPNP NO-NC M8
950701200	S41-2-T-N RRX-TRANS 80cmNPN NO-NC CABLE
950701260	S41-5-T-N RRX-TRANS 80cmNPN NO-NC M8
<i>Through Beam 0,1...6m (G model), 0,1...1,5m (H model)</i>	
950701040	S41-2-G EMITTER 6m CABLE 10-30Vdc
950701090	S41-5-G EMITTER 6m CONN M8 10-30Vdc
950701045	S41-2-H NARROW-BEAM CABLE
950701095	S41-5-H NARROW-BEAM CONN M8

Order No.	Material Description
950701030	S41-2-F-P RECEIVER 6m PNP NO-NC CABLE
950701080	S41-5-F-P RECEIVER 6m PNP NO-NC M8
950701180	S41-2-F-N RECEIVER 6m NPN NO-NC CABLE
950701240	S41-5-F-N RECEIVER 6m NPN NO-NC M8
S40 MINI SENSOR - MINI 5040	
Diffused LED 5...300mm	
950401310	S40-PR-2-C03-PH dif-prox pnp no cable
950401430	S40-PR-5-C03-PH dif-prox pnp no M8
950401370	S40-PR-2-C03-NH dif-prox npn no cable
950401490	S40-PR-5-C03-NH dif-prox npn no M8
Diffused LASER 40...150mm	
950401260	S40-PH-5-C03-NH laser dif-prox npn no M8
950401270	S40-PH-5-C03-PH laser dif-prox pnp no M8
Background Suppression LED 15...100mm	
950401320	S40-PR-2-M03-PH bgd-supp pnp no cable
950401440	S40-PR-5-M03-PH bgd-supp pnp no M8
950401380	S40-PR-2-M03-NH bgd-supp npn no cable
950401500	S40-PR-5-M03-NH bgd-supp npn no M8
Background Suppression LASER 15...100mm	
950401290	S40-PH-5-M03-PH laser bgd-supp pnp no M8
950401540	S40-PH-2-M03-PH laser bgd-supp pnp cable
950401280	S40-PH-5-M03-NH laser bgd-supp npn no M8
Polarized Retroreflex LED 0,1...3m	
950401300	S40-PR-2-B03-PH rrx-pol pnp no cable
950401420	S40-PR-5-B03-PH rrx-pol pnp no M8
950401360	S40-PR-2-B03-NH rrx-pol npn no cable
950401480	S40-PR-5-B03-NH rrx-pol npn no M8
Polarized Retroreflex for Transparent LED 0,1...0,7m	
950401350	S40-PR-2-T03-PH rrx-tran pnp no cable
950401470	S40-PR-5-T03-PH rrx-tran pnp no M8
950401410	S40-PR-2-T03-NH rrx-tran npn no cable
950401530	S40-PR-5-T03-NH rrx-tran npn no M8

Order No.	Material Description
Polarized Retroreflex LASER 0,1...6m	
950401240	S40-PH-5-B03-NH laser rrx-pol npn no M8
950401250	S40-PH-5-B03-PH laser rrx-pol pnp no M8
S3Z MINI SENSOR - MINI 5B01	
Short Diffused Narrow Beam 50...150mm	
95B010040	S3Z-PR-2-C01-PL FOC PROX PNP LIGHT CABLE
95B010050	S3Z-PR-5-C01-PL FOC PROX PNP LIGHT CONN
95B010060	S3Z-PR-2-C01-PD FOC PROX PNP DARK CABLE
95B010070	S3Z-PR-5-C01-PD FOC PROX PNP DARK CONN
95B010200	S3Z-PR-2-C01-NL FOC PROX NPN LIGHT CABLE
95B010210	S3Z-PR-5-C01-NL FOC PROX NPN LIGHT CONN
95B010220	S3Z-PR-2-C01-ND FOC PROX NPN DARK CABLE
95B010230	S3Z-PR-5-C01-ND FOC PROX NPN DARK CONN
Long Diffused 0...700mm	
95B010000	S3Z-PR-2-C11-PL DIF-PROX PNP LIGHT CABLE
95B010010	S3Z-PR-5-C11-PL DIF-PROX PNP LIGHT CONN
95B010020	S3Z-PR-2-C11-PD DIF-PROX PNP DARK CABLE
95B010030	S3Z-PR-5-C11-PD DIF-PROX PNP DARK CONN
95B010160	S3Z-PR-2-C11-NL DIF-PROX NPN LIGHT CABLE
95B010170	S3Z-PR-5-C11-NL DIF-PROX NPN LIGHT CONN
95B010180	S3Z-PR-2-C11-ND DIF-PROX NPN DARK CABLE
95B010190	S3Z-PR-5-C11-ND DIF-PROX NPN DARK CONN
Background Suppression 50...300mm	
95B010330	S3Z-PR-2-M01-PL BGD-SUPP PNP LIGHT CABLE
95B010350	S3Z-PR-5-M01-PL BGD-SUPP PNP LIGHT CONN
95B010320	S3Z-PR-2-M01-NL BGD-SUPP NPN LIGHT CABLE
95B010340	S3Z-PR-5-M01-NL BGD-SUPP NPN LIGHT CONN
Polarized Retroreflex 0,05...4m	
95B010100	S3Z-PR-2-B01-PD RRX-POL PNP DARK CABLE
95B010110	S3Z-PR-5-B01-PD RRX-POL PNP DARK CONN
95B010080	S3Z-PR-2-B01-PL RRX-POL PNP LIGHT CABLE
95B010090	S3Z-PR-5-B01-PL RRX-POL PNP LIGHT CONN
95B010260	S3Z-PR-2-B01-ND RRX-POL NPN DARK CABLE

Order No.	Material Description
95B010270	S3Z-PR-5-B01-ND RRX-POL NPN DARK CONN
95B010240	S3Z-PR-2-B01-NL RRX-POL NPN LIGHT CABLE
95B010250	S3Z-PR-5-B01-NL RRX-POL NPN LIGHT CONN
Coaxial Polarized Retroreflex for Transparent 0...2m	
95B010380	S3Z-PR-2-T51-PD RRX TRANSP PNP DARK CABLE
95B010360	S3Z-PR-5-T51-PD RRX TRANSP PNP DARK M8
95B010390	S3Z-PR-2-T51-ND RRX TRANSP NPN DARK CABLE
95B010370	S3Z-PR-5-T51-ND RRX TRANSP NPN DARK M8
Through Beam 0...15m	
95B010120	S3Z-PR-2-FG01-PL RX/TX PNP LIGHT CABLE
95B010130	S3Z-PR-5-FG01-PL RX/TX PNP LIGHT M8
95B010140	S3Z-PR-2-FG01-PD RX/TX PNP DARK CABLE
95B010150	S3Z-PR-5-FG01-PD RX/TX PNP DARK M8
95B010280	S3Z-PR-2-FG01-NL RX/TX NPN LIGHT CABLE
95B010290	S3Z-PR-5-FG01-NL RX/TX NPN LIGHT M8
95B010300	S3Z-PR-2-FG01-ND RX/TX NPN DARK CABLE
95B010310	S3Z-PR-5-FG01-ND RX/TX NPN DARK M8
Polarized Retroreflex LASER 0,05...10m	
95B010440	S3Z-PH-2-B01-PP RRX POL LASER PNP CABLE
95B010460	S3Z-PH-5-B01-PP RRX POL LASER PNP M8
95B010450	S3Z-PH-2-B01-NN RRX POL LASER NPN CABLE
95B010470	S3Z-PH-5-B01-NN RRX POL LASER NPN M8
Background Suppression LASER 50...400mm	
95B010480	S3Z-PH-2-M01-PP BGS LASER PNP CABLE
95B010500	S3Z-PH-5-M01-PP BGS LASER PNP M8
95B010490	S3Z-PH-2-M01-NN BGS LASER NPN CABLE
95B010510	S3Z-PH-5-M01-NN BGS LASER NPN M8
Through Beam LASER 0...30m	
95B010520	S3Z-PH-2-FG01-PP RX/TX LASER PNP CABLE
95B010540	S3Z-PH-5-FG01-PP RX/TX LASER PNP M8
95B010530	S3Z-PH-2-FG01-NN RX/TX LASER NPN CABLE
95B010550	S3Z-PH-5-FG01-NN RX/TX LASER NPN M8

Order No.	Material Description
S8 MINI SENSOR - MINI 5080	
<i>Long Diffused LED 0...500mm</i>	
950801240	S8-PR-5-C01-PP LED PROX 45CM PNP M8
950801260	S8-PR-5-C01-NN LED PROX 45CM NPN M8
950801250	S8-PR-3-C01-PP LED PROX 45CM PNP PIG M12
950801270	S8-PR-3-C01-NN LED PROX 45CM NPN PIG M12
<i>Background suppression LED 50...300mm</i>	
950801200	S8-PR-5-M01-PP LED BGS 30CM, PNP, M8
950801210	S8-PR-5-M01-NN LED BGS 30CM, NPN, M8
950801220	S8-PR-3-M01-PP LED BGS 30CM, PNP, PIG-T. M12
950801230	S8-PR-3-M01-NN LED BGS 30CM, NPN, PIG-T. M12
<i>Background suppression LASER 20...200mm</i>	
950801020	S8-PH-5-M01-PP BGS Laser 20cm, PNP, M8
950801030	S8-PH-5-M01-NN BGS Laser 20cm, NPN, M8
950801100	S8-PH-3-M01-PP BGS Laser 20cm, PNP, pig-tail M12
950801110	S8-PH-3-M01-NN BGS Laser 20cm, pig-tail M12
<i>Background suppression LASER 50...150mm for Shiny or Clear detection</i>	
950801380	S8-PH-5-M53-PP BGS Shiny/Clear Laser 15cm M8 PNP
<i>Polarized Retroreflex LED 0...5m</i>	
950801160	S8-PR-5-B01-PP LED RRX 5M, PNP, M8
950801170	S8-PR-5-B01-NN LED RRX 5M, NPN, M8
950801180	S8-PR-3-B01-PP LED RRX 5M, PNP, PIG-T. M12
950801190	S8-PR-3-B01-NN LED RRX 5M, NPN, PIG-T. M12
<i>Polarized Retroreflex for Transparent LED 0...1m (T51 model), 0...2m (T53 model)</i>	
950801040	S8-PR-5-T51-PP RRX, TRA, 1m, PNP, M8
950801050	S8-PR-5-T51-NN RRX, TRA, 1m, NPN, M8
950801120	S8-PR-3-T51-PP RRX, TRA, 1m, PNP, pig-tail M12
950801130	S8-PR-3-T51-NN RRX, TRA, 1m, NPN, pig-tail M12
950801280	S8-PR-5-T53-PP RRX TRA 2M PNP M8 AUTOADAPTIVE
950801290	S8-PR-5-T53-NN RRX TRA 2M NPN M8 AUTOADAPTIVE
<i>Polarized Retroreflex for Transparent LED 0...2m STAINLES STEEL AISI 316L</i>	
950801300	S8-MR-5-T53-PP RRX INOX TRA PNP TEACH

Order No.	Material Description
950801310	S8-MR-5-T53-NN RRX INOX TRA NPN TEACH
950801320	S8-MR-5-T50-PH RRX INOX TRA PNP REMOTE
950801330	S8-MR-5-T50-NH RRX INOX TRA NPN REMOTE
Coaxial Polarized Retroreflex LASER 0...10m	
950801000	S8-PH-5-B51-PP RRX Laser 10m, PNP, M8
950801010	S8-PH-5-B51-NN RRX Laser 10m, NPN, M8
950801080	S8-PH-3-B51-PP RRX Laser 10m, PNP, pig-tail M12
950801090	S8-PH-3-B51-NN RRX Laser 10m, NPN, pig-tail M12
Contrast RGB	
950801060	S8-PR-5-W03-PP CONTRAST, RGB, PNP, M8
950801070	S8-PR-5-W03-NN CONTRAST, RGB, NPN, M8
950801140	S8-PR-3-W03-PP CONTRAST, RGB, PNP, pig-tail M12
950801150	S8-PR-3-W03-NN CONTRAST, RGB, NPN pig-tail M12
Contrast RGB STAINLESS STEEL AISI 316L	
950801340	S8-MR-5-W03-PP CONTRAST. INOX PNP TEACH
950801350	S8-MR-5-W03-NN CONTRAST. INOX NPN TEACH
950801360	S8-MR-5-W00-PH CONTRAST. INOX PNP REMOTE
950801370	S8-MR-5-W00-NH CONTRAST. INOX NPN REMOTE
S3 MINI SENSOR - MINI 5060	
Short Diffused 0...100mm	
S936530004	S3-S-C10 PROX CABLE
S936530005	S3-R-C10 PROX CABLE
S939730200	S3T-S-C10 PNP-PROX M8 CONN.
S939730201	S3T-R-C10 PNP-PROX M8 CONN.
Long Diffused 0...500mm	
S936530000	S3-S-C50 PROX CABLE
S936530001	S3-R-C50 PROX CABLE
S939530200	S3T-S-C50 PNP-PROX M8 CONN.
S939530201	S3T-R-C50 PNP-PROX M8 CONN.
Fixed Focus 12mm	
S936620000	S3-S-D12 FF.PROX CABLE
S936620001	S3-R-D12 FF.PROX CABLE
S939620200	S3T-S-D12 PNP-FF. PROX M8 CONN.

Order No.	Material Description
S939620201	S3T-R-D12 PNP-FF. PROX M8 CONN.
Fibre optic	
S936820000	S3-S-E1 FO. CABLE
S936820001	S3-R-E1 FO. CABLE
S939820200	S3T-S-E1 PNP-FO. M8 CONN.
S939820201	S3T-R-E1 PNP-FO. M8 CONN.
Retroreflex 0,1...2,5m	
S936330000	S3-S-A2,5 RRX CABLE
S936330001	S3-R-A2,5 RRX CABLE
S939330200	S3T-S-A2,5 PNP-RRX. M8 CONN.
S939330201	S3T-R-A2,5 PNP-RRX. M8 CONN.
Polarized Retroreflex 0,1...2m	
S936420000	S3-S-B2 RRX.POL CABLE
S936420001	S3-R-B2 RRX.POL CABLE
S939420200	S3T-S-B2 PNP-RRX.POL M8 CONN.
S939420201	S3T-R-B2 PNP-RRX.POL M8 CONN.
Polarized Retroreflex for transparent 0,2...0,8m	
S936330008	S3-S-T0,8 RRX CABLE
S936330009	S3-R-T0,8 RRX CABLE
S939330208	S3T-S-T0,8 PNP-RRX. M8 CONN
S939330209	S3T-R-T0,8 PNP-RRX. M8 CONN.
Through Beam 0...5m	
S936130000	S3-S-G5 EMITTER CABLE
S936130001	S3-R-G5 EMITTER CABLE
S939130900	S3T-S-G5 EMITTER M8 CONN.
S939130901	S3T-R-G5 EMITTER M8 CONN.
S936200000	S3-S-F5 RECEIVER CABLE
S936200001	S3-R-F5 RECEIVER CABLE
S939200200	S3T-S-F5 RECEIVER M8 CONN.
S939200201	S3T-R-F5 RECEIVER M8 CONN.
S6 COMPACT SENSOR - MIDI 5610	
Short Diffused 0...900mm	
S937530000	S6-5-C90 PROX DC CABLE

Order No.	Material Description
961031020	S6T-5-C90-P PROX PNP DC M12 CONN.
950201190	S6R-5-C90-P PROX PNP DC M12 NO-NC
S937530090	S6-1-C90 -PROX 15/264 AC/DC CABLE
Long Diffused 0...2m	
950201150	S6-5-C200 PROX DC CABLE
950201200	S6R-5-C200-P PROX PNP DC M12 NO-NC
956101050	S6R-5-C200-N PROX NPN DC M12 NO-NC
950151140	S6-1-C200 PROX 15/264 AC/DC CABLE
Background Suppression 100mm	
950201230	S6R-5-M10-P BACK SUPPR PNP DC M12 NO-NC
Background Suppression 250mm	
S937830000	S6-5-M25 BACK SUPPR DC CABLE
961041000	S6T-5-M25-P BACK SUPPR PNP DC M12 CONN.
950201220	S6R-5-M25-P BACK SUPPR PNP DC M12 NO-NC
956101080	S6R-5-M25-N BACK SUPPR NPN DC M12 NO-NC
Background Suppression 500mm	
950201250	S6R-5-M50-P BACK SUPPR PNP DC M12 NO-NC
Retroreflex 0,1...6m	
S937330000	S6-5-A6 RRX DC CABLE
961031000	S6T-5-A6-P RRX PNP DC M12 CONN.
950201170	S6R-5-A6-P RRX PNP DC M12 NO-NC
S937330090	S6-1-A6 -RRX 15/264 AC/DC CABLE
Polarized Retroreflex 0,1...5m	
S937420000	S6-5-B5 RRX.POL DC CABLE
961031010	S6T-5-B5-P RRX. POL PNP DC M12 CONN.
950201180	S6R-5-B5-P RRX POL PNP DC M12 NO-NC
S937420090	S6-1-B5 -RRX.POL 15/264 AC/DC CABLE
Through Beam 0...20m	
S937130000	S6-5-G20 EMITTER DC CABLE
961211000	S6T-5-G20 EMITTER M12 CONN. TEST INPUT
S937130090	S6-1-G20 -EMITTER 15/264 AC/DC CABLE
S937200010	S6-5-F20 RECEIVER DC CABLE
961211010	S6T-5-F20-P RECEIVER PNP DC M12 CONN.

Order No.	Material Description
950201160	S6R-5-F20-P RECEIVER PNP DC M12 NO-NC
S937200090	S6-1-F20 -RECEIVER 15/264 AC/DC CABLE
S60 COMPACT SENSOR - MIDI 5620	
<i>Short Diffused 0...1m</i>	
956201310	S60-PA-2-C01-PP dif-prox pnp no-nc cable
956201050	S60-PA-5-C01-PP dif-prox pnp no-nc M12
956201470	S60-PA-2-C01-NN dif-prox npn no-nc cable
956201190	S60-PA-5-C01-NN dif-prox npn no-nc M12
<i>Long Diffused 0...2m</i>	
956201320	S60-PA-2-C11-PP dif-prox pnp no-nc cable
956201110	S60-PA-5-C11-PP dif-prox pnp no-nc M12
956201480	S60-PA-2-C11-NN dif-prox npn no-nc cable
956201200	S60-PA-5-C11-NN dif-prox npn no-nc M12
<i>Diffused LASER 0...600mm</i>	
956201650	S60-PL-2-C01-PP dif-prox pnp no-nc cable
956201670	S60-PL-5-C01-PP dif-prox pnp no-nc M12
956201640	S60-PL-2-C01-NN dif-prox npn no-nc cable
956201660	S60-PL-5-C01-NN dif-prox npn no-nc M12
<i>Background Suppression 7...200mm</i>	
956201080	S60-PA-5-M08-PH bgd-sup pnp no M12
956201220	S60-PA-5-M08-NH bgd-sup npn no M12
<i>Background Suppression LASER 5...100mm</i>	
956201440	S60-PL-2-M08-PH bgd-sup pnp no cable
956201160	S60-PL-5-M08-PH bgd-sup pnp no M12
956201580	S60-PL-2-M08-NH bgd-sup npn no cable
956201280	S60-PL-5-M08-NH bgd-sup npn no M12
<i>Polarized Retroreflex 0,1...8m</i>	
956201300	S60-PA-2-B01-PP rrx-pol pnp no-nc cable
956201040	S60-PA-5-B01-PP rrx-pol pnp no-nc M12
956201460	S60-PA-2-B01-NN rrx-pol npn no-nc cable
956201180	S60-PA-5-B01-NN rrx-pol npn no-nc M12
<i>Coaxial Polarized Retroreflex 0,1...4m</i>	

Order No.	Material Description
956201620	S60-PA-5-B51-PP rrx-pol pnp no-nc M12
956201630	S60-PA-5-B51-NN rrx-pol npn no-nc M12
Coaxial Polarized Retroreflex for Transparent 0,1...2m	
956201380	S60-PA-2-T51-PP rrx-tra pnp no-nc cable
956201100	S60-PA-5-T51-PP rrx-tra pnp no-nc M12
956201530	S60-PA-2-T51-NN rrx-tra npn no-nc cable
956201250	S60-PA-5-T51-NN rrx-tra npn no-nc M12
Polarized Retroreflex LASER 0,1...20m	
956201410	S60-PL-2-B01-PP rrx-pol pnp no-nc cable
956201120	S60-PL-5-B01-PP rrx-pol pnp no-nc M12
956201560	S60-PL-2-B01-NN rrx-pol npn no-nc cable
956201260	S60-PL-5-B01-NN rrx-pol npn no-nc M12
Through Beam 0...20m	
956201340	S60-PA-2-G00-XG emitter cable 10..30Vdc
956201070	S60-PA-5-G00-XG emitter M12 10...30Vdc
956201330	S60-PA-2-F01-PP receiver pnp no-nc cable
956201060	S60-PA-5-F01-PP receiver pnp no-nc M12
956201490	S60-PA-2-F01-NN receiver npn no-nc cable
956201210	S60-PA-5-F01-NN receiver npn no-nc M12
Through Beam LASER 0...60m	
956201430	S60-PL-2-G00-XG emitter cable 10..30Vdc
956201150	S60-PL-5-G00-XG emitter M12 10...30Vdc
956201420	S60-PL-2-F01-PP receive pnp no cable
956201140	S60-PL-5-F01-PP receive pnp no M12
956201570	S60-PL-2-F01-NN receive npn no cable
956201270	S60-PL-5-F01-NN receive npn no M12
Distance Sensor 60...150m	
956201710	S60-PA-5-Y03-PV distance pnp no M12
956201700	S60-PA-5-Y03-NV distance npn no M12
Contrast WHITE emission 19mm ± 2mm	
956201400	S60-PA-2-W08-PH contras pnp no cable
956201020	S60-PA-5-W08-PH contras pnp no M12
956201550	S60-PA-2-W08-NH contras npn no cable

Order No.	Material Description
956201030	S60-PA-5-W08-NH kontras npn no M12
Luminescence UV emission 0...40mm	
956201390	S60-PA-2-U08-PH lumines pnp no cable
956201000	S60-PA-5-U08-PH lumines pnp no M12
956201540	S60-PA-2-U08-NH lumines npn no cable
956201010	S60-PA-5-U08-NH lumines npn no M12
S62 COMPACT SENSOR - MIDI 5621	
Background Suppression 30...300mm	
956201840	S62-PA-2-M01-PP 300mm PNP CABLE
956201830	S62-PA-5-M01-PP 300mm PNP M12
956201810	S62-PA-5-M01-NN 300mm NPN M12
956201820	S62-PA-5-M05-PP 300mm PNP M12 TIMER
956201800	S62-PA-5-M05-NN 300mm NPN M12 TIMER
Background Suppression 60...600mm	
956201890	S62-PA-2-M11-PP 600mm PNP CABLE
956201880	S62-PA-5-M11-PP 600mm PNP M12
956201860	S62-PA-5-M11-NN 600mm NPN M12
956201870	S62-PA-5-M15-PP 600mm PNP M12 TIMER
956201850	S62-PA-5-M15-NN 600mm NPN M12 TIMER
Background Suppression 60...1200mm	
956201940	S62-PA-2-M21-PP 1200MM PNP CABLE
956201900	S62-PA-5-M21-PP 1200MM PNP M12
956201910	S62-PA-5-M21-NN 1200MM NPN M12
956201920	S62-PA-5-M25-PP 1200MM PNP M12 TIMER
956201930	S62-PA-5-M25-NN 1200MM NPN M12 TIMER
Background Suppression 0,2...2m	
956211050	S62-PA-2-M31-PP BGS 200cm PNP CABLE
956211070	S62-PA-5-M31-PP BGS 200cm PNP M12
956211060	S62-PA-5-M31-NN BGS 200cm NPN M12
956211090	S62-PA-5-M35-PP BGS 200cm PNP M12 TIMER
956211080	S62-PA-5-M35-NN BGS 200cm NPN M12 TIMER
Background Suppression LASER 30...150mm (M01 model), 50...350mm (M11 model)	
956211130	S62-PL-5-M01-PP BGS LASER 15cm PNP M12

Order No.	Material Description
956211120	S62-PL-5-M01-NN BGS LASER 15cm NPN M12
956211150	S62-PL-5-M11-PP BGS LASER 35cm PNP M12
956211140	S62-PL-5-M11-NN BGS LASER 35cm NPN M12
Polarized Retroreflex 0,1...10m	
956211010	S62-PA-2-B01-PP RRX-POL PNP NO-NC CABLE
956211000	S62-PA-5-B01-PP RRX-POL PNP NO-NC M12
956211020	S62-PA-5-B01-NN RRX-POL NPN NO-NC M12
Polarized Retroreflex LASER 0,3...20m	
956211110	S62-PL-5-B01-PP RRX LASER 20m PNP M12
956211100	S62-PL-5-B01-NN RRX LASER 20m NPN M12
S90 COMPACT METAL HOUSING SENSOR - MIDI 5630	
Short Diffused 1...100mm	
956301010	S90-MA-5-C01-PP dif-prox pnp no-nc M12
956301190	S90-MA-5-C01-NN dif-prox npn no-nc M12
Long Diffused 5...200mm	
956301020	S90-MA-5-C11-PP dif-prox pnp no-nc M12
956301200	S90-MA-5-C11-NN dif-prox npn no-nc M12
Diffused LASER 0...60mm	
956301100	S90-ML-5-C01-PP dif-prox pnp no-nc M12
956301270	S90-ML-5-C01-NN dif-prox npn no-nc M12
Background Suppression 20...200mm	
956301070	S90-MA-5-M08-PH bgd-sup pnp no M12
956301220	S90-MA-5-M08-NH bgd-sup npn no M12
Foreground/Background Suppression 70...200mm	
956301080	S90-MA-5-N03-PH b/f-sup pnp no M12
956301230	S90-MA-5-N03-NH b/f-sup npn no M12
Background Suppression LASER 50...100mm	
956301130	S90-ML-5-M08-PH bgd-sup pnp no M12
956301290	S90-ML-5-M08-NH bgd-sup npn no M12
Polarized Retroreflex 0...8m	
956301000	S90-MA-5-B01-PP rrx-pol pnp no-nc M12
956301160	S90-MA-5-B01-NN rrx-pol npn no-nc M12

Order No.	Material Description
Coaxial Polarized Retroreflex 0...4m	
956301030	S90-MA-5-B51-PP rrx-pol pnp no-nc M12
956301170	S90-MA-5-B51-NN rrx-pol npn no-nc M12
Coaxial Polarized Retroreflex for Transparent 0...2m	
956301040	S90-MA-5-T51-PP rrx-tra pnp no-nc M12
956301180	S90-MA-5-T51-NN rrx-tra npn no-nc M12
Polarized Retroreflex LASER 0,1...20m	
956301090	S90-ML-5-B01-PP rrx-pol pnp no-nc M12
956301260	S90-ML-5-B01-NN rrx-pol npn no-nc M12
Through Beam 0...20m	
956301060	S90-MA-5-G00-XG emitter M12 10...30Vdc
956301050	S90-MA-5-F01-PP receiver pnp no-nc M12
956301210	S90-MA-5-F01-NN receiver npn no-nc M12
Through Beam LASER 0...60m	
956301120	S90-ML-5-G00-XG emitter M12 10...30Vdc
956301110	S90-ML-5-F01-PP receiver pnp no M12
956301280	S90-ML-5-F01-NN receiver npn no M12
Contrast WHITE emission 19mm ± 2mm	
956301150	S90-MA-5-W08-PH contras pnp no M12
956301250	S90-MA-5-W08-NH contras npn no M12
Luminescence UV emission 0...40mm	
956301140	S90-MA-5-U08-PH lumines pnp no M12
956301240	S90-MA-5-U08-NH lumines npn no M12
S20 MAXI SENSOR - MAXI 5135	
Diffused 0,01...2m	
951351010	S20-2-C-P PROXIMITY 200CM-CAVO-PNP
951351110	S20-5-C-P PROXIMITY 200CM-M12-PNP
951351060	S20-2-C-N PROXIMITY 200CM-CV-NPN
951351160	S20-5-C-N PROXIMITY 200CM-M12-NPN
Background Suppression 100...500mm	
951351020	S20-2-M-P BACKGR.SUPPR.50CM-CV-PNP
951351120	S20-5-M-P BACKGR.SUPPR.50CM-M12PNP

Order No.	Material Description
951351170	S20-5-M-N BACKGR.SUPPR.50CM-M12NPN
Polarized Retroreflex 0,1...7m	
951351000	S20-2-B-P RRX POL.7M-CAVO-PNP
951351100	S20-5-B-P RRX POL.7M-M12-PNP
951351150	S20-5-B-N RRX POL. 7M-M12-NPN
Through Beam 0...50m	
951351040	S20-2-G EMITTER 50M-CAVO
951351140	S20-5-G EMITTER 50M-M12
951351030	S20-2-F-P RECEIVER 50M-CAVO-PNP
951351130	S20-5-F-P RECEIVER 50M-M12-PNP
951351180	S20-5-F-N RECEIVER 50M-M12-NPN
S2 MAXI SENSOR - MIDI 5110	
Shor Diffused 10...900mm	
J950530000	S2-5-C90 PROX. 10-30VDC
J950535000	S2-5-C90T PROX. 10-30VDC TIMER
J950530390	S2-1-C90 PROX. 15-264VAC/VDC
J950535390	S2-1-C90T PROX. 15-264VAC/VDC TIMER
Long Diffused 0,1...2m	
J950530003	S2-5-C200 PROX. 10-30VDC
J950535003	S2-5-C200T PROX. 10-30VDC TIMER
J950530393	S2-1-C200 PROX. 15-264VAC/VDC
J950535393	S2-1-C200T PROX. 15-264VAC/VDC TIMER
Retroreflex 0,1...5m	
J950330000	S2-5-A5 RRX 10-30VDC
J950335000	S2-5-A5T RRX 10-30VDC TIMER
J950330390	S2-1-A5 RRX 15-264VAC/VDC
J950335390	S2-1-A5T RRX 15-264VAC/VDC TIMER
Polarized Retroreflex 0,15...3m	
J950320000	S2-5-B3 RRX.POL. 10-30VDC
J950325000	S2-5-B3T RRX.POL. 10-30VDC TIMER
J950320390	S2-1-B3 RRX.POL. 15-264VAC/VDC
J950325390	S2-1-B3T RRX.POL.15-264 VAC/VDC TIMER

Order No.	Material Description
Through Beam 0...10m	
J950139900	S2-5-G10 EMITTER 10-30VDC
J950139990	S2-1-G10 EMITTER 15-264VAC/VDC
J950200000	S2-5-F10 RECEIVER 10-30VDC
J950205000	S2-5-F10T RECEIVER 10-30VDC TIMER
J950200390	S2-1-F10 RECEIVER 15-264VAC/VDC
J950205390	S2-1-F10T RECEIVER 15-264VAC/VDC TIMER
Through Beam 0...50m	
J950139905	S2-5-G50 EMITTER 10-30VDC
J950139995	S2-1-G50 EMITTER 15-264VAC/VDC
J950200004	S2-5-F50 RECEIVER 10-30VDC
J950205004	S2-5-F50T RECEIVER 10-30VDC TIMER
J950200394	S2-1-F50 RECEIVER 15-264VAC/VDC
J950205394	S2-1-F50T RECEIVER 15-264VAC/VDC TIMER
S300 MAXI SENSOR - MAXI 5145	
Diffused 0,01...5m	
951451070	S300-PR-2-C01-OC PROX TERMINAL BLOCK DC
951451080	S300-PR-2-C06-OC PROX TERMINAL BLOCK DC TIMER
951451090	S300-PR-5-C01-OC PROX M12 CONNECTOR DC
951451100	S300-PR-5-C06-OC PROX M12 CONNECTOR DC TIMER
951451110	S300-PR-1-C01-RX PROX TERMINAL BLOCK AC/DC
951451120	S300-PR-1-C06-RX PROX TERMINAL BLOCK AC/DC TIMER
951451130	S300-PR-1-C06-RX-M PROX TERMINAL BLOCK AC/DC TIMER DEFOGGING
Background Suppression 0,4...2,5m	
951451140	S300-PR-2-M01-OC BACK SUPP TERMINAL BLOCK DC
951451150	S300-PR-2-M06-OC BACK SUPP TERMINAL BLOCK DC TIMER
951451160	S300-PR-5-M01-OC BACK SUPP M12 CONNECTOR DC
951451170	S300-PR-5-M06-OC BACK SUPP M12 CONNECTOR DC TIMER
951451180	S300-PR-1-M01-RX BACK SUPP TERMINAL BLOCK AC/DC
951451190	S300-PR-1-M06-RX BACK SUPP TERMINAL BLOCK AC/DC TIMER
951451200	S300-PR-1-M06-RX-M BACK SUPP TERMINAL BLOCK AC/DC TIMER DEFOGGING
Polarized Retroreflex 0,1...22m	
951451000	S300-PR-2-B01-OC RRX POL TERMINAL BLOCK DC

Order No.	Material Description
951451010	S300-PR-2-B06-OC RRX POL TERMINAL BLOCK DC TIMER
951451020	S300-PR-5-B01-OC RRX POL M12 CONNECTOR DC
951451030	S300-PR-5-B06-OC RRX POL M12 CONNECTOR DC TIMER
951451040	S300-PR-1-B01-RX RRX POL TERMINAL BLOCK AC/DC
951451050	S300-PR-1-B06-RX RRX POL TERMINAL BLOCK AC/DC TIMER
951451060	S300-PR-1-B06-RX-M RRX POL TERMINAL BLOCK AC/DC TIMER DEFOGGING
Through Beam 0...60m	
951451280	S300-PR-2-G00-EX EMITTER TERMINAL BLOCK DC
951451290	S300-PR-5-G00-EX EMITTER M12 CONNECTOR DC
951451300	S300-PR-1-G00-EX EMITTER TERMINAL BLOCK AC/DC
951451310	S300-PR-1-G00-EX-M EMITTER TERMINAL BLOCK AC/DC DEFOGGING
951451210	S300-PR-2-F01-OC RECEIVER TERMINAL BLOCK DC
951451220	S300-PR-2-F06-OC RECEIVER TERMINAL BLOCK DC TIMER
951451230	S300-PR-5-F01-OC RECEIVER M12 CONNECTOR DC
951451240	S300-PR-5-F06-OC RECEIVER M12 CONNECTOR DC TIMER
951451250	S300-PR-1-F01-RX RECEIVER TERMINAL BLOCK AC/DC
951451260	S300-PR-1-F06-RX RECEIVER TERMINAL BLOCK AC/DC TIMER
951451270	S300-PR-1-F06-RX-M RECEIVER TERMINAL BLOCK AC/DC TIMER DEFOGGING
S7 FIBRE OPTIC AMPLIFIER - FOS 5055	
Trimmer Adjustment	
950551120	S7-7-E-P FIBRE-OPT TRIMMER PNP CABLE
950551130	S7-7-E-N FIBRE-OPT TRIMMER NPN CABLE
950551140	S7-8-E-P FIBRE-OPT TRIMMER PNP M8
950551150	S7-8-E-N FIBRE-OPT TRIMMER NPN M8
Push Button Adjustment	
950551040	S7-3-E-N FIBRE-OPT NPN CABLE LED
950551050	S7-3-E-P FIBRE-OPT PNP CABLE LED
950551060	S7-6-E-N FIBRE-OPT NPN M8 LED
950551070	S7-6-E-P FIBRE-OPT PNP M8 LED
Display 4 digit RED Emission 5KHz	
950551000	S7-2-E-N FIBRE-OPT NPN CABLE
950551010	S7-2-E-P FIBRE-OPT PNP CABLE
950551020	S7-5-E-N FIBRE-OPT NPN M8

Order No.	Material Description
950551030	S7-5-E-P FIBRE-OPT PNP M8
Display 4 digit WHITE Emission 10KHz	
950551080	S7-1-E-N WHITE EMISSION 10 KHz NPN CABLE
950551090	S7-1-E-P WHITE EMISSION 10 KHz PNP CABLE
950551100	S7-4-E-N WHITE EMISSION 10 KHz NPN M8
950551110	S7-4-E-P WHITE EMISSION 10 KHz PNP M8
SR21 SLOT SENSOR - SR 5315	
953151070	SR21-IR M8 NPN/PNP LABELLING
953151080	SR21-RG M8 NPN/PNP CONTRAST
SR31 SLOT SENSOR - SR 5320	
S970830000	SR31 -ST.CABLE
S970830101	SR31-0 -M8 CONN.
S970830201	SR31-1 -M8 CONN.
SRF SLOT SENSOR - SR 5B02	
30mm Slot	
95B020050	SRF-30-5-P SLOT SENSOR M8 PNP
95B020090	SRF-30-5-N SLOT SENSOR M8 NPN
95B020130	SRF-L-30-5-P SLOT. SENS. LASER M8 PNP
50mm Slot	
95B020060	SRF-50-5-P SLOT SENSOR M8 PNP
95B020100	SRF-50-5-N SLOT SENSOR M8 NPN
95B020140	SRF-L-50-5-P SLOT. SENS. LASER M8 PNP
80mm Slot	
95B020070	SRF-80-5-P SLOT SENSOR M8 PNP
95B020110	SRF-80-5-N SLOT SENSOR M8 NPN
95B020150	SRF-L-80-5-P SLOT. SENS. LASER M8 PNP
120mm Slot	
95B020080	SRF-120-5-P SLOT SENSOR M8 PNP
95B020120	SRF-120-5-N SLOT SENSOR M8 NPN
95B020160	SRF-L-120-5-P SLOT. SE. LASER M8 PNP
S65V COLOUR SENSOR - TL 5625	
956251000	S65-PA-5-V09-PPPZ colour RS485 M12

Order No.	Material Description
956251010	S65-PA-5-V09-NNNZ colour RS485 M12
956251020	S65-PA-5-V09-PPP colour pnp out M12
956251030	S65-PA-5-V09-NNN colour npn out M12
956251080	S65-PA-5-V19-PPPZ colour RS485 M12
956251090	S65-PA-5-V19-NNNZ colour RS485 M12
956251100	S65-PA-5-V19-PPP colour pnp out M12
956251110	S65-PA-5-V19-NNN colour npn out M12
S65W CONTRAST SENSOR - TL 5625	
954201000	S65-PA-5-W09-NH CONTRAST NPN M12
954201010	S65-PA-5-W09-NHZ CONTRAST NPN RS485 M12
954201020	S65-PA-5-W09-PH CONTRAST PNP M12
954201030	S65-PA-5-W09-PHZ CONTRAST PNP RS485 M12
TLμ CONTRAST SENSOR - TL 5415	
RED/GREEN emission 9mm	
964401080	TLu-111 VERT. SPOT CABLE PNP
964401090	TLu-111L HOR. SPOT CABLE PNP
964401100	TLu-115 VERT. SPOT CONN. PNP
964401110	TLu-115L HOR. SPOT CONN. PNP
964401000	TLu-011 VERT. SPOT CABLE NPN
964401010	TLu-011L HOR. SPOT CABLE NPN
964401020	TLu-015 VERT. SPOT M12 CONN. NPN
964401030	TLu-015L HOR. SPOT M12 CONN. NPN
RED/GREEN emission 18mm	
964401140	TLu-165 VERT. SPOT M12 CONN. PNP
964401060	TLu-065 VERT. SPOT M12 CONN. NPN
WHITE emission 9mm	
954151420	TLu-511C SPOT PUNCTIFORME CABLE PNP
954151410	TLu-411C SPOT PUNCTIFORME CABLE NPN
954151360	TLu-515C SPOT PUNCTIFORME M12 CONN. PNP
954151330	TLu-415C SPOT PUNCTIFORME M12 CONN. NPN
WHITE emission Fibre Optic	
954151440	TLu-541 F.O. CABLE PNP
954151380	TLu-545 F.O. M12 CONN. PNP

Order No.	Material Description
954151350	TLu-445 F.O. M12 CONN. NPN
TL10 CONTRAST SENSOR - TL 5405	
S917660100	TL10-011 9MM VERT.SPOT CABLE NPN
S917660102	TL10-011L 9MM HOR. SPOT CABLE NPN
S917660103	TL10-031 50MM VERT. SPOT CABLE NPN
TL46 CONTRAST SENSOR RGB EMISSION - TL 5460	
954601000	TL46-W-815 BASIC 9MM M12 VERT.SPOT
954601010	TL46-W-815L BASIC 9MM M12 HOR.SPOT
954601020	TL46-WL-815 STANDARD 9MM M12 VERT.SPOT
954601030	TL46-WL-815L STANDARD 9MM M12 HOR.SPOT
954601040	TL46-WLF-815 ENH. 9MM M12 VERT.SPOT
954601050	TL46-WLF-815L ENH. 9MM M12 HOR.SPOT
TL50 CONTRAST SENSOR RGB EMISSION - TL 5465	
954651000	TL50-W-815 10-20MM,v-SPOT,m12-4, NPN/PNP
TL80 CONTRAST SENSOR - TL 5410	
<i>RED/GREEN emission Lens 9mm</i>	
964051000	TL80-011 9MM -CABLE
964051010	TL80-011L 9MM -CABLE -HOR. SPOT
964051020	TL80-012 9MM -CABLE + AMPH.-VER. SPOT
964051030	TL80-012L 9MM -CABLE + AMPH.-HOR. SPOT
964051040	TL80-015 9MM -M12 CONN. -VER. SPOT
964051050	TL80-015L 9MM -M12 CONN. -HOR. SPOT
<i>RED/GREEN emission Lens 18mm</i>	
964051180	TL80-061 18MM -CABLE -VER. SPOT
<i>RED/GREEN emission Lens 28mm</i>	
964051060	TL80-021 28MM -CABLE -VER. SPOT
<i>RED/GREEN emission Fibre Optic</i>	
964051120	TL80F-041 F.O. GREEN/RED-CABLE
964051130	TL80F-042 F.O. GREEN/RED-CABLE+AMPH.
964051140	TL80F-045 F.O. GREEN/RED-M12 CONN.
LDμ LUMINESCENCE SENSOR - TL 5515	
955151010	LDu-015 9MM M12 CONN NPN

Order No.	Material Description
955151030	LDu-065 18MM M12 CONN NPN
955151120	LDu-415 9MM M12 CONN NPN
955151100	LDu-455 30MM M12 CONN NPN
955151110	LDu-425 50MM CONNESS. A CAVO M12
LD46 LUMINESCENCE SENSOR - TL 5520	
955201000	LD46-UL-715 10-20MM V-SPOT M12-5 NPN/PNP
955201010	LD46-UL-755 20-40MM V-SPOT M12-5 NPN/PNP
955201020	LD46-UL-735 30-50MM V-SPOT M12-5 NPN/PNP
AS1 - AS 5810	
<i>No Adjustmnet</i>	
958101000	AS1-LD-HR-010-J D 2m RES 0.5mm H 100mm
958101010	AS1-LD-SR-010-J D 2m RES 5mm H 100mm
958101020	AS1-HD-HR-010-J D 3m RES 0.5mm H 100mm
958101030	AS1-HD-SR-010-J D 3m RES 5mm H 100mm
<i>Trimmer Adjustmnet</i>	
958101040	AS1-LD-HR-010-P D 2m HIGH R H 100mm ADJ
958101050	AS1-LD-SR-010-P D 2m LOW R H 100mm ADJ
REFLECTORS - ACC1 5A15	
<i>Prismatic Reflector</i>	
S940700023	R1-PLASTIC REFLECTOR -MM.23
S940700048	R2-PLASTIC REFLECTOR -MM.48
S940700972	R3-PLASTIC REFLECTOR -18X54 MM
95A151340	R4-PLASTIC REFLECTOR -51X61MM
95A151220	R4K IP69K PLASTIC REFLECTOR 51X61MM
S940700075	R5-PLASTIC REFLECTOR -MM.75
95A151350	R6-PLASTIC REFLECTOR -60X40,5MM
95A151360	R7 REFLECTOR RRX LASER 51x61mm
95A151370	R8 REFLECTOR RRX LASER 14x23mm
95A151080	R9 PRISMATIC REFLECTOR 23mm WITH SUPP.
S19120000	R10 40x180 MM PRISMATIC REFLECTOR
95A155050	R11 REFLECTOR-150 X 18 MM
S940710048	S12-PLASTIC REFLECTOR -48 MM
95A151330	R16 - PLASTIC REFLECTOR 14X23MM

Order No.	Material Description
95A151090	R20 Ø48mm LASER MICROPRISM REFLECTOR WITH SUPP
95A151210	R80-DISTANCE SENSOR REFLECTOR
95ACC2390	S65-Z REFLECTOR
Reflective Tape	
S940000604	RT-3970 60X40MM FOR RRX POLARIZED
S940000900	RT-3970 PAPER SCOTCH MM200X300 FOR RRX POLARIZED
S940000600	RT-3870 PAPER SCOTCH MM200X300
95ACC2290	S65-Z TAPE RIFLETTENTE 25x900mm
OF series - ACC1 5A20	
Fibre Cable for S3, S7, S5, S50 series	
S76021801	OF-18-ST-10
S76021901	OF-19-ST-10
S76022200	OF-22-ST-20
S76022300	OF-23-ST-20
S76022400	OF-24-ST-20
S76022500	OF-25-TN-10
S76022600	OF-26-TN-10
S76022800	OF-28-TN-10
95A201380	OF-36-ST-20
95A201050	OF-37-10
95A201070	OF-38-ST-20
95A201100	OF-39-5 RECT.PROX.D6 GLASS CV 500MM
95A201130	OF-50-5 LDu OPTIC FIBERCV 50CM
95A201250	OF-42HT-20 -HIGH TEMPER.
95A201260	OF-42UF-20 ULTRAFLEX
95A201270	OF-42HP-20 HIGH PERFORM
95A201280	OF-43HT-20 -HIGH TEMPER.
95A201290	OF-43UF-20 ULTRAFLEX
95A201300	OF-43HP-20 HIGH PERFORM.
95A201310	OF-44ST-20 COAXIAL
95A201320	OF-44XF-20 COAXIAL EXTRAFLEX
95A201330	OF-36XF-20 COAXIAL EXTR.
95A201340	OF-42ST-20

Order No.	Material Description
95A201350	OF-43-ST-20
Fibre Cable for TL80, TLμ series	
96B001070	OF-30-5
96B201000	OF-31-10
96B211000	OF-32-10
96B221000	OF-33-10
96B231000	OF-34-10
96B241000	OF-35-10
Fibre Cable for LDμ, LD46 series	
95A201370	OF-50-10 Ldu/LD46 OPTIC FIBER CV 100CM
95ACC1400	AF-50 FOCUSING LENS FOR FIBRE OF50
OFA series - ACC1 5A20	
95A201140	OFA-6-RA-20 PROX.WITH RIGHT ANGLE OPTICS
95A201150	OFA-2-AE-20 PROX.FIBRE ARRAY, END VIEW
95A201160	OFA-2-AS-20 PROX.FIBRE ARRAY, SIDE VIEW
95A201170	OFA-1-AE-20 TH.BEAM FIBRE ARRAY,END VIEW
95A201180	OFA-1-AS-20 T.BEAM FIBRE ARRAY,SIDE VIEW
95A201190	OFA-4-FS-20 PROX.FIXED FOCUS,SIDE VIEW
95A201200	OFA-4-FE-20 PROX.FIXED FOCUS, END VIEW
95A201210	OFA-4-FF-20 PROX.FIXED FOCUS, FLAT STYLE
CS M12 connector series - ACC1 5A25	
M12 AXIAL 3 wires PVC	
95A251290	CS-A1-01-G-03 3 poles straight 3m gray
95A251300	CS-A1-01-G-05 3 poles straight 5m gray
95A251320	CS-A1-01-G-07 3 poles straight 7m gray
95A251340	CS-A1-01-G-10 3 poles straight 10m gray
M12 RADIAL 3 wires PVC	
95A251200	CS-A2-01-G-03 3 poles 90° 3m gray
95A251210	CS-A2-01-G-05 3 poles 90° 5m gray
95A251220	CS-A2-01-G-07 3 poles 90° 7m gray
95A251230	CS-A2-01-G-10 3 poles 90° 10m gray
95A251310	CS-A2-11-G-05 3 poles 90° + LED 5m gray
95A251330	CS-A2-11-G-10 3 poles 90° + LED 10m gray

Order No.	Material Description
M12 AXIAL 4 wires PVC	
95A251380	CS-A1-02-G-03 4 poles straight 3m gray
95A251270	CS-A1-02-G-05 4 poles straight 5m gray
95A251280	CS-A1-02-G-07 4 poles straight 7m gray
95A251390	CS-A1-02-G-10 4 poles straight 10m gray
M12 AXIAL 4 wires PUR	
95A251540	CS-A1-02-R-02 M12 4 Poles 2m PUR
95A251560	CS-A1-02-R-05 M12 4 Poles 5m PUR
M12 RADIAL 4 wires PVC	
95A251360	CS-A2-02-G-03 4 poles 90° 3m gray
95A251240	CS-A2-02-G-05 4 poles 90° 5m gray
95A251245	CS-A2-02-G-07 4 poles 90° 7m gray
95A251260	CS-A2-02-G-10 4 poles 90° 10m gray
95A251400	CS-A2-12-G-03 4 poles 90° + LED 3m gray
95A251350	CS-A2-12-G-05 4 poles 90° + LED 5m gray
95A251370	CS-A2-12-G-10 4 poles 90° + LED 10m gray
M12 RADIAL 4 wires PUR	
95A251550	CS-A2-02-R-02 M12 4 Poles 90° 2m PUR
95A251570	CS-A2-02-R-05 M12 4 Poles 90° 5m PUR
M12 AXIAL 5 wires PVC	
95ACC2110	CS-A1-03-G-03 5 poles straight 3m gray
95ACC2120	CS-A1-03-G-05 5 poles straight 5m gray
95ACC2140	CS-A1-03-G-10 5 poles straight 10m gray
M12 AXIAL 4 wires PVC UL2464	
95ASE1120	CS-A1-02-U-03 M12 4-pole unsh. axial 3 m conn. UL2464
95ASE1130	CS-A1-02-U-05 M12 4-poles unsh. axial 5 m conn. UL 2464
95ASE1140	CS-A1-02-U-10 M12 4-poles unsh.axial 10m conn. UL 2464
95ASE1150	CS-A1-02-U-15 M12 4-poles unsh. axial 15m conn.UL 2464
95ASE1160	CS-A1-02-U-25 M12 4-poles unsh.axial 25 m conn.UL 2464
M12 AXIAL 5 wires PVC UL2464	
95ASE1170	CS-A1-03-U-03 M12 5-poles unsh.axial 3m conn.UL 2464
95ASE1180	CS-A1-03-U-05 M12 5-poles unsh.axial 5 m conn. UL 2464

Order No.	Material Description
95ASE1190	CS-A1-03-U-10 M12 5-poles unsh.axial 10m conn. UL 2464
95ASE1200	CS-A1-03-U-15 M12 5-poles unsh.axial 15m conn.UL2464
95ASE1210	CS-A1-03-U-25 M12 5-poles unsh.axial 25 m conn. UL2464
95A252700	CS-A1-03-U-50 M12 5 poles unsh.axial 50m conn. UL 2464
M12 AXIAL 8 wires PVC UL2464	
95ASE1220	CS-A1-06-U-03M12 8-pole unsh.axial 3 m conn. UL2464
95ASE1230	CS-A1-06-U-05 M12 8-pole unsh.axial 5m conn.UL 2464
95ASE1240	CS-A1-06-U-10 M12 8-pole unsh.axial 10m conn. UL 2464
95ASE1250	CS-A1-06-U-15 M12 8-pole unsh. axial 15 m conn. UL2464
95ASE1260	CS-A1-06-U-25 M12 8-pole unsh. axial 25 m conn. UL2464
95A252710	CS-A1-06-U-50 M12 8-pole unsh. axial 50 m conn. UL2464
CS M8 connector series - ACC1 5A25	
M8 AXIAL 3 wires PVC	
95A251490	CS-B1-01-G-03 3 poles M8 3m gray
95A251510	CS-B1-01-G-05 3 poles M8 5m gray
M8 AXIAL 3 wires PUR	
95A251580	CS-B1-01-R-02 3 poles M8 2m PUR
95A251600	CS-B1-01-R-05 3 poles M8 5m PUR
M8 RADIAL 3 wires PVC	
95A251500	CS-B2-01-G-03 3 poles M8 90° 3m gray
95A251520	CS-B2-01-G-05 3 poles M8 90° 5m gray
M8 RADIAL 3 wires PUR	
95A251590	CS-B2-01-R-02 3 poles M8 90° 2m PUR
95A251610	CS-B2-01-R-05 3 poles M8 90° 5m PUR
M8 AXIAL 4 wires PVC	
95A251420	CS-B1-02-G-03 4 poles M8 3m gray
95A251430	CS-B1-02-G-05 4 poles M8 5m gray
95A251440	CS-B1-02-G-07 4 poles M8 7m gray
95A251480	CS-B1-02-G-10 4 poles M8 10m gray
M8 AXIAL 4 wires PUR	
95A251620	CS-B1-02-R-02 4 poles M8 2m PUR
95A251640	CS-B1-02-R-05 4 poles M8 5m PUR

Order No.	Material Description
M8 RADIAL 4 wires PVC	
95A251450	CS-B2-02-G-03 4 poles M8 90° 3m gray
95A251460	CS-B2-02-G-05 4 poles M8 90° 5m gray
95A251470	CS-B2-02-G-07 4 poles M8 90° 7m gray
95A251530	CS-B2-02-G-10 4 poles M8 90° 10m gray
M8 RADIAL 4 wires PUR	
95A251630	CS-B2-02-R-02 4 poles M8 90° 2m PUR
95A251650	CS-B2-02-R-05 4 poles M8 90° 5m PUR
Non-cabled Connectors	
G5085002	CS-A1-02-B-NC M12 4 POLES FEMALE
G5085003	CS-A2-02-B-NC M12 90° 4 POLES FEMALE
95ACC2550	CS-A1-06-B-NC M12 8 POLES FEMALE PG9
ACCESSORIES - ACC2 5ACC	
Lenses for TL/LD sensor	
95ACC1050	LENS HI-RES glass
95ACC2540	LENS No.9 PMMA
95ACC2670	LENS No.9 glass
95ACC2680	LENS No.18 glass
95ACC1100	LENS No.22 glass
890000194	LENS No.28 glass
S73030511	LENS No.50 glass TL10/TL80/LD μ
95ACC2740	LENS No.40-60 glass TL46/LD46
Fibre optic accessories	
95ACC2690	AF-1 90° HEAD for Fibre OF-43 (2pcs)
95ACC2700	AF-2 HIGH-DIST LENS for Fibre OF-43 (2pcs)
95ACC2710	AF-3 focusing lens fibre OF44 spot 4mm
95ACC2720	AF-4 focusing lens for fibre OF44 0,4mm
95ACC2730	AF-5 adapter 1mm fibre to2,2mm hole 2pz
95ACC2750	AF-7 metal sheath for fibre proxy M6X0,75 2M
95ACC2770	AF-9 metal sheath for Fibre throug Beam M4x0.7 2M
95ACC2780	AF-11 fibre cutting tool3x2,2mm2x1mm
Fixing Bracket for Tubular M18 Sensor	
895000006	SWING-18

Order No.	Material Description
95ACC1370	SP-40 MOUNTING BRACKET TUBOLAR
95ACC5230	ST-5010 FIXING BRACKET S50
95ACC5240	ST-5011 fixing bracket short S50/S51
95ACC5250	ST-5012 fixing bracket long S50/S51
95ACC5270	ST-5017 fixing bracket st.profile S50/51
95ACC5300	EASY-IN S50 EASY-IN SUPPORT
95ACC5220	JOINT-18
95ACC1380	MICRO-18 M18 support w.micrometric adju
95ACC2380	PLASTIC NUTS S50/S51 (100pcs)
G602000008	PLASTIC FIX.NUTS S5 (100pcs)
95ACC5270	PLASTIC NUT S50/S51
G602000017	METAL FIXING NUT
Fixing Bracket for MINI Sensor	
95ACC5720	ST-5036 RIGHT ANGLE BRACKET SM1/3
95ACC6650	ST-5049 RIGHT ANGLE BRACKET SM
95ACC2270	ST-5039 L-SHAPE BRACKET S3Z
95ACC2280	ST-5040 PROTECTIVE BRACKET S3Z
95ACC2370	ST-5046 2-SIDES PROTECTIVE BRACKET S3Z
95ACC1470	ST-5072 FIXING BRACKET S8
95ACC2800	ST-505 fixing bracket S3/40/41/TEN/TEC
Fixing Bracket for COMAPCT Sensor	
95ACC2820	ST-504 FIXING BRACKET S6
95ACC5310	ST-5018 protective bracket S60
95ACC5320	ST-5019 protective bracket S60
95ACC5330	ST-5020 fixing bracket S60
95ACC5340	ST-5021 fixing bracket S60
95ACC5350	JOINT-60 JOINTED PROTECTIVE BRACKET S60
95ACC2410	ST-5053 protective bracket S62
95ACC2420	ST-5054 protective bracket S62
95ACC2430	JOINT-62 JOINTED PROTECTIVE BRACKET S62
Fixing Bracket for MAXI Sensor	
95ACC1340	ST-164 FIXING BRACKET S20
95ACC2810	ST-511 FIXING BRACKET S2

Order No.	Material Description
95ACC2830	ST-5099 FIXED BRACKET S300
95ACC2840	ST-5100 FIXED BRACKET S300
95ACC2260	ST-5037 L BRACKET S80
95ACC2300	ST -5041 SHORT DOVE-TAIL BRACKET 135735 for S90
95ACC2310	ST -5042 LONG DOVE-TAIL BRACKET 135736 for S90
General accessories	
95ACC3050	DEV90 90° ray turner for M18 photoelectric sensors
95ACC3010	P18OTT Shutter for thru beam M18 photoelectric sensors
95ACC3340	ST1218 Brackets M12/M18 sensors
95ACC3350	ST1830 Brackets M18/M30 sensors
95ACC2470	S3Z-SLIT1 Ø 0,5 mm slit for through beam
95ACC2480	S3Z-SLIT2 Ø 1 mm slit for through beam
95ACC2490	S3Z-SLIT3 Ø 2 mm slit for through beam
95ACC2500	S3Z-SLIT4 0,5x18 mm slit for through beam
95ACC2510	S3Z-SLIT5 1x18 mm slit for through beam
95ACC2520	S3Z-SLIT6 2x18 mm slit for through beam
95ACC2790	CRD-5000 DIN RAIL FIXINGBRACKET
G5000001	MEK-PROOF PROTECTION
S2600030	010066 LAMP 6V/6W
S2610300	010067 LAMP 6V/6W 90 DEGR.
T08550802	ZVN8/D OCTAL FIXED SOCKET
Accessories for Temperature Controllers	
95A301010	THT-AT-25 HB AMP. TRANSFORMER 25/0.05A
95A301020	THT-AT-100 HB AMP. TRANSFORMER 100/0.2A
95A301030	THT-KEY THT PROGRAMMING KEY
T9980000	T101 IR-CONST CABLE=2m
T9980001	T102 IR-CONST CABLE=2m
T9980003	T104 IR-CONST CABLE=2m
T9981001	T102 CR-AL D.6 X 50 MM CABLE=2M
T9981003	T104 CR-AL CABLE=2m
T9982000	P101 Pt100 CABLE= 2m
T9982001	P102 Pt100 CABLE= 2m
T9982002	P103 Pt100 CABLE= 2m

Order No.	Material Description
T9982004	P105 PT100 SENZA CAVO
T9982005	P106 Pt100 CABLE= 2m
TH-E - TH 5950	
975021000	ES-000
975021010	ES-010
975021020	ES-100
975021030	ES-110
975031000	ED-000
975031010	ED-010
975031020	ED-100
975031030	ED-110
975151070	ED-001
975151080	ED-011
975151120	ED-101
975151130	ED-111
975201060	ES-001
975201070	ES-011
975201110	ES-101
975201120	ES-111
TH-Q - TH 5940	
974021000	QS-00
974021010	QS-01
974021020	QS-10
974021030	QS-11
974031000	QD-00
974031010	QD-01
974031020	QD-10
974031030	QD-11
TH-T - TH 5B03	
95B030000	TH-TS-00 24 VAC/VDC RELAYS OUT
95B030010	TH-TS-10 100-240VAC RELAYS OUT
95B030020	TH-TS-01 24 VAC/VDC TRANS/RELAY OUT
95B030030	TH-TS-11 100-240VAC TRANS/RELAY OUT

Order No.	Material Description
95B030040	TH-TD-00 24 VAC/VDC RELAYS OUT
95B030050	TH-TD-10 100-240VAC RELAYS OUT
95B030060	TH-TD-01 24 VAC/VDC TRANS/RELAY OUT
95B030070	TH-TD-11 100-240VAC TRANS/RELAY OUT
95B030080	TH-TD-03 24 VAC/VDC 4-20mA RELAY OUT 2
95B030090	TH-TD-13 100-240VAC 4-20mA RELAY OUT 2
95B030100	TH-TD-04 24 VAC/VDC 0-10V RELAY OUT 2
95B030110	TH-TD-14 100-240VAC 0-10V RELAY OUT 2
95B030120	TH-TD-00-RS 24 VAC/VDC RELAYS OUT RS485
95B030130	TH-TD-10-RS 100-240VAC RELAYS OUT RS485
95B030140	TH-TD-01-RS 24 VAC/VDC TR/REL OUT RS485
95B030150	TH-TD-11-RS 100-240VAC TR/REL OUT RS485
95B030160	TH-TD-00-HB 24 VAC/VDC RELAYS OUT HB-TA
95B030170	TH-TD-10-HB 100-240VAC RELAYS OUT HB-TA
95B030180	TH-TD-01-HB 24 VAC/VDC TR/REL OUT HB-TA
95B030190	TH-TD-11-HB 100-240VAC TR/REL OUT HB-TA

IS INDUCTIVE PROXIMITY SWITCHES

Ø4 INDUCTIVE SENSORS 10-30 VDC 3 WIRES - PROX 5830

Cable 2m

95B061001	IS-04-A3-03 Ø4 FLUSH NPN NO 2MT
95B061011	IS-04-A1-03 Ø4 FLUSH PNP NO 2MT

Ø5 INDUCTIVE SENSORS 10-30 VDC 3 WIRES - PROX 5835

Cable 2m

95B061021	IS-05-A3-03 Ø5 FLUSH NPN NO 2MT
95B061041	IS-05-A1-03 Ø5 FLUSH PNP NO 2MT

M8 Connector

95B061031	IS-05-A3-S1 Ø5 FLUSH NPN NO M8
95B061051	IS-05-A1-S1 Ø5 FLUSH PNP NO M8

Ø6,5 INDUCTIVE SENSORS 10-30 VDC 3 WIRES - PROX 5840

Cable 2m

95B064650	IS-65-A3-03 Ø6,5 FLUSH NPN NO 2MT
-----------	-----------------------------------

Order No.	Material Description
95B064670	IS-65-B3-03 Ø6,5 FLUSH SHORT NPN NO 2MT
95B064690	IS-65-A4-03 Ø6,5 FLUSH NPN NC 2MT
95B064710	IS-65-B4-03 Ø6,5 FLUSH SHORT NPN NC 2MT
95B064730	IS-65-A1-03 Ø6,5 FLUSH PNP NO 2MT
95B064750	IS-65-B1-03 Ø6,5 FLUSH SHORT PNP NO 2MT
95B064770	IS-65-A2-03 Ø6,5 FLUSH PNP NC 2MT
95B064790	IS-65-B2-03 Ø6,5 FLUSH SHORT PNP NC 2MT
95B064810	IS-65-C3-03 Ø6,5 NON FLUSH NPN NO 2MT
95B064830	IS-65-D3-03 Ø6,5 NON FLUSH SHORT NPN NO 2MT
95B064850	IS-65-C4-03 Ø6,5 NON FLUSH NPN NC 2MT
95B064870	IS-65-D4-03 Ø6,5 NON FLUSH SHORT NPN NC 2MT
95B064890	IS-65-C1-03 Ø6,5 NON FLUSH PNP NO 2MT
95B064910	IS-65-D1-03 Ø6,5 NON FLUSH SHORT PNP NO 2MT
95B064930	IS-65-C2-03 Ø6,5 NON FLUSH PNP NC 2MT
95B064950	IS-65-D2-03 Ø6,5 NON FLUSH SHORT PNP NC 2MT
Cable 2m - Increased Distance	
95B064660	IS-65-G3-03 Ø6,5 FLUSH SHORT 2X NPN NO 2MT
95B064700	IS-65-G4-03 Ø6,5 FLUSH SHORT 2X NPN NC 2MT
95B064740	IS-65-G1-03 Ø6,5 FLUSH SHORT 2X PNP NO 2MT
95B064780	IS-65-G2-03 Ø6,5 FLUSH SHORT 2X PNP NC 2MT
95B064820	IS-65-H3-03 Ø6,5 NON FLUSH SHORT 2X NPN NO 2MT
95B064860	IS-65-H4-03 Ø6,5 NON FLUSH SHORT 2X NPN NC 2MT
95B064900	IS-65-H1-03 Ø6,5 NON FLUSH 2X PNP NO 2MT
95B064940	IS-65-H2-03 Ø6,5 NON FLUSH SHORT 2X PNP NC 2MT
Cable 2m - STAINLESS STEEL AISI104	
95B064680	IS-65-M3-03 Ø6,5 FLUSH SHORT STEEL NPN NO 2MT
95B064720	IS-65-M4-03 Ø6,5 FLUSH SHORT STEEL NPN NC 2MT
95B064760	IS-65-M1-03 Ø6,5 FLUSH SHORT STEEL PNP NO 2MT
95B064800	IS-65-M2-03 Ø6,5 FLUSH SHORT STEEL PNP NC 2MT
95B064840	IS-65-N3-03 Ø6,5 NON FLUSH SHORT STEEL NPN NO 2MT
95B064880	IS-65-N4-03 Ø6,5 NON FLUSH SHORT STEEL NPN NC 2MT
95B064920	IS-65-N1-03 Ø6,5 NON FLUSH SHORT STEEL PNP NO 2MT
95B064960	IS-65-N2-03 Ø6,5 NON FLUSH SHORT STEEL PNP NC 2MT

Order No.	Material Description
M8 Connector	
95B064970	IS-65-A3-S1 Ø6,5 FLUSH NPN NO M8
95B064990	IS-65-B3-S1 Ø6,5 FLUSH SHORT NPN NO M8
95B066010	IS-65-A4-S1 Ø6,5 FLUSH NPN NC M8
95B066030	IS-65-B4-S1 Ø6,5 FLUSH SHORT NPN NC M8
95B066050	IS-65-A1-S1 Ø6,5 FLUSH PNP NO M8
95B066070	IS-65-B1-S1 Ø6,5 FLUSH SHORT PNP NO M8
95B066090	IS-65-A2-S1 Ø6,5 FLUSH PNP NC M8
95B066110	IS-65-B2-S1 Ø6,5 FLUSH SHORT PNP NC M8
95B066130	IS-65-C3-S1 Ø6,5 NON FLUSH NPN NO M8
95B066150	IS-65-D3-S1 Ø6,5 NON FLUSH SHORT NPN NO M8
95B066170	IS-65-C4-S1 Ø6,5 NON FLUSH NPN NC M8
95B066190	IS-65-D4-S1 Ø6,5 NON FLUSH SHORT NPN NC M8
95B066210	IS-65-C1-S1 Ø6,5 NON FLUSH PNP NO M8
95B066230	IS-65-D1-S1 Ø6,5 NON FLUSH SHORT PNP NO M8
95B066250	IS-65-C2-S1 Ø6,5 NON FLUSH PNP NC M8
95B066270	IS-65-D2-S1 Ø6,5 NON FLUSH SHORT PNP NC M8
M8 Connector - Increased Distance	
95B064980	IS-65-G3-S1 Ø6,5 FLUSH SHORT 2X NPN NO M8
95B066020	IS-65-G4-S1 Ø6,5 FLUSH SHORT 2X NPN NCM8
95B066060	IS-65-G1-S1 Ø6,5 FLUSH SHORT 2X PNP NO M8
95B066100	IS-65-G2-S1 Ø6,5 FLUSH SHORT 2X PNP NC M8
95B066140	IS-65-H3-S1 Ø6,5 NON FLUSH SHORT 2X NPN NO M8
95B066180	IS-65-H4-S1 Ø6,5 NON FLUSH SHORT 2X NPN NC M8
95B066220	IS-65-H1-S1 Ø6,5 NON FLUSH SHORT 2X PNP NO M8
95B066260	IS-65-H2-S1 Ø6,5 NON FLUSH SHORT 2X PNP NC M8
M8 Connector - STAINLESS STEEL AISI104	
95B066000	IS-65-M3-S1 Ø6,5 FLUSH SHORT STEEL NPN NO M8
95B066040	IS-65-M4-S1 Ø6,5 FLUSH SHORT STEEL NPN NC M8
95B066080	IS-65-M1-S1 Ø6,5 FLUSH SHORT STEEL PNP NO M8
95B066120	IS-65-M2-S1 Ø6,5 FLUSH SHORT STEEL PNP NC M8
95B066160	IS-65-N3-S1 Ø6,5 NON FLUSH SHORT STEEL NPN NO M8
95B066200	IS-65-N4-S1 Ø6,5 NON FLUSH SHORT STEEL NPN NC M8

Order No.	Material Description
95B066240	IS-65-N1-S1 Ø6,5 NON FLUSH SHORT STEEL PNP NO M8
95B066280	IS-65-N2-S1 Ø6,5 NON FLUSH SHORT STEEL PNP NC M8
Ø6,5 NAMUR INDUCTIVE SENSORS - PROX 5840	
Cable 2m	
95B066290	IS-65-A20-03 Ø6,5 FLUSH NAMUR M8
95B066300	IS-65-C20-03 Ø6,5 NON FLUSH NAMUR M8
M8 Connector	
95B064650	IS-65-A3-03 Ø6,5 FLUSH NPN NO 2MT
95B064660	IS-65-G3-03 Ø6,5 FLUSH SHORT 2X NPN NO 2MT
Ø8 INDUCTIVE SENSORS 10-30 VDC 3 WIRES - PROX 5845	
Cable 2m	
95B061061	IS-08-A3-03 Ø8 FLUSH NPN NO 2MT
95B061861	IS-08-B3-03 Ø8 FLUSH SHORT NPN NO 2MT
95B061091	IS-08-A4-03 Ø8 FLUSH NPN NC 2MT
95B061891	IS-08-B4-03 Ø8 FLUSH SHORT NPN NC 2MT
95B061121	IS-08-A1-03 Ø8 FLUSH PNP NO 2MT
95B061921	IS-08-B1-03 Ø8 FLUSH SHORT PNP NO 2MT
95B061151	IS-08-A2-03 Ø8 FLUSH PNP NC 2MT
95B061951	IS-08-B2-03 Ø8 FLUSH SHORT PNP NC 2MT
95B066410	IS-08-C3-03 Ø8 NON FLUSH NPN NO 2MT
95B066430	IS-08-D3-03 Ø8 NON FLUSH SHORT NPN NO 2MT
95B066450	IS-08-C4-03 Ø8 NON FLUSH NPN NC 2MT
95B062291	IS-08-D4-03 Ø8 NON FLUSH SHORT NPN NC 2MT
95B061521	IS-08-C1-03 Ø8 NON FLUSH PNP NO 2MT
95B062321	IS-08-D1-03 Ø8 NON FLUSH SHORT PNP NO 2MT
95B061551	IS-08-C2-03 Ø8 NON FLUSH PNP NC 2MT
95B062351	IS-08-D2-03 Ø8 NON FLUSH SHORT PNP NC 2MT
Cable 2m - Increased Distance	
95B066330	IS-08-G3-03 Ø8 FLUSH SHORT 2X NPN NO 2MT
95B066350	IS-08-G4-03 Ø8 FLUSH SHORT 2X NPN NC 2MT
95B066370	IS-08-G1-03 Ø8 FLUSH SHORT 2X PNP NO 2MT
95B066390	IS-08-G2-03 Ø8 FLUSH SHORT 2X PNP NC 2MT
95B066420	IS-08-H3-03 Ø8 NON FLUSH SHORT 2X NPN NO 2MT

Order No.	Material Description
95B066460	IS-08-H4-03 Ø8 NON FLUSH SHORT 2X NPN NC 2MT
95B066480	IS-08-H1-03 Ø8 NON FLUSH SHORT 2X PNP NO 2MT
95B066500	IS-08-H2-03 Ø8 NON FLUSH SHORT 2X PNP NC 2MT
Cable 2m - STAINLESS STEEL AISI104	
95B066340	IS-08-M3-03 Ø8 FLUSH SHORT STEEL NPN NO 2MT
95B066360	IS-08-M4-03 Ø8 FLUSH SHORT STEEL NPN NC 2MT
95B066380	IS-08-M1-03 Ø8 FLUSH SHORT STEEL PNP NO 2MT
95B066400	IS-08-M2-03 Ø8 FLUSH SHORT STEEL PNP NC 2MT
95B066440	IS-08-N3-03 Ø8 NON FLUSH SHORT STEEL NPN NO 2MT
95B066470	IS-08-N4-03 Ø8 NON FLUSH SHORT STEEL NPN NC 2MT
95B066490	IS-08-N1-03 Ø8 NON FLUSH SHORT STEEL PNP NO 2MT
95B066510	IS-08-N2-03 Ø8 NON FLUSH SHORT STEEL PNP NC 2MT
M8 Connector	
95B061081	IS-08-A3-S1 Ø8 FLUSH NPN NO M8
95B066810	IS-08-B3-S1 Ø8 FLUSH SHORT NPN NO M8
95B061111	IS-08-A4-S1 Ø8 FLUSH NPN NC M8
95B066830	IS-08-B4-S1 Ø8 FLUSH SHORT NPN NC M8
95B061141	IS-08-A1-S1 Ø8 FLUSH PNP NO M8
95B066860	IS-08-B1-S1 Ø8 FLUSH SHORT PNP NO M8
95B061171	IS-08-A2-S1 Ø8 FLUSH PNP NC M8
95B066890	IS-08-B2-S1 Ø8 FLUSH SHORT PNP NC M8
95B061481	IS-08-C3-S1 Ø8 NON FLUSH NPN NO M8
95B066920	IS-08-D3-S1 Ø8 NON FLUSH SHORT NPN NO M8
95B061511	IS-08-C4-S1 Ø8 NON FLUSH NPN NC M8
95B066940	IS-08-D4-S1 Ø8 NON FLUSH SHORT NPN NC M8
95B061541	IS-08-C1-S1 Ø8 NON FLUSH PNP NO M8
95B066970	IS-08-D1-S1 Ø8 NON FLUSH SHORT PNP NO M8
95B061571	IS-08-C2-S1 Ø8 NON FLUSH PNP NC M8
95B067000	IS-08-D2-S1 Ø8 NON FLUSH SHORT PNP NC M8
M8 Connector - Increased Distance	
95B066800	IS-08-G3-S1 Ø8 FLUSH SHORT 2X NPN NO M8
95B063131	IS-08-G4-S1 Ø8 FLUSH SHORT 2X NPN NC M8
95B066850	IS-08-G1-S1 Ø8 FLUSH SHORT 2X PNP NO M8

Order No.	Material Description
95B066880	IS-08-G2-S1 Ø8 FLUSH SHORT 2X PNP NC M8
95B066910	IS-08-H3-S1 Ø8 NON FLUSH SHORT 2X NPN NO M8
95B063251	IS-08-H4-S1 Ø8 NON FLUSH SHORT 2X NPN NC M8
95B066960	IS-08-H1-S1 Ø8 NON FLUSH SHORT 2X PNP NO M8
95B066990	IS-08-H2-S1 Ø8 NON FLUSH SHORT 2X PNP NC M8
M8 Connector - STAINLESS STEEL AISI104	
95B066820	IS-08-M3-S1 Ø8 FLUSH SHORT STEEL NPN NO M8
95B066840	IS-08-M4-S1 Ø8 FLUSH SHORT STEEL NPN NC M8
95B066870	IS-08-M1-S1 Ø8 FLUSH SHORT STEEL PNP NO M8
95B066900	IS-08-M2-S1 Ø8 FLUSH SHORT STEEL PNP NC M8
95B066930	IS-08-N3-S1 Ø8 NON FLUSH SHORT STEEL NPN NO M8
95B066950	IS-08-N4-S1 Ø8 NON FLUSH SHORT STEEL NPN NC M8
95B066980	IS-08-N1-S1 Ø8 NON FLUSH SHORT STEEL PNP NO M8
95B067010	IS-08-N2-S1 Ø8 NON FLUSH SHORT STEEL PNP NC M8
M12 Connector	
95B061071	IS-08-A3-S2 Ø8 FLUSH NPN NO M12
95B066530	IS-08-B3-S2 Ø8 FLUSH SHORT NPN NO M12
95B061101	IS-08-A4-S2 Ø8 FLUSH NPN NC M12
95B066560	IS-08-B4-S2 Ø8 FLUSH SHORT NPN NC M12
95B061131	IS-08-A1-S2 Ø8 FLUSH PNP NO M12
95B066590	IS-08-B1-S2 Ø8 FLUSH SHORT PNP NO M12
95B061161	IS-08-A2-S2 Ø8 FLUSH PNP NC M12
95B066620	IS-08-B2-S2 Ø8 FLUSH SHORT PNP NC M12
95B061471	IS-08-C3-S2 Ø8 NON FLUSH NPN NO M12
95B066650	IS-08-D3-S2 Ø8 NON FLUSH SHORT NPN NO M12
95B061501	IS-08-C4-S2 Ø8 NON FLUSH NPN NC M12
95B066670	IS-08-D4-S2 Ø8 NON FLUSH SHORT NPN NC M12
95B061531	IS-08-C1-S2 Ø8 NON FLUSH PNP NO M12
95B066700	IS-08-D1-S2 Ø8 NON FLUSH SHORT PNP NO M12
95B061561	IS-08-C2-S2 Ø8 NON FLUSH PNP NC M12
95B066720	IS-08-D2-S2 Ø8 NON FLUSH SHORT PNP NC M12
M12 Connector - Increased Distance	
95B066520	IS-08-G3-S2 Ø8 FLUSH SHORT 2X NPN NO M12

Order No.	Material Description
95B066550	IS-08-G4-S2 Ø8 FLUSH SHORT 2X NPN NC M12
95B066580	IS-08-G1-S2 Ø8 FLUSH SHORT 2X PNP NO M12
95B066610	IS-08-G2-S2 Ø8 FLUSH SHORT 2X PNP NC M12
95B066640	IS-08-H3-S2 Ø8 NON FLUSH SHORT 2X NPN NO M12
95B063241	IS-08-H4-S2 Ø8 NON FLUSH SHORT 2X NPN NC M12
95B066690	IS-08-H1-S2 Ø8 NON FLUSH SHORT 2X PNP NO M12
95B063301	IS-08-H2-S2 Ø8 NON FLUSH SHORT 2X PNP NC M12
M12 Connector - STAINLESS STEEL AISI104	
95B066540	IS-08-M3-S2 Ø8 FLUSH SHORT STEEL NPN NO M12
95B066570	IS-08-M4-S2 Ø8 FLUSH SHORT STEEL NPN NC M12
95B066600	IS-08-M1-S2 Ø8 FLUSH SHORT STEEL PNP NO M12
95B066630	IS-08-M2-S2 Ø8 FLUSH SHORT STEEL PNP NC M12
95B066660	IS-08-N3-S2 Ø8 NON FLUSH SHORT STEEL NPN NO M12
95B066680	IS-08-N4-S2 Ø8 NON FLUSH SHORT STEEL NPN NC M12
95B066710	IS-08-N1-S2 Ø8 NON FLUSH SHORT STEEL PNP NO M12
95B066730	IS-08-N2-S2 Ø8 NON FLUSH SHORT STEEL PNP NC M12
Ø8 NAMUR INDUCTIVE SENSORS - PROX 5845	
Cable 2m	
95B066740	IS-08-A20-03 Ø8 FLUSH NAMUR 2MT
95B066750	IS-08-C20-03 Ø8 NON FLUSH NAMUR 2MT
M8 Connector	
95B066780	IS-08-A20-S1 Ø8 FLUSH NAMUR M8
95B066790	IS-08-C20-S1 Ø8 NON FLUSH NAMUR M8
M12 Connector	
95B066760	IS-08-A20-03 Ø8 FLUSH NAMUR M12
95B066770	IS-08-C20-03 Ø8 NON FLUSH NAMUR M12
Ø12 INDUCTIVE SENSORS 10-30 VDC 3 WIRES - PROX 5850	
Cable 2m	
95B061181	IS-12-A3-03 Ø12 FLUSH NPN NO 2MT
95B061981	IS-12-B3-03 Ø12 FLUSH SHORT NPN NO 2MT
95B061211	IS-12-A4-03 Ø12 FLUSH NPN NC 2MT
95B062011	IS-12-B4-03 Ø12 FLUSH SHORT NPN NC 2MT
95B061241	IS-12-A1-03 Ø12 FLUSH PNP NO 2MT

Order No.	Material Description
95B062041	IS-12-B1-03 Ø12 FLUSH SHORT PNP NO 2MT
95B061271	IS-12-A2-03 Ø12 FLUSH PNP NC 2MT
95B062071	IS-12-B2-03 Ø12 FLUSH SHORT PNP NC 2MT
95B061581	IS-12-C3-03 Ø12 NON FLUSH NPN NO 2MT
95B062381	IS-12-D3-03 Ø12 NON FLUSH SHORT NPN NO 2MT
95B061611	IS-12-C4-03 Ø12 NON FLUSH NPN NC 2MT
95B062411	IS-12-D4-03 Ø12 NON FLUSH SHORT NPN NC 2MT
95B061641	IS-12-C1-03 Ø12 NON FLUSH PNP NO 2MT
95B062441	IS-12-D1-03 Ø12 NON FLUSH SHORT PNP NO 2MT
95B061671	IS-12-C2-03 Ø12 NON FLUSH PNP NC 2MT
95B062471	IS-12-D2-03 Ø12 NON FLUSH SHORT PNP NC 2MT
Cable 2m - Increased Distance	
95B063321	IS-12-G3-03 Ø12 FLUSH SHORT 2X NPN NO 2MT
95B063341	IS-12-G4-03 Ø12 FLUSH SHORT 2X NPN NC 2MT
95B063361	IS-12-G1-03 Ø12 FLUSH SHORT 2X PNP NO 2MT
95B063381	IS-12-G2-03 Ø12 FLUSH SHORT 2X PNP NC 2MT
95B063401	IS-12-H3-03 Ø12 NON FLUSH SHORT 2X NPN NO 2MT
95B063421	IS-12-H4-03 Ø12 NON FLUSH SHORT 2X NPN NC 2MT
95B063441	IS-12-H1-03 Ø12 NON FLUSH SHORT 2X PNP NO 2MT
95B063461	IS-12-H2-03 Ø12 NON FLUSH SHORT 2X PNP NC 2MT
M12 Connector	
95B061191	IS-12-A3-S2 Ø12 FLUSH NPN NO M12
95B061991	IS-12-B3-S2 Ø12 FLUSH SHORT NPN NO M12
95B061221	IS-12-A4-S2 Ø12 FLUSH NPN NC M12
95B062021	IS-12-B4-S2 Ø12 FLUSH SHORT NPN NC M12
95B061251	IS-12-A1-S2 Ø12 FLUSH PNP NO M12
95B062051	IS-12-B1-S2 Ø12 FLUSH SHORT PNP NO M12
95B061281	IS-12-A2-S2 Ø12 FLUSH PNP NC M12
95B062081	IS-12-B2-S2 Ø12 FLUSH SHORT PNP NC M12
95B061591	IS-12-C3-S2 Ø12 NON FLUSH NPN NO M12
95B062391	IS-12-D3-S2 Ø12 NON FLUSH SHORT NPN NO M12
95B061621	IS-12-C4-S2 Ø12 NON FLUSH NPN NC M12
95B062421	IS-12-D4-S2 Ø12 NON FLUSH SHORT NPN NC M12

Order No.	Material Description
95B061651	IS-12-C1-S2 Ø12 NON FLUSH PNP NO M12
95B062451	IS-12-D1-S2 Ø12 NON FLUSH SHORT PNP NO M12
95B061681	IS-12-C2-S2 Ø12 NON FLUSH PNP NC M12
95B062481	IS-12-D2-S2 Ø12 NON FLUSH SHORT PNP NC M12
M12 Connector - Increased Distance	
95B063331	IS-12-G3-S2 Ø12 FLUSH SHORT 2X NPN NO M12
95B063351	IS-12-G4-S2 Ø12 FLUSH SHORT 2X NPN NC M12
95B063371	IS-12-G1-S2 Ø12 FLUSH SHORT 2X PNP NO M12
95B063391	IS-12-G2-S2 Ø12 FLUSH SHORT 2X PNP NC M12
95B063411	IS-12-H3-S2 Ø12 NON FLUSH SHORT 2X NPN NO M12
95B063431	IS-12-H4-S2 Ø12 NON FLUSH SHORT 2X NPN NC M12
95B063451	IS-12-H1-S2 Ø12 NON FLUSH SHORT 2X PNP NO M12
95B063471	IS-12-H2-S2 Ø12 NON FLUSH SHORT 2X PNP NC M12
M12 Connector - STAINLESS STEEL AISI316L FOOD/PHARMA application	
95B060260	IS-12-M3-S2 Ø12 FLUSH SHORT STEEL NPN NO M12
95B060270	IS-12-M4-S2 Ø12 FLUSH SHORT STEEL NPN NC M12
95B060240	IS-12-M1-S2 Ø12 FLUSH SHORT STEEL PNP NO M12
95B060250	IS-12-M2-S2 Ø12 FLUSH SHORT STEEL PNP NC M12
95B060300	IS-12-N3-S2 Ø12 NON FLUSH SHORT STEEL NPN NO M12
95B060310	IS-12-N4-S2 Ø12 NON FLUSH SHORT STEEL NPN NC M12
95B060280	IS-12-N1-S2 Ø12 NON FLUSH SHORT STEEL PNP NO M12
95B060290	IS-12-N2-S2 Ø12 NON FLUSH SHORT STEEL PNP NC M12
M12 Connector - STAINLESS STEEL AISI316L Increased Distance FOOD/PHARMA application	
95B060020	IS-12-O3-S2 INOX 2X FLUSH NPN NO M12
95B060030	IS-12-O4-S2 INOX 2X FLUSH NPN NC M12
95B060000	IS-12-O1-S2 INOX 2X FLUSH PNP NO M12
95B060010	IS-12-O2-S2 INOX 2X FLUSH PNP NC M12
95B060060	IS-12-P3-S2 INOX 2X NOT FLUSH NPN NO M12
95B060070	IS-12-P4-S2 INOX 2X NOT FLUSH NPN NC M12
95B060040	IS-12-P1-S2 INOX 2X NOT FLUSH PNP NO M12
95B060050	IS-12-P2-S2 INOX 2X NOT FLUSH PNP NC M12
Ø12 INDUCTIVE SENSORS 10-30 VDC 4 WIRES - PROX 5850	
Cable 2m - Increased Distance	

Order No.	Material Description
95B062661	IS-12-G6-03 Ø12 FLUSH SHORT 2X NPN NO-NC 2MT
95B062681	IS-12-G5-03 Ø12 FLUSH SHORT 2X PNP NO-NC 2MT
95B062741	IS-12-H6-03 Ø12 NON FLUSH SHORT 2X NPN NO-NC 2MT
95B062761	IS-12-H5-03 Ø12 NON FLUSH SHORT 2X PNP NO-NC 2MT
M12 Connector - Increased Distance	
95B062671	IS-12-G6-S2 Ø12 FLUSH SHORT 2X NPN NO-NC M12
95B062691	IS-12-G5-S2 Ø12 FLUSH SHORT 2X PNP NO-NC M12
95B062751	IS-12-H6-S2 Ø12 NON FLUSH SHORT 2X NPN NO-NC M12
95B062771	IS-12-H5-S2 Ø12 NON FLUSH SHORT 2X PNP NO-NC M12
Ø12 INDUCTIVE SENSORS 12-30 VDC 4 WIRES PROGRAMMABLE OUTPUT - PROX 5850	
Cable 2m	
95B064030	IS-12-A0-03 Ø12 FLUSH 4 WIRES 2MT
95B064040	IS-12-B0-03 Ø12 NON FLUSH 4 WIRES 2MT
Cable 2m - Increased Distance	
95B063841	IS-12-G0-03 Ø12 FLUSH SHORT 2X 4 WIRES 2MT
95B064050	IS-12-H0-03 Ø12 NON FLUSH SHORT 2X 4 WIRES 2MT
M12 Connector	
95B064060	IS-12-A0-S2 Ø12 FLUSH 4 WIRES M12
95B064080	IS-12-B0-S2 Ø12 NON FLUSH 4 WIRES M12
M12 Connector - Increased Distance	
95B064070	IS-12-G0-S2 Ø12 FLUSH SHORT 2X 4 WIRES M12
95B064090	IS-12-H0-S2 Ø12 NON FLUSH SHORT 2X 4 WIRES M12
Ø12 INDUCTIVE SENSORS 10-30 VDC 2 WIRES PROGRAMMABLE OUTPUT -PROX 5850	
Cable 2m	
95B064100	IS-12-A9-03 Ø12 FLUSH 2 WIRES 2MT
95B064110	IS-12-B9-03 Ø12 NON FLUSH 2 WIRES 2MT
Cable 2m - Increased Distance	
95B063801	IS-12-G9-03 Ø12 FLUSH SHORT 2X 2 WIRES 2MT
95B064120	IS-12-H9-03 Ø12 NON FLUSH SHORT 2X 2 WIRES 2MT
M12 Connector	
95B063931	IS-12-A9-S2 Ø12 FLUSH 2 WIRES M12
95B064140	IS-12-B9-S2 Ø12 NON FLUSH 2 WIRES M12

Order No.	Material Description
M12 Connector - Increased Distance	
95B064130	IS-12-G9-S2 Ø12 FLUSH SHORT 2X 2 WIRES M12
95B064150	IS-12-H9-S2 Ø12 NON FLUSH SHORT 2X 2 WIRES M12
Ø12 INDUCTIVE SENSORS 24-230 VAC 2 WIRES - PROX 5850	
Cable 2m	
95B060680	IS-12-A15-03 Ø12 FLUSH VAC NO 2MT
M12 Connector	
95B060690	IS-12-A15-S2 Ø12 FLUSH VAC NO M12
Ø12 NAMUR INDUCTIVE SENSORS - PROX 5850	
Cable 2m	
95B064160	IS-12-A20-03 Ø12 FLUSH NAMUR 2MT
95B064170	IS-12-C20-03 Ø12 NON FLUSH NAMUR 2MT
M12 Connector	
95B064180	IS-12-A20-S2 Ø12 FLUSH NAMUR M12
95B064190	IS-12-C20-S2 Ø12 NON FLUSH NAMUR M12
Ø12 INDUCTIVE SENSORS WELD FIELD IMMUNE 10-30 VDC 3 WIRES - PROX 5850	
M12 Connector	
95B065360	IS-F12-S1-S2 Ø12 FLUSH FIELD IMM STEEL M12
95B065370	IS-F12-T1-S2 Ø12 NON FLUSH FIELD IMM STEEL M12
Ø12 INDUCTIVE SENSORS METAL FACE 10-30 VDC 3 WIRES - PROX 5850	
M12 Connector	
95B065340	IS-12-I1-S2 Ø12 FLUSH METAL FACE M12
95B063871	IS-12-L1-S2 Ø12 NON FLUSH METAL FACE M12
Ø18 INDUCTIVE SENSORS 10-30 VDC 3 WIRES - PROX 5860	
Cable 2m	
95B061301	IS-18-A3-03 Ø18 FLUSH NPN NO 2MT
95B062101	IS-18-B3-03 Ø18 FLUSH SHORT NPN NO 2MT
95B061321	IS-18-A4-03 Ø18 FLUSH NPN NC 2MT
95B062121	IS-18-B4-03 Ø18 FLUSH SHORT NPN NC 2MT
95B061341	IS-18-A1-03 Ø18 FLUSH PNP NO 2MT
95B062141	IS-18-B1-03 Ø18 FLUSH SHORT PNP NO 2MT
95B061361	IS-18-A2-03 Ø18 FLUSH PNP NC 2MT

Order No.	Material Description
95B062161	IS-18-B2-03 Ø18 FLUSH SHORT PNP NC 2MT
95B061701	IS-18-C3-03 Ø18 NON FLUSH NPN NO 2MT
95B062501	IS-18-D3-03 Ø18 NON FLUSH SHORT NPN NO 2MT
95B061721	IS-18-C4-03 Ø18 NON FLUSH NPN NC 2MT
95B062521	IS-18-D4-03 Ø18 NON FLUSH SHORT NPN NC 2MT
95B061741	IS-18-C1-03 Ø18 NON FLUSH PNP NO 2MT
95B062541	IS-18-D1-03 Ø18 NON FLUSH SHORT PNP NO 2MT
95B061761	IS-18-C2-03 Ø18 NON FLUSH PNP NC 2MT
95B062561	IS-18-D2-03 Ø18 NON FLUSH SHORT PNP NC 2MT
Cable 2m - Increased Distance	
95B063061	IS-18-G3-03 Ø18 FLUSH SHORT 2X NPN NO 2MT
95B063501	IS-18-G4-03 Ø18 FLUSH SHORT 2X NPN NC 2MT
95B063521	IS-18-G1-03 Ø18 FLUSH SHORT 2X PNP NO 2MT
95B063541	IS-18-G2-03 Ø18 FLUSH SHORT PNP NC 2MT
95B063561	IS-18-H3-03 Ø18 NON FLUSH SHORT 2X NPN NO 2MT
95B063581	IS-18-H4-03 Ø18 NON FLUSH SHORT 2X NPN NC 2MT
95B063601	IS-18-H1-03 Ø18 NON FLUSH SHORT 2X PNP NO 2MT
95B063621	IS-18-H2-03 Ø18 NON FLUSH SHORT 2X PNP NC 2MT
M12 Connector	
95B061311	IS-18-A3-S2 Ø18 FLUSH NPN NO M12
95B062111	IS-18-B3-S2 Ø18 FLUSH SHORT NPN NO M12
95B061331	IS-18-A4-S2 Ø18 FLUSH NPN NC M12
95B062131	IS-18-B4-S2 Ø18 FLUSH SHORT NPN NC M12
95B061351	IS-18-A1-S2 Ø18 FLUSH PNP NO M12
95B062151	IS-18-B1-S2 Ø18 FLUSH SHORT PNP NO M12
95B061371	IS-18-A2-S2 Ø18 FLUSH PNP NC M12
95B062171	IS-18-B2-S2 Ø18 FLUSH SHORT PNP NC M12
95B061711	IS-18-C3-S2 Ø18 NON FLUSH NPN NO M12
95B062511	IS-18-D3-S2 Ø18 NON FLUSH SHORT NPN NO M12
95B061731	IS-18-C4-S2 Ø18 NON FLUSH NPN NC M12
95B062531	IS-18-D4-S2 Ø18 NON FLUSH SHORT NPN NC M12
95B061751	IS-18-C1-S2 Ø18 NON FLUSH PNP NO M12
95B062551	IS-18-D1-S2 Ø18 NON FLUSH SHORT PNP NO M12

Order No.	Material Description
95B061771	IS-18-C2-S2 Ø18 NON FLUSH PNP NC M12
95B063631	IS-18-H2-S2 Ø18 NON FLUSH SHORT 2X PNP NC M12
95B062571	IS-18-D2-S2 Ø18 NON FLUSH SHORT PNP NC M12
M12 Connector - Increased Distance	
95B063491	IS-18-G3-S2 Ø18 FLUSH SHORT 2X NPN NO M12
95B063511	IS-18-G4-S2 Ø18 FLUSH SHORT 2X NPN NC M12
95B063531	IS-18-G1-S2 Ø18 FLUSH SHORT 2X PNP NO M12
95B063551	IS-18-G2-S2 Ø18 FLUSH SHORT 2X PNP NC M12
95B063571	IS-18-H3-S2 Ø18 NON FLUSH SHORT 2X NPN NO M12
95B063591	IS-18-H4-S2 Ø18 NON FLUSH SHORT 2X NPN NC M12
95B063611	IS-18-H1-S2 Ø18 NON FLUSH SHORT 2X PNP NO M12
M12 Connector - STAINLESS STEEL AISI316L FOOD/PHARMA application	
95B060340	IS-18-M3-S2 Ø18 FLUSH SHORT STEEL NPN NO M12
95B060350	IS-18-M4-S2 Ø18 FLUSH SHORT STEEL NPN NC M12
95B060320	IS-18-M1-S2 Ø18 FLUSH SHORT STEEL PNP NO M12
95B060330	IS-18-M2-S2 Ø18 FLUSH SHORT STEEL PNP NC M12
95B060380	IS-18-N3-S2 Ø18 NON FLUSH SHORT STEEL NPN NO M12
95B060390	IS-18-N4-S2 Ø18 NON FLUSH SHORT STEEL NPN NC M12
95B060360	IS-18-N1-S2 Ø18 NON FLUSH SHORT STEEL PNP NO M12
95B060370	IS-18-N2-S2 Ø18 NON FLUSH SHORT STEEL PNP NC M12
Ø18 INDUCTIVE SENSORS 10-30 VDC 4 WIRES - PROX 5860	
Cable 2m - Increased Distance	
95B064200	IS-18-G6-03 Ø18 FLUSH SHORT 2X NPN NO-NC 2MT
95B062721	IS-18-G5-03 Ø18 FLUSH SHORT 2X PNP NO-NC 2MT
95B064210	IS-18-H6-03 Ø18 NON FLUSH SHORT 2X NPN NO-NC 2MT
95B064220	IS-18-H5-03 Ø18 NON FLUSH SHORT 2X PNP NO-NC 2MT
M12 Connector - Increased Distance	
95B062711	IS-18-G6-S2 Ø18 FLUSH SHORT 2X NPN NO-NC M12
95B062731	IS-18-G5-S2 Ø18 FLUSH SHORT 2X PNP NO-NC M12
95B062791	IS-18-H6-S2 Ø18 NON FLUSH SHORT 2X NPN NO-NC M12
95B062811	IS-18-H5-S2 Ø18 NON FLUSH SHORT 2X PNP NO-NC M12
Ø18 INDUCTIVE SENSORS 12-30 VDC 4 WIRES PROGRAMMABLE OUTPUT - PROX 5860	
Cable 2m	

Order No.	Material Description
95B064230	IS-18-A0-03 Ø18 FLUSH 4 WIRES 2MT
95B064240	IS-18-B0-03 Ø18 NON FLUSH 4 WIRES 2MT
Cable 2m - Increased Distance	
95B063851	IS-18-G0-03 Ø18 FLUSH SHORT 2X 4 WIRES 2MT
95B064250	IS-18-H0-03 Ø18 NON FLUSH SHORT 2X 4 WIRES 2MT
M12 Connector	
95B064260	IS-18-A0-S2 Ø18 FLUSH 4 WIRES M12
95B064280	IS-18-B0-S2 Ø18 NON FLUSH 4 WIRES M12
M12 Connector - Increased Distance	
95B064270	IS-18-G0-S2 Ø18 FLUSH SHORT 2X 4 WIRES M12
95B064290	IS-18-H0-S2 Ø18 NON FLUSH SHORT 2X 4 WIRES M12
Ø18 INDUCTIVE SENSORS 10-30 VDC 2 WIRES - PROX 5860	
Cable 2m	
95B064300	IS-18-A9-03 Ø18 FLUSH 2 WIRES 2MT
95B064310	IS-18-B9-03 Ø18 NON FLUSH 2 WIRES 2MT
Cable 2m - Increased Distance	
95B063811	IS-18-G9-03 Ø18 FLUSH SHORT 2X 2 WIRES 2MT
95B064320	IS-18-H9-03 Ø18 NON FLUSH SHORT 2X 2 WIRES 2MT
M12 Connector	
95B063941	IS-18-A9-S2 Ø18 FLUSH 2 WIRES M12
95B064340	IS-18-B9-S2 Ø18 NON FLUSH 2 WIRES M12
M12 Connector - Increased distance	
95B064330	IS-18-G9-S2 Ø18 FLUSH SHORT 2X 2 WIRES M12
95B064350	IS-18-H9-S2 Ø18 NON FLUSH SHORT 2X 2 WIRES M12
Ø18 INDUCTIVE SENSORS 24-230 VAC 2 WIRES - PROX 5860	
Cable 2m	
95B060770	IS-18-A15-03 Ø18 FLUSH VAC NO 2MT
M12 Connector	
95B060780	IS-18-A15-S2 Ø18 FLUSH VAC NO M12
Ø18 NAMUR INDUCTIVE SENSORS - PROX 5860	
Cable 2m	
95B064360	IS-18-A20-03 Ø18 FLUSH NAMUR 2MT

Order No.	Material Description
95B064370	IS-18-C20-03 Ø18 NON FLUSH NAMUR 2MT
M12 Connector	
95B064360	IS-18-A20-03 Ø18 FLUSH NAMUR 2MT
95B064370	IS-18-C20-03 Ø18 NON FLUSH NAMUR 2MT
Ø18 INDUCTIVE SENSORS WELD FIELD IMMUNE 10-30 VDC 3 WIRES - PROX 5860	
M12 Connector	
95B065380	IS-F18-S1-S2 Ø18 FLUSH FIELD IMM STEEL M12
95B065390	IS-F18-T1-S2 Ø18 NON FLUSH FIELD IMM STEEL M12
Ø18 INDUCTIVE SENSORS METAL FACE 10-30 VDC 3 WIRES - PROX 5860	
M12 Connector	
95B065350	IS-18-I1-S2 Ø18 FLUSH METAL FACE M12
95B063881	IS-18-L1-S2 Ø18 NON FLUSH METAL FACE M12
Ø30 INDUCTIVE SENSORS 10-30 VDC 3 WIRES - PROX 5870	
Cable 2m	
95B061381	IS-30-A3-03 Ø30 FLUSH NPN NO 2MT
95B062181	IS-30-B3-03 Ø30 FLUSH SHORT NPN NO 2MT
95B061401	IS-30-A4-03 Ø30 FLUSH NPN NC 2MT
95B062201	IS-30-B4-03 Ø30 FLUSH SHORT NPN NC 2MT
95B061421	IS-30-A1-03 Ø30 FLUSH PNP NO 2MT
95B062221	IS-30-B1-03 Ø30 FLUSH SHORT PNP NO 2MT
95B061441	IS-30-A2-03 Ø30 FLUSH PNP NC 2MT
95B062241	IS-30-B2-03 Ø30 FLUSH SHORT PNP NC 2MT
95B061781	IS-30-C3-03 Ø30 NON FLUSH NPN NO 2MT
95B062581	IS-30-D3-03 Ø30 NON FLUSH SHORT NPN NO 2MT
95B061801	IS-30-C4-03 Ø30 NON FLUSH NPN NC 2MT
95B062601	IS-30-D4-03 Ø30 NON FLUSH SHORT NPN NC 2MT
95B061821	IS-30-C1-03 Ø30 NON FLUSH PNP NO 2MT
95B062621	IS-30-D1-03 Ø30 NON FLUSH SHORT PNP NO 2MT
95B061841	IS-30-C2-03 Ø30 NON FLUSH PNP NC 2MT
95B062641	IS-30-D2-03 Ø30 NON FLUSH SHORT PNP NC 2MT
Cable 2m - Increased Distance	
95B063641	IS-30-G3-03 Ø30 FLUSH SHORT 2X NPN NO 2MT

Order No.	Material Description
95B063661	IS-30-G4-03 Ø30 FLUSH SHORT 2X NPN NC 2MT
95B063681	IS-30-G1-03 Ø30 FLUSH SHORT 2X PNP NO 2MT
95B063701	IS-30-G2-03 Ø30 FLUSH SHORT 2X PNP NC 2MT
95B063721	IS-30-H3-03 Ø30 NON FLUSH SHORT 2X NPN NO 2MT
95B063741	IS-30-H4-03 Ø30 NON FLUSH SHORT 2X NPN NC 2MT
95B063761	IS-30-H1-03 Ø30 NON FLUSH SHORT 2X PNP NO 2MT
95B063781	IS-30-H2-03 Ø30 NON FLUSH SHORT 2X PNP NC 2MT
M12 Connector	
95B061391	IS-30-A3-S2 Ø30 FLUSH NPN NO M12
95B062191	IS-30-B3-S2 Ø30 FLUSH SHORT NPN NO M12
95B061411	IS-30-A4-S2 Ø30 FLUSH NPN NC M12
95B062211	IS-30-B4-S2 Ø30 FLUSH SHORT NPN NC M12
95B061431	IS-30-A1-S2 Ø30 FLUSH PNP NO M12
95B062231	IS-30-B1-S2 Ø30 FLUSH SHORT PNP NO M12
95B061451	IS-30-A2-S2 Ø30 FLUSH PNP NC M12
95B062251	IS-30-B2-S2 Ø30 FLUSH SHORT PNP NC M12
95B061791	IS-30-C3-S2 Ø30 NON FLUSH NPN NO M12
95B062591	IS-30-D3-S2 Ø30 NON FLUSH SHORT NPN NO M12
95B061811	IS-30-C4-S2 Ø30 NON FLUSH NPN NC M12
95B062611	IS-30-D4-S2 Ø30 NON FLUSH SHORT NPN NC M12
95B061831	IS-30-C1-S2 Ø30 NON FLUSH PNP NO M12
95B062631	IS-30-D1-S2 Ø30 NON FLUSH SHORT PNP NO M12
95B061851	IS-30-C2-S2 Ø30 NON FLUSH PNP NC M12
95B062651	IS-30-D2-S2 Ø30 NON FLUSH SHORT PNP NC M12
M12 Connector - Increased distance	
95B063651	IS-30-G3-S2 Ø30 FLUSH SHORT 2X NPN NO M12
95B063671	IS-30-G4-S2 Ø30 FLUSH SHORT 2X NPN NC M12
95B063691	IS-30-G1-S2 Ø30 FLUSH SHORT 2X PNP NO M12
95B063711	IS-30-G2-S2 Ø30 FLUSH SHORT 2X PNP NC M12
95B063731	IS-30-H3-S2 Ø30 NON FLUSH SHORT 2X NPN NO M12
95B063751	IS-30-H4-S2 Ø30 NON FLUSH SHORT 2X NPN NC M12
95B063771	IS-30-H1-S2 Ø30 NON FLUSH SHORT 2X PNP NO M12
95B063791	IS-30-H2-S2 Ø30 NON FLUSH SHORT 2X PNP NC M12

Order No.	Material Description
M12 Connector - STAINLESS STEEL AISI316L FOOD/PHARMA application	
95B060420	IS-30-M3-S2 Ø30 FLUSH SHORT STEEL NPN NO M12
95B060430	IS-30-M4-S2 Ø30 FLUSH SHORT STEEL NPN NC M12
95B060400	IS-30-M1-S2 Ø30 FLUSH SHORT STEEL PNP NO M12
95B060410	IS-30-M2-S2 Ø30 FLUSH SHORT STEEL PNP NC M12
95B060460	IS-30-N3-S2 Ø30 NON FLUSH SHORT STEEL NPN NO M12
95B060470	IS-30-N4-S2 Ø30 NON FLUSH SHORT STEEL NPN NC M12
95B060440	IS-30-N1-S2 Ø30 NON FLUSH SHORT STEEL PNP NO M12
95B060450	IS-30-N2-S2 Ø30 NON FLUSH SHORT STEEL PNP NC M12
Ø30 INDUCTIVE SENSORS 10-30 VDC 4 WIRES - PROX 5870	
Cable 2m - Increased Distance	
95B064400	IS-30-G6-03 Ø30 FLUSH SHORT 2X NPN NO-NC 2MT
95B063821	IS-30-G5-03 Ø30 FLUSH SHORT 2X PNP NO-NC 2MT
95B064410	IS-30-H6-03 Ø30 NON FLUSH SHORT 2X NPN NO-NC 2MT
95B064420	IS-30-H5-03 Ø30 NON FLUSH SHORT 2X PNP NO-NC 2MT
M12 Connector - Increased distance	
95B064430	IS-30-G6-S2 Ø30 FLUSH SHORT 2X NPN NO-NC M12
95B063831	IS-30-G5-S2 Ø30 FLUSH SHORT 2X PNP NO-NC M12
95B064440	IS-30-H6-S2 Ø30 NON FLUSH SHORT 2X NPN NO-NC M12
95B064450	IS-30-H5-S2 Ø30 NON FLUSH SHORT 2X PNP NO-NC M12
Ø30 INDUCTIVE SENSORS 12-30 VDC 4 WIRES PROGRAMMABLE OUTPUT - PROX 5870	
Cable 2m	
95B064460	IS-30-A0-03 Ø30 FLUSH 4 WIRES 2MT
95B064470	IS-30-B0-03 Ø30 NON FLUSH 4 WIRES 2MT
Cable 2m - Increased Distance	
95B063861	IS-30-G0-03 Ø30 FLUSH SHORT 2X 4 WIRES 2MT
95B064480	IS-30-H0-03 Ø30 NON FLUSH SHORT 2X 4 WIRES 2MT
M12 Connector	
95B064490	IS-30-A0-S2 Ø30 FLUSH 4 WIRES M12
95B064510	IS-30-B0-S2 Ø30 NON FLUSH 4 WIRES M12
M12 Connector - Increased distance	
95B064500	IS-30-G0-S2 Ø30 FLUSH SHORT 2X 4 WIRES M12

Order No.	Material Description
95B064520	IS-30-H0-S2 Ø30 NON FLUSH SHORT 2X 4 WIRES M12
Ø30 INDUCTIVE SENSORS 10-30 VDC 2 WIRES - PROX 5870	
Cable 2m	
95B064530	IS-30-A9-03 Ø30 FLUSH 2 WIRES 2MT
95B064550	IS-30-B9-03 Ø30 NON FLUSH 2 WIRES 2MT
Cable 2m - Increased Distance	
95B064540	IS-30-G9-03 Ø30 FLUSH SHORT 2X 2 WIRES 2MT
95B064560	IS-30-H9-03 Ø30 NON FLUSH SHORT 2X 2 WIRES 2MT
M12 Connector	
95B064570	IS-30-A9-S2 Ø30 FLUSH 2 WIRES M12
95B064590	IS-30-B9-S2 Ø30 NON FLUSH 2 WIRES M12
M12 Connector - Increased distance	
95B064580	IS-30-G9-S2 Ø30 FLUSH SHORT 2X 2 WIRES M12
95B064600	IS-30-H9-S2 Ø30 NON FLUSH SHORT 2X 2 WIRES M12
Ø30 INDUCTIVE SENSORS 24-230 VAC 2 WIRES - PROX 5870	
Cable 2m	
95B060810	IS-30-A15-03 Ø30 FLUSH VAC NO 2MT
M12 Connector	
95B060820	IS-30-A15-S2 Ø30 FLUSH VAC NO M12
Ø30 NAMUR INDUCTIVE SENSORS - PROX 5870	
Cable 2m	
95B064610	IS-30-A20-03 FLUSH NAMUR 2MT
95B064620	IS-30-C20-03 NON FLUSH NAMUR 2MT
M12 Connector	
95B064630	IS-30-A20-S2 FLUSH NAMUR M12
95B064640	IS-30-C20-S2 NON FLUSH NAMUR M12
METAL SQUARE INDUCTIVE SENSORS 10-30 VDC 3 WIRES - PROX 5880	
Cable 2m	
95B060830	IS-88-Q1-03 SQUARE FLUSH PNP NO CABLE
M8 Connector	
95B060840	IS-88-Q1-S1 SQUARE FLUSH PNP NO M8
PLASTIC SQUARE HOUSING INDUCTIVE SENSORS - PROX 5880	

Order No.	Material Description
Cable 2m	
95B065230	IS-40-W6-03 40X40 FLUSH NPN NO-NC 2MT
95B065240	IS-40-W5-03 40X40 FLUSH PNP NO-NC 2MT
95B065250	IS-40-W7-03 40X40 FLUSH 2 WIRES NO 2MT
95B065260	IS-40-W8-03 40X40 FLUSH 2 WIRES NC 2MT
95B065270	IS-40-Y6-03 40X40 NON FLUSH NPN NO-NC 2MT
95B065280	IS-40-Y5-03 40X40 NON FLUSH PNP NO-NC 2MT
95B065290	IS-40-Y7-03 40X40 NON FLUSH 2 WIRES NO 2M
95B065300	IS-40-Y8-03 40X40 NON FLUSH 2 WIRES NC 2M
M12 Connector	
95B065310	IS-40-X6-S2 40X40 FLUSH SHORT NPN NO-NC 2MT
95B065320	IS-40-X5-S2 40X40 FLUSH SHORT PNP NO-NC 2MT
95B065330	IS-40-C11-S3 DC SQUARE 40x40mm 4-20mA analog output

DATALOGIC AUTOMATION	
Safety	
Warranty terms: 36 months	
Order No.	Material Description
SE2 BODY - SB SB 5710	
957101110	SE2-P2-050-PP-W 500mm res pnp-pnp no-no
957101120	SE2-P3-080-PP-W 400mm res pnp-pnp no-no
957101130	SE2-P4-090-PP-W 300mm res pnp-pnp no-no
957101140	SE2-P4-120-PP-W 400mm res pnp-pnp no-no
SE2 HAND 35 - SB SB 5710	
957101000	SE2-35-015-PP-W 35mm res pnp-pnp no-no
957101010	SE2-35-030-PP-W 35mm res pnp-pnp no-no
957101020	SE2-35-045-PP-W 35mm res pnp-pnp no-no
957101030	SE2-35-060-PP-W 35mm res pnp-pnp no-no
957101040	SE2-35-075-PP-W 35mm res pnp-pnp no-no
957101050	SE2-35-090-PP-W 35mm res pnp-pnp no-no
957101060	SE2-35-105-PP-W 35mm res pnp-pnp no-no
957101070	SE2-35-120-PP-W 35mm res pnp-pnp no-no
957101080	SE2-35-135-PP-W 35mm res pnp-pnp no-no
957101090	SE2-35-150-PP-W 35mm res pnp-pnp no-no
957101100	SE2-35-165-PP-W 35mm res pnp-pnp no-no
SF2 30 - SB SB 5708	
AUTO RESTART MODELS	
957081000	SF2-30-015-PP-X 30mm res AUTO RESTART
957081010	SF2-30-030-PP-X 30mm res AUTO RESTART
957081020	SF2-30-045-PP-X 30mm res AUTO RESTART
957081030	SF2-30-060-PP-X 30mm res AUTO RESTART
957081040	SF2-30-075-PP-X 30mm res AUTO RESTART

Order No.	Material Description
957081050	SF2-30-090-PP-X 30mm res AUTO RESTART
957081060	SF2-30-105-PP-X 30mm res AUTO RESTART
957081070	SF2-30-120-PP-X 30mm res AUTO RESTART
957081080	SF2-30-135-PP-X 30mm res AUTO RESTART
957081090	SF2-30-150-PP-X 30mm res AUTO RESTART
MANUAL RESTART MODELS	
957081100	SF2-30-015-PP-Y 30mm res MANUAL RESTART
957081110	SF2-30-030-PP-Y 30mm res MANUAL RESTART
957081120	SF2-30-045-PP-Y 30mm res MANUAL RESTART
957081130	SF2-30-060-PP-Y 30mm res MANUAL RESTART
957081140	SF2-30-075-PP-Y 30mm res MANUAL RESTART
957081150	SF2-30-090-PP-Y 30mm res MANUAL RESTART
957081160	SF2-30-105-PP-Y 30mm res MANUAL RESTART
957081170	SF2-30-120-PP-Y 30mm res MANUAL RESTART
957081180	SF2-30-135-PP-Y 30mm res MANUAL RESTART
957081190	SF2-30-150-PP-Y 30mm res MANUAL RESTART
SF2 50 - SB SB 5708	
AUTO RESTART MODELS	
957081200	SF2-50-030-PP-X 50mm RES AUTO RESTART
957081210	SF2-50-045-PP-X 50mm RES AUTO RESTART
957081220	SF2-50-060-PP-X 50mm RES AUTO RESTART
957081230	SF2-50-075-PP-X 50mm RES AUTO RESTART
957081240	SF2-50-090-PP-X 50mm RES AUTO RESTART
957081250	SF2-50-105-PP-X 50mm RES AUTO RESTART
957081260	SF2-50-120-PP-X 50mm RES AUTO RESTART
957081270	SF2-50-135-PP-X 50mm RES AUTO RESTART
957081280	SF2-50-150-PP-X 50mm RES AUTO RESTART
MANUAL RESTART MODELS	
957081380	SF2-50-030-PP-Y 50mm RES MANUAL RESTART
957081390	SF2-50-045-PP-Y 50mm RES MANUAL RESTART

Order No.	Material Description
957081400	SF2-50-060-PP-Y 50mm RES MANUAL RESTART
957081410	SF2-50-075-PP-Y 50mm RES MANUAL RESTART
957081420	SF2-50-090-PP-Y 50mm RES MANUAL RESTART
957081430	SF2-50-105-PP-Y 50mm RES MANUAL RESTART
957081440	SF2-50-120-PP-Y 50mm RES MANUAL RESTART
957081450	SF2-50-135-PP-Y 50mm RES MANUAL RESTART
957081460	SF2-50-150-PP-Y 50mm RES MANUAL RESTART
SF2 90 - SB SB 5708	
AUTO RESTART MODELS	
957081290	SF2-90-030-PP-X 90mm RES AUTO RESTART
957081300	SF2-90-045-PP-X 90mm RES AUTO RESTART
957081310	SF2-90-060-PP-X 90mm RES AUTO RESTART
957081320	SF2-90-075-PP-X 90mm RES AUTO RESTART
957081330	SF2-90-090-PP-X 90mm RES AUTO RESTART
957081340	SF2-90-105-PP-X 90mm RES AUTO RESTART
957081350	SF2-90-120-PP-X 90mm RES AUTO RESTART
957081360	SF2-90-135-PP-X 90mm RES AUTO RESTART
957081370	SF2-90-150-PP-X 90mm RES AUTO RESTART
MANUAL RESTART MODELS	
957081470	SF2-90-030-PP-Y 90mm RES MANUAL RESTART
957081480	SF2-90-045-PP-Y 90mm RES MANUAL RESTART
957081490	SF2-90-060-PP-Y 90mm RES MANUAL RESTART
957081500	SF2-90-075-PP-Y 90mm RES MANUAL RESTART
957081510	SF2-90-090-PP-Y 90mm RES MANUAL RESTART
957081520	SF2-90-105-PP-Y 90mm RES MANUAL RESTART
957081530	SF2-90-120-PP-Y 90mm RES MANUAL RESTART
957081540	SF2-90-135-PP-Y 90mm RES MANUAL RESTART
957081550	SF2-90-150-PP-Y 90mm RES MANUAL RESTART
SG2 B BASE - SB SB 5780	
HAND PROTECTION 30mm	

Order No.	Material Description
957801000	SG2-30-015-OO-X 30mm res AUTO RESTART
957801010	SG2-30-030-OO-X 30mm res AUTO RESTART
957801020	SG2-30-045-OO-X 30mm res AUTO RESTART
957801030	SG2-30-060-OO-X 30mm res AUTO RESTART
957801040	SG2-30-075-OO-X 30mm res AUTO RESTART
957801050	SG2-30-090-OO-X 30mm res AUTO RESTART
957801060	SG2-30-105-OO-X 30mm res AUTO RESTART
957801070	SG2-30-120-OO-X 30mm res AUTO RESTART
957801080	SG2-30-135-OO-X 30mm res AUTO RESTART
957801090	SG2-30-150-OO-X 30mm res AUTO RESTART
957801100	SG2-30-165-OO-X 30mm res AUTO RESTART
957801110	SG2-30-180-OO-X 30mm res AUTO RESTART
<i>PRESENCE CONTROL 50mm</i>	
957801120	SG2-50-030-OO-X 50mm res AUTO RESTART
957801130	SG2-50-045-OO-X 50mm res AUTO RESTART
957801140	SG2-50-060-OO-X 50mm res AUTO RESTART
957801150	SG2-50-075-OO-X 50mm res AUTO RESTART
957801160	SG2-50-090-OO-X 50mm res AUTO RESTART
957801170	SG2-50-105-OO-X 50mm res AUTO RESTART
957801180	SG2-50-120-OO-X 50mm res AUTO RESTART
957801190	SG2-50-135-OO-X 50mm res AUTO RESTART
957801200	SG2-50-150-OO-X 50mm res AUTO RESTART
957801210	SG2-50-165-OO-X 50mm res AUTO RESTART
957801220	SG2-50-180-OO-X 50mm res AUTO RESTART
<i>PRESENCE CONTROL 90mm</i>	
957801230	SG2-90-030-OO-X 90mm res AUTO RESTART
957801240	SG2-90-045-OO-X 90mm res AUTO RESTART
957801250	SG2-90-060-OO-X 90mm res AUTO RESTART
957801260	SG2-90-075-OO-X 90mm res AUTO RESTART
957801270	SG2-90-090-OO-X 90mm res AUTO RESTART

Order No.	Material Description
957801280	SG2-90-105-OO-X 90mm res AUTO RESTART
957801290	SG2-90-120-OO-X 90mm res AUTO RESTART
957801300	SG2-90-135-OO-X 90mm res AUTO RESTART
957801310	SG2-90-150-OO-X 90mm res AUTO RESTART
957801320	SG2-90-165-OO-X 90mm res AUTO RESTART
957801330	SG2-90-180-OO-X 90mm res AUTO RESTART
SG2 E EDM - SB SB 5780	
HAND PROTECTION 30mm	
957801340	SG2-30-015-OO-E-C 30mm res EDM Coded
957801350	SG2-30-030-OO-E-C 30mm res EDM Coded
957801360	SG2-30-045-OO-E-C 30mm res EDM Coded
957801370	SG2-30-060-OO-E-C 30mm res EDM Coded
957801380	SG2-30-075-OO-E-C 30mm res EDM Coded
957801390	SG2-30-090-OO-E-C 30mm res EDM Coded
957801400	SG2-30-105-OO-E-C 30mm res EDM Coded
957801410	SG2-30-120-OO-E-C 30mm res EDM Coded
957801420	SG2-30-135-OO-E-C 30mm res EDM Coded
957801430	SG2-30-150-OO-E-C 30mm res EDM Coded
957801440	SG2-30-165-OO-E-C 30mm res EDM Coded
957801450	SG2-30-180-OO-E-C 30mm res EDM Coded
PRESENCE CONTROL 50mm	
957801460	SG2-50-030-OO-E-C 50mm res EDM Coded
957801470	SG2-50-045-OO-E-C 50mm res EDM Coded
957801480	SG2-50-060-OO-E-C 50mm res EDM Coded
957801490	SG2-50-075-OO-E-C 50mm res EDM Coded
957801500	SG2-50-090-OO-E-C 50mm res EDM Coded
957801510	SG2-50-105-OO-E-C 50mm res EDM Coded
957801520	SG2-50-120-OO-E-C 50mm res EDM Coded
957801530	SG2-50-135-OO-E-C 50mm res EDM Coded
957801540	SG2-50-150-OO-E-C 50mm res EDM Coded

Order No.	Material Description
957801550	SG2-50-165-OO-E-C 50mm res EDM Coded
957801560	SG2-50-180-OO-E-C 50mm res EDM Coded
PRESENCE CONTROL 90mm	
957801570	SG2-90-030-OO-E-C 90mm res EDM Coded
957801580	SG2-90-045-OO-E-C 90mm res EDM Coded
957801590	SG2-90-060-OO-E-C 90mm res EDM Coded
957801600	SG2-90-075-OO-E-C 90mm res EDM Coded
957801610	SG2-90-090-OO-E-C 90mm res EDM Coded
957801620	SG2-90-105-OO-E-C 90mm res EDM Coded
957801630	SG2-90-120-OO-E-C 90mm res EDM Coded
957801640	SG2-90-135-OO-E-C 90mm res EDM Coded
957801650	SG2-90-150-OO-E-C 90mm res EDM Coded
957801660	SG2-90-165-OO-E-C 90mm res EDM Coded
957801670	SG2-90-180-OO-E-C 90mm res EDM Coded
SG2 M MUTING - SB SB 5780	
HAND PROTECTION 30mm	
957801700	SG2-30-030-OO-W 30mm res MUTING
957801710	SG2-30-045-OO-W 30mm res MUTING
957801720	SG2-30-060-OO-W 30mm res MUTING
957801730	SG2-30-075-OO-W 30mm res MUTING
957801740	SG2-30-090-OO-W 30mm res MUTING
957801750	SG2-30-105-OO-W 30mm res MUTING
957801760	SG2-30-120-OO-W 30mm res MUTING
957801770	SG2-30-135-OO-W 30mm res MUTING
957801780	SG2-30-150-OO-W 30mm res MUTING
957801790	SG2-30-165-OO-W 30mm res MUTING
957801800	SG2-30-180-OO-W 30mm res MUTING
SG4 B BASE - SB SB 5790	
FINGER PROTECTION 14mm	
957901000	SG4-14-015-OO-E 14mm RES EDM

Order No.	Material Description
957901010	SG4-14-030-OO-E 14mm RES EDM
957901020	SG4-14-045-OO-E 14mm RES EDM
957901030	SG4-14-060-OO-E 14mm RES EDM
957901040	SG4-14-075-OO-E 14mm RES EDM
957901050	SG4-14-090-OO-E 14mm RES EDM
957901060	SG4-14-105-OO-E 14mm RES EDM
957901070	SG4-14-120-OO-E 14mm RES EDM
957901080	SG4-14-135-OO-E 14mm RES EDM
957901090	SG4-14-150-OO-E 14mm RES EDM
957901100	SG4-14-165-OO-E 14mm RES EDM
957901110	SG4-14-180-OO-E 14mm RES EDM
HAND PROTECTION 30mm	
957901120	SG4-30-015-OO-E 30mm RED EDM
957901130	SG4-30-030-OO-E 30mm RED EDM
957901140	SG4-30-045-OO-E 30mm RED EDM
957901150	SG4-30-060-OO-E 30mm RED EDM
957901160	SG4-30-075-OO-E 30mm RED EDM
957901170	SG4-30-090-OO-E 30mm RED EDM
957901180	SG4-30-105-OO-E 30mm RED EDM
957901190	SG4-30-120-OO-E 30mm RED EDM
957901200	SG4-30-135-OO-E 30mm RED EDM
957901210	SG4-30-150-OO-E 30mm RED EDM
957901220	SG4-30-165-OO-E 30mm RED EDM
957901230	SG4-30-180-OO-E 30mm RED EDM
SG4 EXTENDED (SG4 E) - SB SB 5790	
FINGER PROTECTION 14mm	
957901240	SG4-14-030-OO-P 14mm res PROGRAMMABLE
957901250	SG4-14-045-OO-P 14mm res PROGRAMMABLE
957901260	SG4-14-060-OO-P 14mm res PROGRAMMABLE
957901270	SG4-14-075-OO-P 14mm res PROGRAMMABLE

Order No.	Material Description
957901280	SG4-14-090-OO-P 14mm res PROGRAMMABLE
957901290	SG4-14-105-OO-P 14mm res PROGRAMMABLE
957901300	SG4-14-120-OO-P 14mm res PROGRAMMABLE
957901310	SG4-14-135-OO-P 14mm res PROGRAMMABLE
957901320	SG4-14-150-OO-P 14mm res PROGRAMMABLE
957901330	SG4-14-165-OO-P 14mm res PROGRAMMABLE
957901340	SG4-14-180-OO-P 14mm res PROGRAMMABLE
HAND PROTECTION 30mm	
957901350	SG4-30-030-OO-P 30mm res PROGRAMMABLE
957901360	SG4-30-045-OO-P 30mm res PROGRAMMABLE
957901370	SG4-30-060-OO-P 30mm res PROGRAMMABLE
957901380	SG4-30-075-OO-P 30mm res PROGRAMMABLE
957901390	SG4-30-090-OO-P 30mm res PROGRAMMABLE
957901400	SG4-30-105-OO-P 30mm res PROGRAMMABLE
957901410	SG4-30-120-OO-P 30mm res PROGRAMMABLE
957901420	SG4-30-135-OO-P 30mm res PROGRAMMABLE
957901430	SG4-30-150-OO-P 30mm res PROGRAMMABLE
957901440	SG4-30-165-OO-P 30mm res PROGRAMMABLE
957901450	SG4-30-180-OO-P 30mm res PROGRAMMABLE
SE4 BODY - SB SB 5720	
LONG RANGE 6..60m	
957201110	SE4-P2-050-PP-W 500mm res pnp-pnp no-no
957201120	SE4-P3-080-PP-W 400mm res pnp-pnp no-no
957201130	SE4-P4-090-PP-W 300mm res pnp-pnp no-no
957201140	SE4-P4-120-PP-W 400mm res pnp-pnp no-no
SHORT RANGE 0,5..30m	
957201200	SE4-Q2-050-PP-W 500mm res pnp-pnp no-no
957201210	SE4-Q3-080-PP-W 400mm res pnp-pnp no-no
957201220	SE4-Q4-090-PP-W 300mm res pnp-pnp no-no
957201230	SE4-Q4-120-PP-W 400mm res pnp-pnp no-no

Order No.	Material Description
SE4 FINGER - SB SB 5720	
957201150	SE4-14-015-PP-W 14mm res pnp-pnp no-no
957201160	SE4-14-030-PP-W 14mm res pnp-pnp no-no
957201170	SE4-14-045-PP-W 14mm res pnp-pnp no-no
957201180	SE4-14-060-PP-W 14mm res pnp-pnp no-no
957201190	SE4-14-075-PP-W 14mm res pnp-pnp no-no
957201370	SE4-14-090-PP-W 14mm res pnp-pnp no-no
SE4 HAND - SB SB 5720	
20mm	
957201270	SE4-20-015-PP-W 20mm res pnp-pnp no-no
957201280	SE4-20-030-PP-W 20mm res pnp-pnp no-no
957201290	SE4-20-045-PP-W 20mm res pnp-pnp no-no
957201250	SE4-20-060-PP-W 20mm RES PNP-PNP NO-NO
957201300	SE4-20-075-PP-W 20mm res pnp-pnp no-no
957201310	SE4-20-090-PP-W 20mm res pnp-pnp no-no
957201320	SE4-20-105-PP-W 20mm res pnp-pnp no-no
957201330	SE4-20-120-PP-W 20mm res pnp-pnp no-no
957201340	SE4-20-135-PP-W 20mm res pnp-pnp no-no
957201350	SE4-20-150-PP-W 20mm res pnp-pnp no-no
957201360	SE4-20-165-PP-W 20mm res pnp-pnp no-no
30mm	
957201380	SE4-30-015-PP-W 30mm RES PNP-PNP NO-NO
957201390	SE4-30-030-PP-W 30mm RES PNP-PNP NO-NO
957201400	SE4-30-045-PP-W 30mm RES PNP-PNP NO-NO
957201240	SE4-30-060-PP-W 30mm RES PNP-PNP NO-NO
957201410	SE4-30-075-PP-W 30mm res pnp-pnp no-no
957201420	SE4-30-090-PP-W 30mm res pnp-pnp no-no
957201430	SE4-30-105-PP-W 30mm res pnp-pnp no-no
957201440	SE4-30-120-PP-W 30mm res pnp-pnp no-no
957201450	SE4-30-135-PP-W 30mm res pnp-pnp no-no

Order No.	Material Description
957201460	SE4-30-150-PP-W 30mm res pnp-pnp no-no
957201470	SE4-30-165-PP-W 30mm res pnp-pnp no-no
35mm	
957201000	SE4-35-015-PP-W 35mm res pnp-pnp no-no
957201010	SE4-35-030-PP-W 35mm res pnp-pnp no-no
957201020	SE4-35-045-PP-W 35mm res pnp-pnp no-no
957201030	SE4-35-060-PP-W 35mm res pnp-pnp no-no
957201040	SE4-35-075-PP-W 35mm res pnp-pnp no-no
957201050	SE4-35-090-PP-W 35mm res pnp-pnp no-no
957201060	SE4-35-105-PP-W 35mm res pnp-pnp no-no
957201070	SE4-35-120-PP-W 35mm res pnp-pnp no-no
957201080	SE4-35-135-PP-W 35mm res pnp-pnp no-no
957201090	SE4-35-150-PP-W 35mm res pnp-pnp no-no
957201100	SE4-35-165-PP-W 35mm res pnp-pnp no-no
SE4 PLUS FINGER - SB SB 5720	
957202000	SE4-14-015-PP-B 14 mm res BLANKING
957202010	SE4-14-030-PP-B 14 mm res BLANKING
957202020	SE4-14-045-PP-B 14 mm res BLANKING
957202030	SE4-14-060-PP-B 14 mm res BLANKING
957202040	SE4-14-075-PP-B 14 mm res BLANKING
957202050	SE4-14-090-PP-B 14 mm res BLANKING
957202060	SE4-14-105-PP-B 14 mm res BLANKING
957202070	SE4-14-120-PP-B 14 mm res BLANKING
957202200	SE4-14-015-PP-M 14 mm res MASTER
957202210	SE4-14-030-PP-M 14 mm res MASTER
957202220	SE4-14-045-PP-M 14 mm res MASTER
957202230	SE4-14-060-PP-M 14 mm res MASTER
957202240	SE4-14-075-PP-M 14 mm res MASTER
957202250	SE4-14-090-PP-M 14 mm res MASTER
957202260	SE4-14-105-PP-M 14 mm res MASTER

Order No.	Material Description
957202270	SE4-14-120-PP-M 14 mm res MASTER
957202400	SE4-14-015-PP-N 14 mm res MASTER BLANKIN
957202410	SE4-14-030-PP-N 14 mm res MASTER BLANKIN
957202420	SE4-14-045-PP-N 14 mm res MASTER BLANKIN
957202430	SE4-14-060-PP-N 14 mm res MASTER BLANKIN
957202440	SE4-14-075-PP-N 14 mm res MASTER BLANKIN
957202450	SE4-14-090-PP-N 14 mm res MASTER BLANKIN
957202460	SE4-14-105-PP-N 14 mm res MASTER BLANKIN
957202470	SE4-14-120-PP-N 14 mm res MASTER BLANKIN
957202600	SE4-14-015-PP-S 14 mm res SLAVE
957202610	SE4-14-030-PP-S 14 mm res SLAVE
957202620	SE4-14-045-PP-S 14 mm res SLAVE
957202630	SE4-14-060-PP-S 14 mm res SLAVE
957202640	SE4-14-075-PP-S 14 mm res SLAVE
957202650	SE4-14-090-PP-S 14 mm res SLAVE
957202660	SE4-14-105-PP-S 14 mm res SLAVE
957202670	SE4-14-120-PP-S 14 mm res SLAVE
SE4 PLUS HAND - SB SB 5720	
957202080	SE4-30-015-PP-B 30 mm res BLANKING
957202090	SE4-30-030-PP-B 30 mm res BLANKING
957202100	SE4-30-045-PP-B 30 mm res BLANKING
957202110	SE4-30-060-PP-B 30 mm res BLANKING
957202120	SE4-30-075-PP-B 30 mm res BLANKING
957202130	SE4-30-090-PP-B 30 mm res BLANKING
957202140	SE4-30-105-PP-B 30 mm res BLANKING
957202150	SE4-30-120-PP-B 30 mm res BLANKING
957202160	SE4-30-135-PP-B 30 mm res BLANKING
957202170	SE4-30-150-PP-B 30 mm res BLANKING
957202180	SE4-30-165-PP-B 30 mm res BLANKING
957202280	SE4-30-015-PP-M 30 mm res MASTER

Order No.	Material Description
957202290	SE4-30-030-PP-M 30 mm res MASTER
957202300	SE4-30-045-PP-M 30 mm res MASTER
957202310	SE4-30-060-PP-M 30 mm res MASTER
957202320	SE4-30-075-PP-M 30 mm res MASTER
957202330	SE4-30-090-PP-M 30 mm res MASTER
957202340	SE4-30-105-PP-M 30 mm res MASTER
957202350	SE4-30-120-PP-M 30 mm res MASTER
957202360	SE4-30-135-PP-M 30 mm res MASTER
957202370	SE4-30-150-PP-M 30 mm res MASTER
957202380	SE4-30-165-PP-M 30 mm res MASTER
957202480	SE4-30-015-PP-N 30 mm res MASTER BLANKIN
957202490	SE4-30-030-PP-N 30 mm res MASTER BLANKIN
957202500	SE4-30-045-PP-N 30 mm res MASTER BLANKIN
957202510	SE4-30-060-PP-N 30 mm res MASTER BLANKIN
957202520	SE4-30-075-PP-N 30 mm res MASTER BLANKIN
957202530	SE4-30-090-PP-N 30 mm res MASTER BLANKIN
957202540	SE4-30-105-PP-N 30 mm res MASTER BLANKIN
957202550	SE4-30-120-PP-N 30 mm res MASTER BLANKIN
957202560	SE4-30-135-PP-N 30 mm res MASTER BLANKIN
957202570	SE4-30-150-PP-N 30 mm res MASTER BLANKIN
957202580	SE4-30-165-PP-N 30 mm res MASTER BLANKIN
957202680	SE4-30-015-PP-S 30 mm res SLAVE
957202690	SE4-30-030-PP-S 30 mm res SLAVE
957202700	SE4-30-045-PP-S 30 mm res SLAVE
957202710	SE4-30-060-PP-S 30 mm res SLAVE
957202720	SE4-30-075-PP-S 30 mm res SLAVE
957202730	SE4-30-090-PP-S 30 mm res SLAVE
957202740	SE4-30-105-PP-S 30 mm res SLAVE
957202750	SE4-30-120-PP-S 30 mm res SLAVE
957202760	SE4-30-135-PP-S 30 mm res SLAVE

Order No.	Material Description
957202770	SE4-30-150-PP-S 30 mm res SLAVE
957202780	SE4-30-165-PP-S 30 mm res SLAVE
SG2 BODY BIG BASE - SB SB 5785	
957851240	SG2-B2-050-OO-E H=500 LINEAR EDM
957851250	SG2-B3-080-OO-E H=800 LINEAR EDM
957851260	SG2-B4-090-OO-E H=900 LINEAR EDM
957851270	SG2-B4-120-OO-E H=1200 LINEAR EDM
SG2 BODY BIG MUTING - SB SB 5785	
957851320	SG2-B2-050-OO-W-C H=500 LINEAR MUTING CODED
957851330	SG2-B3-080-OO-W-C H=800 LINEAR MUTING CODED
957851340	SG2-B4-090-OO-W-C H=900 LINEAR MUTING CODED
957851350	SG2-B4-120-OO-W-C H=1200 LINEAR MUTING CODED
SG4 BODY BIG BASE - SB SB 5785	
957851280	SG4-B2-050-OO-E H=500 LINEAR EDM
957851290	SG4-B3-080-OO-E H=800 LINEAR EDM
957851300	SG4-B4-090-OO-E H=900 LINEAR EDM
957851310	SG4-B4-120-OO-E H=1200 LINEAR EDM
SG4 BODY BIG MUTING - SB SB 5785	
957851360	SG4-BLR2-050-OO-W-C H=500 LINEAR MUTING CODED
957851370	SG4-BLR3-080-OO-W-C H=800 LINEAR MUTING CODED
957851380	SG4-BLR4-090-OO-W-C H=900 LINEAR MUTING CODED
957851390	SG4-BLR4-120-OO-W-C H=1200 LINEAR MUTING CODED
957851400	SG4-BSR2-050-OO-W-C H=500 LINEAR MUTING CODED
957851410	SG4-BSR3-080-OO-W-C H=800 LINEAR MUTING CODED
957851420	SG4-BSR4-090-OO-W-C H=900 LINEAR MUTING CODED
957851430	SG4-BSR4-120-OO-W-C H=1200 LINEAR MUTING CODED
SG4 LONG RANGE BASE - SB SB 5785	
957851570	SG4-40-060-OO-E H=600 LONG RANGE
957851580	SG4-40-090-OO-E H=900 LONG RANGE
957851590	SG4-40-120-OO-E H=1200 LONG RANGE

Order No.	Material Description
SG4 BODY REFLECTOR ACTIVE BASE - SB SB 5795	
957951000	SG4-RB2-050-OO-E H=500 ACTIVE EDM
957951010	SG4-RB3-080-OO-E H=800 ACTIVE EDM
957951190	SG4-RB4-090-OO-E H=900 ACTIVE EDM
957951020	SG4-RB4-120-OO-E H=1200 ACTIVE EDM
SG4 BODY REFLECTOR ACTIVE MUTING - SB SB 5795	
957951030	SG4-RB2-050-OO-W H=500 ACTIVE MUTING
957951040	SG4-RB3-080-OO-W H=800 ACTIVE MUTING
957951180	SG4-RB4-090-OO-W H=900 ACTIVE MUTING
957951050	SG4-RB4-120-OO-W H=1200 ACTIVE MUTING
957951060	SG4-RB2L-050-OO-W H=500 ACTIVE L MUTING
957951070	SG4-RB3L-080-OO-W H=800 ACTIVE L MUTING
957951080	SG4-RB2T-050-OO-W H=500 ACTIVE T MUTING
957951090	SG4-RB3T-080-OO-W H=800 ACTIVE T MUTING
SG4 BODY REFLECTOR PASSIVE - SB SB 5795	
957951100	SG4-RDB2 H=500 PASSIVE
957951110	SG4-RDB3 H=800 PASSIVE
957951170	SG4-RDB4-090 H=900 PASSIVE
957951120	SG4-RDB4-120 H=1200 PASSIVE
957951130	SG4-RDB2L H=500 PASSIVE L
957951140	SG4-RDB3L H=800 PASSIVE L
957951150	SG4-RDB2T H=500 PASSIVE T
957951160	SG4-RDB3T H=800 PASSIVE T
SG2 BODY COMPACT BASE - SB SB 5785	
957851000	SG2-S2-050-PP-E H=500 LINEAR EDM
957851010	SG2-S3-080-PP-E H=800 LINEAR EDM
957851020	SG2-S4-090-PP-E H=900 LINEAR EDM
957851030	SG2-S4-120-PP-E H=1200 LINEAR EDM
SG2 BODY COMPACT MUTING - SB SB 5785	
957851080	SG2-S2-050-PP-W H=500 LINEAR MUTING

Order No.	Material Description
957851090	SG2-S3-080-PP-W H=800 LINEAR MUTING
957851100	SG2-S4-090-PP-W H=900 LINEAR MUTING
957851110	SG2-S4-120-PP-W H=1200 LINEAR MUTING
957851120	SG2-L2-050-PP-W H=500 L MUTING
957851130	SG2-L3-080-PP-W H=800 L MUTING
957851140	SG2-T2-050-PP-W H=500 T MUTING
957851150	SG2-T3-080-PP-W H=800 T MUTING
SG4 BODY COMPACT BASE - SB SB 5785	
957851040	SG4-S2-050-PP-E H=500 LINEAR EDM
957851050	SG4-S3-080-PP-E H=800 LINEAR EDM
957851060	SG4-S4-090-PP-E H=900 LINEAR EDM
957851070	SG4-S4-120-PP-E H=1200 LINEAR EDM
SG4 BODY COMPACT MUTING - SB SB 5785	
957851160	SG4-S2-050-PP-W H=500 LINEAR MUTING
957851170	SG4-S3-080-PP-W H=800 LINEAR MUTING
957851180	SG4-S4-090-PP-W H=900 LINEAR MUTING
957851190	SG4-S4-120-PP-W H=1200 LINEAR MUTING
957851200	SG4-L2-050-PP-W H=500 L MUTING
957851210	SG4-L3-080-PP-W H=800 L MUTING
957851220	SG4-T2-050-PP-W H=500 T MUTING
957851230	SG4-T3-080-PP-W H=800 T MUTING
BWS-T4 - SB SB 5705	
957051000	SG-BWS-T4 MAN/AUTO RES EDM CONTROL UNIT
957051010	SG-BWS-T4-MT DOUBLE MUTING CONTROL UNIT
SX-FG-SG-ST - TUB TUB 5205 / TUB TUB 5250 / MAXI MAXI 5145	
952051870	S5-5-G8-62-SG-ST2 EMITTER 10/30VDC
952051890	S5-5-F8-92-SG-ST2 RECEIVER 10/30VDC
952051910	S5-5-G8-62-SG-ST4 EMITTER 10/30VDC
952051930	S5-5-F8-92-SG-ST4 RECEIVER 10/30VDC
952501160	SL5-5-G-82-SG-ST4 LASER EMI 40m M12

Order No.	Material Description
952501170	SL5-5-F-92-SG-ST4 REC 40m PNP LIGHT M12
951451320	S300-PR-5-G00-EX-SG-ST2 EMI M12
951451330	S300-PR-5-G00-EX-M-SG-ST2 EMI M12 DEFOG
951451340	S300-PR-5-F00-EX-SG-ST2 REC M12
951451350	S300-PR-5-F00-EX-M-SG-ST2 REC M12 DEFOG
951451360	S300-PR-5-G00-EX-SG-ST4 EMI M12
951451370	S300-PR-5-G00-EX-M-SG-ST4 EMI M12 DEFOG
951451380	S300-PR-5-F00-EX-SG-ST4 REC M12
951451390	S300-PR-5-F00-EX-M-SG-ST4 REC M12 DEFOG
SAFETY ACCESSORIES	
<i>M12 AXIAL 4 wires PVC SAFETY - ACC1 ACC1 5A25</i>	
95ACC1480	CV-A1-22-B-03 SE 4pin CABLE 3m
95ACC1490	CV-A1-22-B-05 SE 4pin CABLE 5m
95ACC1500	CV-A1-22-B-10 SE 4pin CABLE 10m
95ACC2070	CV-A1-22-B-15 SE 4pin CABLE 15m
95ACC2090	CV-A1-22-B-25 SE 4pin CABLE 25m
<i>M12 RADIAL 4 wires PVC SHIELDED - ACC1 ACC1 5A25</i>	
95ACC1540	CV-A2-22-B-03 SE 4pin 90° CABLE 3m
95ACC1550	CV-A2-22-B-05 SE 4pin 90° CABLE 5m BLACK
95ACC1560	CV-A2-22-B-10 SE 4pin 90° CABLE 10m
<i>M12 AXIAL 8 wires PVC SHIELDED - ACC1 ACC1 5A25</i>	
95ACC1510	CV-A1-26-B-03 SE 8pin CABLE 3m
95ACC1520	CV-A1-26-B-05 SE 8pin CABLE 5m
95ACC1530	CV-A1-26-B-10 SE 8pin CABLE 10m
<i>M12 RADIAL 8 wires PVC SHIELDED - ACC1 ACC1 5A25</i>	
95ACC1600	CV-A2-26-B-03 SE 8pin 90° CABLE 3m
95ACC1610	CV-A2-26-B-05 SE 8pin 90° CABLE 5m BLACK
95ACC1620	CV-A2-26-B-10 SE 8pin 90° CABLE 10m
95ACC2060	CV-A1-21-G-10 M12 3pin CABLE 10m (cv-14)
95ACC2080	CV-A1-26-B-15 SE 8pin CABLE 15m

Order No.	Material Description
95ACC2100	CV-A1-26-B-25 SE 8pin CABLE 25m
95ACC2230	CS-A1-06-B-03 M12 8 poli 3m nero
95ACC2240	CS-A1-06-B-05 M12 8 poli 5m nero
95ACC2250	CS-A1-06-B-10 M12 8 poli 10m nero
95ACC2440	CV-A1-23-B-005-2F SE 5pin CABLE 0,5m
95ACC2450	CV-A1-23-B-01-2F SE 5pin CABLE 1m
95ACC2460	SE-C 5 POLES CONNECTOR TAPS
95ACC2550	CS-A1-06-B-NC CONN.M12-8POLES FEMALE PG9
95ACC2560	CV-Y1-02-B-007 M12 4-pole T Muting cable
95ACC2570	CV-L1-02-B-007 M12 4-pole L Muting cable
95ACC2600	CV-Y2-02-G-0007 4 pins. M12 Ext Muting driver
M12 CONNECTORS - ACC1 ACC1 5A25	
G5085002	CS-A1-02-B-NC CONN.M12-4POLES FEMALE
G5085003	CS-A2-02-B-NC 90° CONN.M12-4P.FEMALE
M12 AXIAL 4 wires PVC SAFETY - ACC1 ACC1 5A25	
95ASE1120	CS-A1-02-U-03 M12 4-pole unsh. axial 3 m conn. UL2464
95ASE1130	CS-A1-02-U-05 M12 4-pole unsh. axial 5 m conn. UL 2464
95ASE1140	CS-A1-02-U-10 M12 4-pole unsh.axial 10m conn. UL 2464
95ASE1150	CS-A1-02-U-15 M12 4-pole unsh. axial 15m conn.UL 2464
95ASE1160	CS-A1-02-U-25 M12 4-pole unsh.axial 25 m conn.UL 2464
M12 AXIAL 5 wires PVC SAFETY - ACC1 ACC1 5A25	
95ASE1170	CS-A1-03-U-03 M12 5-pole unsh.axial 3m conn.UL 2464
95ASE1180	CS-A1-03-U-05 M12 5-pole unsh.axial 5 m conn. UL 2464
95ASE1190	CS-A1-03-U-10 M12 5-pole unsh.axial 10m conn. UL 2464
95ASE1200	CS-A1-03-U-15 M12 5-pole unsh.axial 15m conn.UL2464
95ASE1210	CS-A1-03-U-25 M12 5-pole unsh.axial 25 m conn. UL2464
95A252700	CS-A1-03-U-50 5 poli dritto 50m UL 2464
M12 AXIAL 8 wires PVC SAFETY - ACC1 ACC1 5A25	
95ASE1220	CS-A1-06-U-03M12 8-pole unsh.axial 3 m conn. UL2464
95ASE1230	CS-A1-06-U-05 M12 8-pole unsh.axial 5m conn.UL 2464

Order No.	Material Description
95ASE1240	CS-A1-06-U-10 M12 8-pole unsh.axial 10m conn. UL 2464
95ASE1250	CS-A1-06-U-15 M12 8-pole unsh. axial 15 m conn. UL2464
95ASE1260	CS-A1-06-U-25 M12 8-pole unsh. axial 25 m conn. UL2464
95A252710	CS-A1-06-U-50 8 poli dritto 50m UL 2464
SG EXTENDED 18 POLES SOCKET TO M12 CABLE PIG-TAILS	
95A252810	CS-R1-75-B-002 SG EXTENDED MUTING RX 0,2
95A252820	CS-G1-50-B-002 SG EXTENDED TX 0,2m
95A252830	CS-G1-70-B-002 SG EXTENDED BLANK RX 0,2m
95A252840	CS-F1-80-B-01 SG EXTENDED CASCADE 1m
95A252850	CS-F1-80-B-005 SG EXTENDED CASCADE 0,5m
95A252860	CS-F1-80-B-0005SG EXTENDED CASCADE 0,05m
95A252870	SG-C 18-POLE CONNECTOR TAPS
M12 AXIAL 12 wires PVC SAFETY	
95A252720	CS-A1-10-U-03 12-poles unsh. axial 3m conn. UL 2464
95A252730	CS-A1-10-U-05 12-poles unsh. axial 5m conn. UL 2464
95A252740	CS-A1-10-U-10 12-poles unsh. axial 10m conn. UL 2464
95A252750	CS-A1-10-U-15 12-poles unsh. axial 15m conn. UL 2464
95A252760	CS-A1-10-U-25 12-poles unsh. axial 25m conn. UL 2464
95A252770	CS-A1-10-U-50 12-poles unsh. axial 50m conn. UL 2464
TEST PIECES - ACC2 ACC2 5ASE	
95ACC1630	TP-14 test piece Ø 14mm L = 300mm
95ACC1640	TP-20 test piece Ø 20mm L = 300mm
95ACC1650	TP-30 test piece Ø 30mm L = 300mm
95ACC1660	TP-35 test piece Ø 35mm L = 300mm
SF2 BRACKET KITS - ACC2 ACC2 5ASE	
95ACC2320	ST-KSF2 kit 4pcs SF2 anti scratch braket
95ACC2580	ST-KSF2-4OR SF2 ORIENT.SUPP.4 PIECES KIT
95ACC2590	ST-KSF2-6OR SF2 ORIENT.SUPP.6 PIECES KIT
95ASE1020	ST-KSF2STD SF2 standard brackets 12pcs
SE BRACKET KITS - ACC2 ACC2 5ASE	

Order No.	Material Description
95ACC1670	ST-KSTD kit 4pcs std mounting brackets
95ACC1680	ST-K4OR kit 4pcs orientable supports
95ACC1690	ST-K6OR kit 6pcs orientable supports
95ACC1700	ST-K4AV kit 4pcs anti vibration supports
95ACC1710	ST-K6AV kit 6pcs anti vibration supports
95ASE1100	ST-KP4MP KIT 4 PCS. PLASTIC BRACKETS
95ASE1110	ST-KP6MP KIT 6 PCS. PLASTIC BRACKETS
95ASE1070	ST-K4FIX SE FIXING SUPPORTS 4pieces kit
FLOOR STANDS - ACC2 ACC2 5ASE	
95ACC1730	SE-S 800 column and floor stand h=800mm
95ACC1740	SE-S 1000 column and floor stand h1000mm
95ACC1750	SE-S 1200 column and floor stand h1200mm
95ACC1760	SE-S 1500 column and floor stand h1500mm
95ACC1770	SE-S 1800 column and floor stand h1800mm
SE DEVIATING MIRROR - ACC2 ACC2 5ASE	
95ACC1900	SE-DM 150 deviating mirror h=150mm
95ACC1910	SE-DM 500 deviating mirror h=550mm
95ACC1920	SE-DM 600 deviating mirror h=700mm
95ACC1930	SE-DM 800 deviating mirror h=900mm
95ACC1940	SE-DM 900 deviating mirror h=1000mm
95ACC1950	SE-DM 1200 deviating mirror h=1270mm
95ACC1960	SE-DM 1500 deviating mirror h=1600mm
95ACC1970	SE-DM 1650 deviating mirror h=1800mm
MUTING LAMPS - ACC2 ACC2 5ASE	
95ASE1830	LMS MUTING SIGNAL DEVICE
95ACC1990	LMS-1 modular muting lamp
95ACC2000	LMS-2 muting lamp horizontal fixing
95ACC2010	LMS-3 muting lamp vertical fixing
95ACC2020	SU-LMS-1A basic module for LMS-1
95ACC2030	SU-LMS-1B tower module for LMS-1

Order No.	Material Description
TYPE 4 SAFETY RELAY - ACC2 ACC2 5ASE	
95ACC6170	SE-SR2 TYPE 4 SAFETY RELAY 3NO 1NC
CONNECTION BOX - ACC2 ACC2 5ASE	
95ASE2050	SG-SRT-1 MUTING CONNECTION BOX
95ASE2060	SG-SRT-2 MUTING CONNECTION BOX LAMP
SG2-SG4 ROTATING BRACKETS - ACC2 ACC2 5ASE	
95ASE1280	ST-K4ROT KIT 4pcs ROTATING BRACKETS
EDM MODULE - ACC2 ACC2 5ASE	
95ASE1270	CSME-03VU24-Y14
LENS SHIELD - ACC2 ACC2 5ASE	
95ASE1450	SG-LS 150 LENS SHIELD H=150mm
95ASE1460	SG-LS 300 LENS SHIELD H=300mm
95ASE1470	SG-LS 450 LENS SHIELD H=450mm
95ASE1480	SG-LS 600 LENS SHIELD H=600mm
95ASE1490	SG-LS 750 LENS SHIELD H=750mm
95ASE1500	SG-LS 900 LENS SHIELD H=900mm
95ASE1510	SG-LS 1050 LENS SHIELD H=1050mm
95ASE1520	SG-LS 1200 LENS SHIELD H=1200mm
95ASE1530	SG-LS 1350 LENS SHIELD H=1350mm
95ASE1540	SG-LS 1500 LENS SHIELD H=1500mm
95ASE1550	SG-LS 1650 LENS SHIELD H=1650mm
95ASE1560	SG-LS 1800 LENS SHIELD H=1800mm
95ASE1570	SG-LS-2-050 LENS SHIELD H=500mm
95ASE1580	SG-LS-3-080 LENS SHIELD H=800mm
95ASE1590	SG-LS-4-090 LENS SHIELD H=900mm
95ASE1600	SG-LS-4-120 LENS SHIELD H=1200mm
IP69K ENCLOSURE - ACC2 ACC2 5ASE	
95ASE1290	SG-IP69K 150 IP69K tube h=150 mm
95ASE1300	SG-IP69K 300 IP69K tube h=300 mm
95ASE1310	SG-IP69K 450 IP69K tube h=450 mm

Order No.	Material Description
95ASE1320	SG-IP69K 600 IP69K tube h=600 mm
95ASE1330	SG-IP69K 750 IP69K tube h=750 mm
95ASE1340	SG-IP69K 900 IP69K tube h=900 mm
95ASE1350	SG-IP69K 1050 IP69K tube h=1050 mm
95ASE1360	SG-IP69K 1200 IP69K tube h=1200 mm
95ASE1370	SG-IP69K 1350 IP69K tube h=1350 mm
95ASE1380	SG-IP69K 1500 IP69K tube h=1500 mm
95ASE1390	SG-IP69K 1650 IP69K tube h=1650 mm
95ASE1400	SG-IP69K 1800 IP69K tube h=1800 mm
95ASE1980	SE-IP69K-2-050 IP69K TUBE H=500mm
95ASE1990	SE-IP69K-3-080 IP69K TUBE H=800mm
95ASE2000	SE-IP69K-4-090 IP69K TUBE H=900mm
95ASE2010	SE-IP69K-4-120 IP69K TUBE H=1200mm
LASER POINTER - ACC2 ACC2 5ASE	
95ASE5590	SG-LP SG-LP LASER POINTER
PROTECTIVE STANDS - ACC2 ACC2 5ASE	
95ASE2240	SG-PSB 600 PROTECTIVE STAND H=600mm
95ASE2250	SG-PSB 1000 PROTECTIVE STAND H=1000mm
95ASE2260	SG-PSB 1200 PROTECTIVE STAND H=1200mm
95ASE2270	SG-PSB 1650 PROTECTIVE STAND H=1650mm
95ASE2280	SG-PSB 1900 PROTECTIVE STAND H=1900mm
95ASE2290	SG-P PLATE KIT FOR PROTECTIVE STANDS
95ASE2300	SG-PSM-2-500 PROT STANDS 2 MIRRORS H500
95ASE2310	SG-PSM-3-800 PROT STANDS 3 MIRRORS H800
95ASE2320	SG-PSM-4-900 PROT STANDS 4 MIRRORS H900
95ASE2330	SG-PSM-4-1200 PROT STANDS 4 MIRRORS H1200
95ASE1730	ST-P34-SG BODY 4pcs protective stands mounting kit
95ASE1740	ST-P30-SG BODY 4pcs protective stands mounting kit
95ASE1750	ST-P34-SG-SE 4pcs protective stands mounting kit
95ASE1760	ST-P36-SG-SE 4pcs protective stands mounting kit

Order No.	Material Description
95ASE1770	ST-PS-DM 2pcs protective stands mounting kit deviating mirrors
SG NEW DEVIATING MIRRORS - ACC2 ACC2 5ASE	
95ASE1670	SG-DM 150 DEVIATING MIRRORS H=150mm
95ASE1680	SG-DM 600 DEVIATING MIRRORS H=600mm
95ASE1690	SG-DM 900 DEVIATING MIRRORS H=900mm
95ASE1700	SG-DM 1200 DEVIATING MIRRORS H=1200mm
95ASE1710	SG-DM 1650 DEVIATING MIRRORS H=1650mm
95ASE1720	SG-DM 1900 DEVIATING MIRRORS H=1900mm
95ASE1940	ST-DM DEV. MIRRORS STAND ALONE MOUNT.KIT
SG NEW MUTING ARMS - ACC2 ACC2 5ASE	
95ASE1840	SG-AS-ARM ACTIVE SENSOR SINGLE ARM
95ASE1850	SG-PR-ARM PASSIVE REFLECTOR SINGLE ARM
95ASE1860	SG-L-ARMS L COUPLE ARMS
95ASE1870	SG-T-ARMS T COUPLE ARMS
95ASE1880	SG-F1-G1-ARM F1 MUTING ARMS
95ASE1890	SG-F2-G2-ARM F2 MUTING ARMS
95ASE1920	SG-CB-B MUTING C BRACKET BIG KIT
95ASE1930	SG-CB-C MUTING C BRACKET COMPACT KIT
95ASE2020	CS-R1-40-B-0015 REFL. 12to8 POLE ADAPTOR
95ASE2030	SG-MFB MUTING ARMS FRONT BRACKET KIT
SG BODY ACCESSORY BRACKETS - ACC2 ACC2 5ASE	
95ASE1950	ST-R4STD-SG BODY BIG SG BODY BIG STANDARD BRACKET 4 PCS KIT
95ASE1960	ST-R4ROT-SG BODY BIG SG BODY BIG ROTATING BRACKET 4 PCS KIT
95ASE1970	ST-R4REAR-SG BODY BIG SG BODY BIG REAR BRACKET 4 PCS KIT
95ASE2040	ST-R4ROT-SG BODY COMPACT SG BODY COMPACT ROT. BRACKET 4 PCS KIT
SG EXTENDED CASCADE BRACKET - ACC2 ACC2 5ASE	
95ASE2110	ST-KCASCAD-SEG EXTENDED
SG EXTENDED DONGLE - ACC2 ACC2 5ASE	
95ASE2080	SG4-DONGLE ETHERNET ADAPTOR
NOTE	Please check Sensors for cable and connector accesso

DATALOGIC AUTOMATION

Measure

Warranty terms: 36 months

Order No.	Material Description
DS1 - DS DS 5770	
957701120	DS1-LD-HR-010-JV LONG D HIGH RE H=100mm
957701130	DS1-LD-SR-010-JV LONG D STD RES H=100mm
957701140	DS1-LD-HR-015-JV LONG D HIGH RE H=150mm
957701150	DS1-LD-SR-015-JV LONG D STD RES H=150mm
957701160	DS1-LD-SR-030-JV LONG D STD RES H=300mm
957701170	DS1-SD-SR-010-JV SHORT D HIGH RE H=100mm
957701180	DS1-SD-SR-015-JV SHORT D HIGH RE H=150mm
957701190	DS1-SD-SR-030-JV SHORT D STD RES H=300mm
957701200	DS1-SD-HR-010-JV SHORT D STD RES H=100mm
957701210	DS1-SD-HR-015-JV SHORT D STD RES H=150mm
957701220	DS1-HD-SR-010-JV HIGH D STD RES H=100mm
957701230	DS1-HD-SR-015-JV HIGH D STD RES H=150mm
957701240	DS1-HD-SR-030-JV HIGH D STD RES H=300mm
957701250	DS1-HD-SR-010-PV EXT LOW R H=100mm ADJ
957701260	DS1-HD-SR-015-PV EXT LOW R H=150mm ADJ
957701270	DS1-HD-SR-030-PV EXT LOW R H=300mm ADJ
DS2 - DS DS 5750	
957501000	DS2-05-07-060-JV LD HIGH RES H=600mm
957501010	DS2-05-07-090-JV LD HIGH RES H=900mm
957501020	DS2-05-07-120-JV LD HIGH RES H=1200mm
957501030	DS2-05-07-165-JV LD HIGH RES H=1650mm
957501040	DS2-05-07-015-JV LD HIGH RES H=150mm
957501050	DS2-05-07-030-JV LD HIGH RES H=300mm
957501060	DS2-05-07-045-JV LD HIGH RES H=450mm
957501070	DS2-05-07-075-JV LD HIGH RES H=750mm
957501080	DS2-05-07-105-JV LD HIGH RES H=1050mm

Order No.	Material Description
957501090	DS2-05-07-135-JV LD HIGH RES H=1350mm
957501100	DS2-05-07-150-JV LD HIGH RES H=1500mm
957501110	DS2-05-25-045-JV 25mm RES H=450mm
957501120	DS2-05-25-075-JV 25mm RES H=750mm
957501130	DS2-05-25-090-JV 25mm RES H=900mm
957501140	DS2-05-25-060-JV 25mm RES H=600mm
957501150	DS2-05-07-060-JE ETH HIGH RES H=600mm
957501160	DS2-05-07-075-JE ETH HIGH RES H=750mm
957501170	DS2-05-07-090-JE ETH HIGH RES H=900mm
957501180	DS2-05-07-120-JE ETH HIGH RES H=1200mm
957501190	DS2-05-07-150-JE ETH HIGH RES H=1500mm
957501200	DS2-05-07-165-JE ETH HIGH RES H=1650mm
DS3 - DS DS 5760	
957600100	DS3-SD-015 short distance
957600110	DS3-SD-030 short distance
957600120	DS3-LD-015 long distance
957600140	DS3-LD-030 long distance
957600150	DS3-SD-045 SHORT DISTANCE H=450mm
957600160	DS3-LD-045 LONG DISTANCE H=450mm
957600170	DS3-SD-060 SHORT DISTANCE H=600mm
957600180	DS3-LD-060 LONG DISTANCE H=600mm
S65-Z- TL TL 5625	
956251040	S65-PA-5-Z03-PPI line 4-20mA M12
956251050	S65-PA-5-Z03-NNI line 4-20mA M12
956251060	S65-PA-5-Z03-PPIZ line 4-20mA RS485 M12
956251070	S65-PA-5-Z03-NNIZ line 4-20mA RS485 M12
US18 - DS DS 5B04	
95B040000	US18-PA-5-N03-OH STRAIGHT BARREL NPN/PNP
95B040010	US18-PR-5-N03-OH RIGHT ANGLE B. NPN/PNP
95B040020	US18-PA-5-N03-IH STRAIGHT BARREL 4-20 mA
95B040030	US18-PR-5-N03-IH RIGHT ANGLE B. 4-20 mA
95B040040	US18-PA-5-N03-VH STRAIGHT BARREL 0-10 V

Order No.	Material Description
95B040050	US18-PR-5-N03-VH RIGHT ANGLE B. 0-10 V
US30 - DS DS 5B04	
95B040060	US30-PR-5-N13-IH right angle b.1m, 4-20 mA
95B040070	US30-PR-5-N13-VH right angle b. 0-10 V
95B040080	US30-PR-5-N23-IH RIGHT ANGLE B., 2m, 4-20 mA
95B040090	US30-PR-5-N23-VH RIGHT ANGLE B., 2m, 0-10 V
95B040100	US30-PR-5-N13-OH RIGHT ANGLE B., 1m, PNP/NPN
95B040110	US30-PR-5-N23-OH RIGHT ANGLE B., 2m, PNP/NPN
US50 - DS DS 5B04	
95B040120	US50-PR-5-N43-OH RIGHT ANGLE B.PNP/NPN
95B040130	US50-PR-5-N43-IVH RIGHT ANGLE B. AN. OUT
95ACC7820	ST-30SC US50 MOUNT. BRACKET ASSY
95ACC7830	ST-30MM US50 STAINLESS STEEL BRACKET
S80 - DS DS 5150	
951501080	S80-MH-5-Y09-PPIZ DISTANCE 4-20mA RS485
951501010	S80-MH-5-Y09-NNIZ DISTANCE 4-20mA RS485
951501020	S80-MH-5-Y19-PPIZ LONG RANGE DIST.SENSOR
951501030	S80-MH-5-Y19-NNIZ LONG RANGE DIST.SENSOR
951501040	S80-MH-5-Y29-PPIZ LONG RANGE DIST.SENSOR
951501050	S80-MH-5-Y29-NNIZ LONG RANGE DIST.SENSOR
951501060	S80-MH-5-YL09-PPIZ DISTANCE 7M RS485
951501070	S80-MH-5-YL09-NNIZ DISTANCE 7M RS485
S81 - DS DS 5155	
951551100	S81-PL-5-M03-NNC BGS. SENS. NPN AL-OUT
951551110	S81-PL-5-M03-PPC BGS. SENS. PNP AL-OUT
951551120	S81-PL-5-Y03-NNV DIST.SENS.NPN 0-10V
951551030	S81-PL-5-Y03-PPV DIST.SENS.PNP 0-10V
951551040	S81-PL-5-Y03-PPVK SCALABLE ANALOGUE OUTPUT
NOTE	Please check Sensors for cable and connector accessories

DATALOGIC AUTOMATION	
Vision	
Warranty terms: 36 months	
Order No.	Material Description
DataVS1	
959941000	DataVS1-08-DC-K vision sensor 8mm lens VSCconfigurator DataVS-VSC conn.C
959941010	DataVS1-06-DC-S Vision sensor, 6mm lens, configurator connection
959941020	DataVS1-08-DC-S Vision sensor, 8mm lens, configurator connection
959941030	DataVS1-12-DC-S Vision sensor, 12mm lens, configurator connection
959941050	DataVS1-16-DC-S Vision sensor, 16mm lens, configurator connection
DataVS2	
959951050	DataVS2-06-DE-OBJ 6mm lens-ethernet conn
959951060	DataVS2-08-DE-OBJ 8mm lens-ethernet conn
959951070	DataVS2-12-DE-OBJ 12mm lens-ethernet conn
959951030	DataVS2-16-DE-OBJ 16mm lens-ethernet conn
959951000	DataVS2-06-DE-AOR 6mm lens, ethernet conn., adv. object recognition
959951010	DataVS2-08-DE-AOR 8mm lens, ethernet conn., adv. object recognition
959951020	DataVS2-12-DE-AOR 12mm lens, ethernet conn., adv. object recognition
959951040	DataVS2-16-DE-AOR 16mm lens, ethernet conn., adv. object recognition
959951130	DataVS2-06-RE-ID 6mm lens, ethernet & RS232, identification
959951140	DataVS2-08-RE-ID 8mm lens, ethernet & RS232, identification
959951120	DataVS2-12-RE-ID 12mm lens, ethernet & RS232, identification
959951190	DataVS2-16-RE-ID 16mm lens, ethernet & RS232, identification
959951220	DataVS2-06-RE-PRO 6mm lens, ethernet & RS232, professional
959951230	DataVS2-08-RE-PRO 8mm lens, ethernet & RS232, professional
959951240	DataVS2-12-RE-PRO 12mm lens, ethernet & RS232, professional
959951250	DataVS2-16-RE-PRO 16mm lens, ethernet & RS232, professional
Accessories DataVS	
959941040	DataVS1-VSC vision sensor configurator
95A901480	DataVS2-VSM VSM monitor for DataVS2
95A252790	CV-A1-32-B-03 M12 4pin shielded cable 3m

Order No.	Material Description	
95A252800	CV-A1-32-B-05 M12 4pin shielded cable 5m	
95A255430	CV-A1-36-B-03 8 pin shielded cable 3m	
95A255440	CV-A1-36-B-05 8 pin shielded cable 5m	
95A255450	CV-A1-36-B-10 8 pin shielded cable 10m	
95A901340	DataVS-CV-RJ45C-03 ethernet cable 3m crossed	
95A901350	DataVS-CV-RJ45D-03 ethernet cable 3m straight	
95A901360	DataVS-CV-VSC-02 DataVS-VSC connection cable 2 m	
95A901370	DataVS-CV-VSC-04 DataVS-VSC connection cable 4 m	
95A901700	DataVS-CV-VSM-02 connection cable 2mt	
95A901710	DataVS-CV-VSM-04 connection cable 4mt	
95A901320	DataVS-ST-5068 linear bracket	
95A901330	DataVS-ST-5066 angle bracket	
95A901380	DataVS-MK-01 mounting kit	
95A901540	DataVS1 UPDATING KIT DataVS1 Updating Kit	
Illuminators		
95A901220	SIL SPOT RED FLOOD	
95A901300	SIL SPOT WHITE FLOOD	
95A901510	SIL SPOT IR FLOOD	
95A901460	SIL SPOT RED SPOT	
95A901190	SIL AREA RED FLOOD	
95A901270	SIL AREA WHITE FLOOD	
95A901520	SIL AREA IR FLOOD	
95A901180	SIL LINE RED FLOOD	
95A901550	SIL LINE RED DIFFUSE	
95A901260	SIL LINE WHITE FLOOD	
95A901500	SIL LINE IR FLOOD	
95A901440	SIL LINE WHITE DIFFUSE	
95A901200	SIL RING RED FLOOD	
95A901280	SIL RING WHITE FLOOD	
95A901450	SIL RING WHITE DIFFUSE	
95A901470	SIL RING IR FLOOD	
95A901210	SIL BACK RED CONT	
95A901290	SIL BACK WHITE CONT	

Order No.	Material Description	
95A901160	LASERLINE illuminator	
95A901070	SCS-B1-02-G-01CABLE ILLUMINAT.M8 CVL5112	
95A901130	SCS-AB1-02-B-01-SIL-Laserline Cable	
95A901250	LD2 24VDC 2X350MA led driver	
95A901600	IML-064-T LED MACHINE LIGHTING 64mm Transparent	
95A901610	IML-064-W LED MACHINE LIGHTING 64mm White	
95A901620	IML-140-T LED MACHINE LIGHTING 140mm Transparent	
95A901630	IML-140-W LED MACHINE LIGHTING 140mm White	
95A901640	IML-260-T LED MACHINE LIGHTING 260mm Transparent	
95A901650	IML-260-W LED MACHINE LIGHTING 260mm White	
95A901660	IML-510-T LED MACHINE LIGHTING 510mm Transparent	
95A901670	IML-510-W LED MACHINE LIGHTING 510mm White	

DATALOGIC AUTOMATION

INFRA

Warranty terms: 36 months

Order No.	Material Description
-----------	----------------------

SENSORS FOR ELEVATORS, AUTOMATIC DOORS AND GATES

SNAP IN SELF-CONTAINED THRU BEAM PHOTOELECTRIC SENSORS 10-30 VDC - MINOR5CV

95CIV1010	BP100NC Photoelectric sensors NPN NC
95CIV1020	BP100NO Photoelectric sensors NPN NO
95CIV1030	BP100PC Photoelectric sensors PNP NC
95CIV1040	BP100PO Photoelectric sensors PNP NO

SNAP IN THRU BEAM PHOTOELECTRIC SENSORS WITH CONTROL UNIT 12-24 VAC/DC - MINOR5CV

95CIV1000	BP10 Photoelectric sensors relay output, one beam
95CIV1600	BP20 Photoelectric sensors relay output, double beams - common output
95CIV1610	BP30 Photoelectric sensors relay output, double beams - separate output

SNAP IN THRU BEAM PHOTOELECTRIC SENSORS WITH CONTROL UNIT 230 VAC - MINOR5CV

95CIV1120	BP10220 Photoelectric sensors relay output, one beam
-----------	--

OVAL-SHAPED THRU BEAM PHOTOELECTRIC SENSORS - MINOR5CV

95CIV1080	P60 High performances external wall mounting, 180° rotating optics 12-24 VAC/DC
95CIV1090	P61 High performances external wall mounting, fixed optics 12-24 VAC/DC
95CIV1100	P62 Basic line external wall mounting, 180° rotating optics 12-24 VAC/DC
95CIV1110	P63 Basic line external wall mounting, fixed optics 12-24 VAC/DC

SQUARE HOUSING THRU BEAM PHOTOELECTRIC SENSORS - MINOR5CV

95CIV1050	P40 External panel mounting 12-24 VAC/DC
95CIV1060	P41 External wall mounting, 12-24 VAC/DC
95CIV1070	P44 External wall mounting with battery

ACCESSORIES FOR PHOTOELECTRIC SENSORS - MINOR5CV

95ACC3090	SCP44 Solar cell for P44 model
95ACC3040	C340 Metal post to support P40 model
95ACC3000	C410 Metal post to support P41 and P44 models

Order No.	Material Description
95ACC3080	S410 Metal box anti-vandalic for P41 and P44 models
95ACC3070	S340 Metal box for wall mounting of P40 model
95ACC3100	SI41 Metal box for wall mounting of P41 and P44 models

DATALOGIC AUTOMATION	
Standard Products and Accessories Price List	
Order No.	Material Description
FAM.1000	
	TC1100
939501000	TC1100-0100 CCD ENGINE LINEAR
939501020	TC1100-1100 CCD SCANNER, DIR, LINEAR
	TC1200
939501108	TC1200-1000 CCD READER, RS232
939501109	TC1200-1100 CCD READER, USB
939501110	TC1200-0000 SCAN ENGINE CCD READER, RS232
939501111	TC1200-0100 SCAN ENGINE CCD READER, USB
	DS1100
939101000	DS1100-1100 ST-RES,RS232 +RS485, LIN,DIR
939101010	DS1100-1101 ST-RES,RS232 +RS485, LIN,90°
939101020	DS1100-1110 ST-RES,RS232 +RS485, R1, DIR
939101030	DS1100-1111 ST-RES,RS232 +RS485, R1, 90°
939101040	DS1100-2100 HI-RES,RS232 +RS485, LIN,DIR
939101050	DS1100-2101 HI-RES,RS232 +RS485, LIN,90°
939101060	DS1100-2110 HI-RES,RS232 +RS485, R1, DIR
939101070	DS1100-2111 HI-RES,RS232 +RS485, R1,90°
	DS1500
939201000	DS1500-1100 ST-RES,RS232+RS485,LIN,DIR
939201001	DS1500-2100 HI-RES,RS232+RS485,LIN,DIR
	DS2200
930161000	DS2200-1100 ST-RES, LIN, RS485+RS232, 5V
930161030	DS2200-1110 ST-RES, R1, RS485+RS232,5V
930161040	DS2200-2100 HI-RES, LIN, RS485+RS232, 5V
930161050	DS2200-2110 HI-RES, R1, RS485+RS232, 5V
	Accessories
93A051388	CAB-TC1200 to CBX 10-30 VDC PWR Supply

Order No.	Material Description
93A050026	CAB-TC1200 TO 25DSUB FEMALE (TC11K COMP)
93ACC1891	GFC1200 - 105° REFLECTING MIRROR TC1200
93A201101	GFC-TC1100 80 DEG.MIRROR
93ACC1670	TC1100 REFERENCE MANUAL+CONFIGURATOR SW
93ACC1780	ADP-015 ADAPTER 25P 10-30VDC
93ACC1771	DS1500 CONF. SW+RF MANUAL DOCS
93A201030	GFC-2200 90° READING DEVICE
93ACC1040	DC5-2200 DC CONVERTER 4-30 VDC TO 5 V
FAM.2000	
	DS2100N - New Connector Standard (Year2008)
930153183	DS2100N-1200 STD-RES, LINEAR, NSC
930153184	DS2100N-2200 HI-RES, LINEAR, NSC
930153185	DS2100N-1210 STD-RES, RASTER, NSC
930153186	DS2100N-2210 HI-RES, RASTER, NSC
930153187	DS2100N-1204 STD-RES, LINEAR, HI-PERF, NSC
930153188	DS2100N-1214 STD-RES, RASTER, HI-PERF, NSC
930153189	DS2100N-2204 HI-RES, LINEAR, HI-PERF, NSC
930153190	DS2100N-2214 HI-RES, RASTER, HI-PERF, NSC
	DS2400N - New Connector Standard (Year2008)
930181379	DS2400N-0200 SHORT RANGE, LINEAR, NSC
930181380	DS2400N-0210 SHORT RANGE, RASTER, NSC
930181381	DS2400N-1200 MEDIUM RANGE, LINEAR, NSC
930181382	DS2400N-1210 MEDIUM RANGE, RASTER, NSC
930181383	DS2400N-2200 LONG RANGE, LINEAR, NSC
930181384	DS2400N-2210 LONG RANGE, RASTER, NSC
	Accessories
93A051300	CAB-JB1 25P-JBOX1 SINGLE ADAPTER
93A201108	GFC-200 85°MIRROR CONTACT READING, NSC
93A201080	GFC-2000 105° READING DEV
93A201000	GFC-2100 90° READING DEV
93ACC1871	GFC-2020 2KN 102° LATERAL OUTPUT
93ACC1839	OM2000N OSCILLATING MIRROR, NSC
FAM.4000	

Order No.	Material Description
	DS4800A
931061318	DS4800-1000 ADJ FOCUS, LINEAR
931061321	DS4800-1100 ADJ FOCUS, OM
931061322	DS4800-1005 ADJ FOCUS, LINEAR, SUBZERO
	Accessories
93ACC1837	BK-4000 L-SHAPE BRACKET (5 PCS)
93ACC1838	BK-4001 U-SHAPE BRACKET (5 PCS)
93ACC1785	GFC-40 105 DEGREES MIRROR DS4800
93ACC1867	GFC-400 ADJ MIRROR CONTACT READING
FAM.6000	
	DS6300
931351010	DS6300-100-010 2 S.F., LIN, M/S
931351030	DS6300-100-012 2 S. F., LIN, ETH.
931351040	DS6300-100-015 2 S. F., LIN, DNET
931351060	DS6300-105-010 2 S. F, OM, M/S
931351080	DS6300-105-012 2 S. F., OM, ETH.
931351090	DS6300-105-015 2 S. F., OM, DNET
931351020	DS6300-100-011 2 S. F., LIN, PB-DP
931351070	DS6300-105-011 2 S. F., OM, PB-DP
	DS6400
931351093	DS6400-100-010 DYN.F.,M, LINEAR, M/S
931351097	DS6400-100-012 DYN.F.,M, LIN.,ETHERNET
931351099	DS6400-100-015 DYN.F.,M, LIN.,DEVICENET
931351103	DS6400-105-010 DYN.F.,M, OM, M/S
931351107	DS6400-105-012 DYN.F.,M, OM, ETHERNET
931351109	DS6400-105-015 DYN.F.,M, OM, DEVICENET
931351095	DS6400-100-011 DYN.F.,M, LIN.,PROFIBUS
931351105	DS6400-105-011 DYN.F.,M, OM, PROFIBUS
	DX6400
931351118	DX6400-100-010, DYN.F., STD RES, M/S
931351119	DX6400-100-012, DYN.F., STD RES, ETH
ACCESSORIES	
93A051299	BT-6000 TERMINATOR 6K FAMILY

Order No.	Material Description
93A051220	CAB-6101 CABLE M.SLAVE NEW 6000 1m
93A051230	CAB-6102 CABLE M.SLAVE NEW 6000 2m
93A051240	CAB-6105 CABLE M.SLAVE NEW 6000 5m
93A051224	CAB-6112 M/S (NO POWER)NEW 6000 2M
93A051225	CAB-6115 M/S (NO POWER)NEW 6000 5M
93ACC1752	CAB-6310 POWER CABLE FAM.6K 10M
93A051351	CAB-S01 STD CABLE TO CBX 1M
93A051352	CAB-S02 STD CABLE TO CBX 2M
93A051353	CAB-S05 STD CABLE TO CBX 5M
93A051354	CAB-S10 STD CABLE TO CBX 10M
93ACC1721	FBK-6000 FAST BRACKETSKIT (2pcs)
93A201100	GFC-60 90 DEGREES MIRROR NEW FAM. 6000
93A201102	GFC-600 90 DEG MIRRORCLOSE DISTANCE
93ACC1730	GFX-60 X-PATTERN MIRROR (solo DS6300)
93ACC1719	PG6001 SING. UNIT P.SUPP. NEW 6000 (UK)
93ACC1718	PG6002 SING. UNIT P.SUPP. NEW 6000 (US)
93ACC1720	PG6000 SINGLE UNIT POWER SUPPLY NEW 6000
CONNECTIVITY	
	SC4000
935201000	SC4000-1000 ID-NET CONTROLLER STD
	CBX Series
93A301067	CBX100 CONNECTION BOX COMPACT
93A301068	CBX500 CONNECTION BOX MODULAR
93A301069	CBX100LT CONN. BOX COMPACT LOW TEMP.
	CBX 800 Gateway
93A301077	CBX800 GATEWAY
	Pannel Connector for CBX Series
93ACC1821	BA100 DIN RAIL ADAPTERS
93ACC1822	BA200 BOSCH ADAPTERS
93ACC1877	BA300 M12 3P F. PANEL CONN. (SERVICE)
93ACC1853	BA400 M12 3P M. PANEL CONN. (EXT.POWER)

Order No.	Material Description
93ACC1854	BA500 M12 4P F. PANEL CONN. (TRIGGER)
93ACC1855	BA600 M12 5P F. PANEL CONN. (ID-NET OUT)
93ACC1856	BA700 M12 5P M. PANEL CONN. (ID-NET IN)
93ACC1847	BA900 TWO CABLE GLANDS PANEL
	CBX Series Accessories and Fieldbus
93ACC1808	BM100 BACKUP MODULE
93ACC1809	BM150 DISPLAY MODULE
93ACC1851	BM200 ETHERNET TCP/IP MODULE
93ACC1852	BM210 ETHERNET TCP/IP IP65 MODULE
93ACC1810	BM300 PROFIBUS MODULE
93ACC1811	BM310 PROFIBUS IP65 MODULE
93ACC1814	BM400 DEVICENET IP65 MODULE
93ACC1812	BM500 ETHERNET MODULE
93ACC1813	BM510 ETHERNET IP65 MODULE
93ACC1840	BM520 ETHERNET IP54 MODULE
93ACC1815	BM600 CAN OPEN MODULE
93ACC1816	BM700 PROFINET MODULE
93ACC1845	BM1100 CC-LINK MODULE
93ACC1848	BM1200 MODBUS TCP MODULE
93ACC1849	BM1210 MODBUS TCP IP65 MODULE
	All In ONE Kit
93A301076	CBX100 All in One
93A301070	CBX500 Profibus All-in-one; BM100+BM300
93A301071	CBX500 Ethernet All-in-one; BM100+BM520
93A301072	CBX500 Devicenet All-in-one; BM100+BM400
	Gender Changer
93ACC1827	ADP-FF1 GENDER CHANGER 25P F/F (5PCS)
93ACC1828	ADP-MM1 GENDER CHANGER 25P M/M (5PCS)
	Quick Link
93ACC1860	QL100 ID-NET T-CONNECTION
93ACC1868	QL150 ID-NET + SERVICE T-CONNECTION
93ACC1861	QL200 ID-NET + POWER T-CONNECTION
93ACC1862	QL300 STANDARD CONNECTION MODULE

Order No.	Material Description
93ACC1864	QL500 CONNECTION MODULE + ETHERNET Service cables
93A051385	CAB-AUX03 M12 3P TO DB9 SERIAL CABLE 3M
93A051381	CAB-PW-EXT M12 POWER EXTENSION CABLE
93ACC1883	FMC300 M12 3P M. CONN. SERVICE
93ACC1884	FMC400 M12 3P F. CONN. POWER
93A051386	CAB-AUX04 15P DSUB TO DB9 SERIAL CABLE ID-NET cables
970101021	CBL-1480-01 THIN M12/5P MALE/FEMALE 1M
970101022	CBL-1480-02 THIN M12/5P MALE/FEMALE 2M
970101069	CBL-1490 TERM. RESIST. THIN M12/5P/MALE
970101082	CBL-1496 TERM. RESIST. THIN M12/5P/FEM.
FAM.8000	
	DS8100A
932402742	DS8100A-3030, VERY HIGH RES, LINEAR
932402743	DS8100A-3130, VERY HIGH RES, LINEAR, ETH
932402744	DS8100A-3035, VERY HIGH RES, OM
932402745	DS8100A-3135, VERY HIGH RES, OM, ETH
932402746	DS8100A-3020, HIGH RES, LINEAR
932402747	DS8100A-3120, HIGH RES, LINEAR, ETH
932402748	DS8100A-3025, HIGH RES, OM
932402749	DS8100A-3125, HIGH RES, OM, ETH
932402750	DS8100A-3010, MEDIUM RES, LINEAR
932402751	DS8100A-3110, MEDIUM RES, LINEAR, ETH
932402752	DS8100A-3015, MEDIUM RES, OM
932402753	DS8100A-3115, MEDIUM RES, OM, ETH
932402754	DS8100A-3000, LOW RES, LINEAR
932402755	DS8100A-3100, LOW RES, LINEAR, ETH
932402756	DS8100A-3005, LOW RES, OM
932402757	DS8100A-3105, LOW RES, OM, ETH
932402772	DS8100A-2010 MED RES, LIN, DOUBLE LAS
932402773	DS8100A-2110 MED RES,LIN,DOUBLE LAS,ETH

Order No.	Material Description
932402758	DS8100A-3002, LOW RES, LIN.,BHS DX8200A
936201000	DX8200A-3030, VERY HIGH RES, VDC
936201001	DX8200A-3130, VERY HIGH RES,ETH, VDC
936201002	DX8200A-3230, VERY HIGH RES,PBUS, VDC
936201003	DX8200A-3330, VERY HIGH RES,DNET, VDC
936201004	DX8200A-3020, HIGH RES, VDC
936201005	DX8200A-3120, HIGH RES, ETH, VDC
936201006	DX8200A-3220, HIGH RES, PBUS, VDC
936201007	DX8200A-3320, HIGH RES, DNET, VDC
936201008	DX8200A-3010, MEDIUM RES, VDC
936201009	DX8200A-3110, MEDIUM RES, ETH, VDC
936201010	DX8200A-3210, MEDIUM RES, PBUS, VDC
936201011	DX8200A-3310, MEDIUM RES, DNET, VDC
936201016	DX8200A-3031, VERY HIGH RES, VAC
936201017	DX8200A-3131, VERY HIGH RES,ETH, VAC
936201018	DX8200A-3231, VERY HIGH RES,PBUS, VAC
936201019	DX8200A-3331, VERY HIGH RES,DNET, VAC
936201020	DX8200A-3021, HIGH RES, VAC
936201021	DX8200A-3121, HIGH RES, ETH, VAC
936201022	DX8200A-3221, HIGH RES, PBUS, VAC
936201023	DX8200A-3321, HIGH RES, DNET, VAC
936201024	DX8200A-3011, MEDIUM RES, VAC
936201025	DX8200A-3111, MEDIUM RES, ETH, VAC
936201026	DX8200A-3211, MEDIUM RES, PBUS, VAC
936201027	DX8200A-3311, MEDIUM RES, DNET, VAC
936201032	DX8200A-3002, LOW RES, BHS SC6000
935701000	SC6000-1200 UNIV. CONTROLLER, ETH
935701001	SC6000-1211 UNIV. CONTROLLER, ETH, PROFIBUS
935701002	SC6000-1215 UNIV. CONTROLLER, ETH, DEVICENET
935701003	SC6000-1230 UNIV. CONTROLLER, BHS
	FAM.8000 Accessories

Order No.	Material Description
93ACC1430	ACS-81 AIR CLEANING SYSTEM
93ACC1792	BK-8200 BRACKET 15 DEG
93A051298	BT-8100 TERMINATOR 8K FAMILY
93ACC1090	BTK-8100 BUS TERMINATOR KIT (5PCS)
93A051287	BTK-8102 DOUBLE TERMINATOR KIT (2 PCS)
93A051286	BTK-8500 IP65 TERMINATOR KIT (2 PCS)
93A051000	CAB-8005 CABLE SCANNER CONTROLLER 5m
93A051010	CAB-8010 CABLE SCANNER CONTROLLER 10m
93ACC1120	CAB-8100 10 WIRES SHIELD D 9.5mm, 50m
93A051020	CAB-8101 CABLE SCANNER SCANNER 1.2m
93A051030	CAB-8102 CABLE SCANNER SCANNER 2.5m
93A051040	CAB-8105 CABLE SCANNER SCANNER 5m
93A051268	CAB-8305 POWER & TERMINATION CABLE 5 M
93A051336	CAB-8310 POWER AND BUS RETURN CABLE 10M
93ACC1758	CAB-8402 NO POWER CABLE FAM 8K 2,5m
93ACC1759	CAB-8405 NO POWER CABLE FAM 8K 5m
93A051283	CAB-8501 IP65 CABLE FAM 8K 1,2m
93A051284	CAB-8502 IP65 CABLE FAM 8K 2,5m
93A051285	CAB-8505 IP65 CABLE FAM 8K 5 m
93A051290	CAB-8605 POWER+2TERM. CABLE FAM 8K 5m
93A051295	CAB-PWO 03 CABLE PWO TO PWO, 3M
93A051338	CAB-SC6003 25P SC6K TO PWO, I/O, 3M
93A051337	CAB-SC6013 25p SC6K TO PWO, PWR/NET, 3m
93A051294	CAB-SC6103 9p CAB SC6000 TO PWR, 3m
93ACC1130	FBK-8100 FAST BRACKET KIT (2PCS)
93ACC1750	FS-1 FRAME SHAPER (8PCS)
93ACC1878	FS-2 SMART FRAME SHAPER (2 PCS)
93A251020	GFC-80 90 DEGREES MIRROR DS8100
93A201103	GFC-800 90 DEG MIRROR CL. DIST. DS8100
93A201114	GFC-800A ADJ MIRROR CONTACT READ. DS8KA
93ACC1280	PLL-8000 OPTOCOUPLED PLL DEVICE
93ACC1767	PWO-480 POWER OMNI SYSTEM 480W
93ACC1530	PWR-120-JBOX POWER UNIT 110/230VAC 24V

Order No.	Material Description
93ACC1070	PWR-240-JBOX POWER UNIT 110/230VAC 24V
93ACC1757	UPT-80 DX8200A-DX8200 ADAPTER
93ACC1140	US-8100 BRACKET KIT (10PCS) DS8100
93A051355	CAB-F01 6K/8K FBUS CABLE TO CBX 1M
93A051356	CAB-F02 6K/8K FBUS CABLE TO CBX 2M
93A051357	CAB-F05 6K/8K FBUS CABLE TO CBX 5M
93A051288	CAB-6502 FAM 6K-8K CABLE 2,5m
93A051289	CAB-6505 FAM 6K-8K CABLE 5m
93ACC1600	OEK-1 OPTICAL ENCODER KIT+ CABLE 10m
93ACC1770	OEK-2 OPTICAL ENCODER (CAB 10m+SPRING)
93ACC1791	MEP-593 PHOTOCELL KIT
93ACC1889	PPA-8000 PHOTOCELL FOR PACKTRACK CALIB
93ACC1890	PCT-8000 PACKTRACK CALIBRATION TOOL
8K Solutions	
932402779	BHS-1500 Air T-Code 5-Side Tilt Tray
932402781	BHS-2500 Air Lin-Code 5-Side Tilt Tray
932402783	BHS-1510 Air T-Code 5-Side Belt conv
932402784	BHS-1610 Air T-Code 6-Side Belt conv
932402785	BHS-2510 Air Lin-Code 5-Side Belt conv
932402786	BHS-2610 Air Lin-Code 6-Side Belt conv
	Accessory
9K3L01068	BHS Standard Mounting Frame
NVS9000	
	NVS9000
933701002	NVS9000-1100 8K-8, 135mm, AF, CLINK
933701001	NVS9000-1200 8K-8, 105mm, AF, CLINK
933701000	NVS9000-1600 8K-8, 80mm, AF, CLINK
933701006	NVS9000-1700 8K-8, 60mm, AF, CLINK
	Lighting systems

Order No.	Material Description
933701005	NLS9000-1500 LONG LIGHTING SYS
933701004	NLS9000-1100 MEDIUM LIGHTING SYS
933701003	NLS9000-800 SHORT LIGHTING SYS
	External Mirrors
93A201109	EMK-NVS-1500 EXT.MIRROR (1460mm)
93A201110	EMK-NVS-1100 EXT.MIRROR (1130 mm)
93A201111	EMK-NVS-800 EXT.MIRROR (800 mm)
	Connection Boxes & Switches
93ACC1830	CBX9000 CONNECTION BOX FOR MULTI NVS9000
93ACC1834	CBX500-NVS CONN.BOX FOR SINGLE NVS9000
93ACC1842	ETH GB SWITCH 8 CH 24Vdc
93ACC1843	ETH MB SWITCH 8 CH 24Vdc
	Power Supply
93ACC1850	PWR-480A POWER UNIT 110/230VAC 24V
	Cables
93A051363	CAB-9C05 M12-IP67 CABLE CHAIN 5M
93A051364	CAB-9E05 RJ45-IP67 CABLE ETHERNET 5M
93A051365	CAB-9E10 RJ45-IP67 CABLE ETHERNET 10M
93A051366	CAB-9U05 USB CABLE EXTENSION 5M
93A051367	CAB-9V03 VGA CABLE EXTENSION 3M
93A051368	CAB-9L05 9P-IP54 SERIAL to LS 5M
93A051369	CAB-9L10 9P-IP54 SERIAL to LS 10M
93A051370	BTK-9000 M12-IP67 CHAIN TERMINATOR NVS9K
93A051371	CAB-9S05 M16-IP67 CABLE TO CBX 5M
93A051362	CAB-9S10 M16-IP67 CABLE TO CBX 10M
	Accessories
93ACC1610	AST-9000 AF SETTING TOOL
93ACC1892	AST-9200 AF-NVS SETTING TOOL
93A051274	CAB-9202 SERIAL CABLE 9 PIN, M/F, 2 m
93A051269	CAB-9305 VIDEO CAB. CLINK, 5 m
93A051270	CAB-9310 VIDEO CAB. CLINK, 10 m
93A051276	CAB-PW24 24VDC POWER CABLE, 10 m
93ACC1733	DK-500 DISTANCE KIT RS485 + CABLE 5 m

Order No.	Material Description
93ACC1781	LCC-9501 LIGHT CURTAIN 150mm+CABLE 10m
93ACC1763	LCC-9506 LIGHT CURTAIN 600mm+CABLE 10m
93ACC1764	LCC-9509 LIGHT CURTAIN 900mm+CABLE 10m
93ACC1765	LCC-9512 LIGHT CURTAIN 1200mm+CABLE 10m
890000030	NVS/NLS 9000 DOUBLE FAN COMPLETE ASSY.
SOFTWARE	
	Sentinel
93A101014	DATALOGIC WEBSENTINEL-005 (5 ARRAY)
93A101015	DATALOGIC WEBSENTINEL-010 (10 ARRAY)
93A101016	DATALOGIC WEBSENTINEL-020 (20 ARRAY)
93A101017	DATALOGIC WEBSENTINEL-032 (32 ARRAY)
93A101018	DATALOGIC WEBSENTINEL-064 (64 ARRAY)
93A101019	DATALOGIC WEBSENTINEL-128 (128 ARRAY)
93A101020	DATALOGIC WEBSENTINEL-256 (256 ARRAY)
SLOT READERS	
	DLS2000
900251050	DLS2031I-20 PEN OUT, IR, MED.RES.
900251020	DLS2031R-20 PEN OUT, RED, MED.RES.
900251030	DLS2032I-20 PEN OUT, IR, MED.RES
900251060	DLS2032R-20 PEN OUT
	F30-F40
B9700518	F30I-121 15 MILS IR
B9701518	F30I-122 15 MILS IR
B9701578	F30I-121R 15 MILS IR
B9701428	F30R-112 6 MILS RED
B9701618	F30R-121R 15 MILS RED REV
	SR15
900251140	SR15R SH2357
900251130	SR15R SH2345
900251120	SR15I SH2004
900251150	SR15 SH2594 SKIDATA
902051020	SR15R SH1597

Order No.	Material Description
Warranty Extensions	
ZSWCBOX01	CBX +1 Year Warranty Extension
ZSWCBOX02	CBX +2 Years Warranty Extension
ZSWDS1K01	DS1K +1 Year Warranty Extension
ZSWDS1K02	DS1K +2 Years Warranty Extension
ZSWDS2K01	DS2K +1 Year Warranty Extension
ZSWDS2K02	DS2K +2 Years Warranty Extension
ZSMDS2K05	DS2K 5 Days Service Agreement
ZSMDS4K05	DS4K 5 Days Service Agreement
ZSWDS4K01	DS4K +1 Year Warranty Extension
ZSWDS4K02	DS4K +2 Years Warranty Extension
ZSMDS4K01	DS4K 24 Hours Service Swap
ZSMDS6K01	DS6K 24 Hours Service Swap
ZSWDS6K01	DS6K +1 Year Warranty Extension
ZSWDS6K02	DS6K +2 Years Warranty Extension
ZSMDS6K05	DS6K 5 Days Service Agreement
ZSMDS8K01	DS8K 24 Hours Service Swap
ZSWDS8K01	DS8K +1 Year Warranty Extension
ZSWDS8K02	DS8K +2 Years Warranty Extension
ZSMDS8K05	DS8K 5 Days Service Agreement
ZSMDS9K01	DS9K 24 HOURS SERVICE SWAP
ZSMDS9KW1	DS9K 24 HOURS SERVICE SWAP UNDER WARR.
ZSWDS9K01	DS9K +1 YEAR WARRANTY EXTENSION
ZSWDS9K02	DS9K +2 YEARS WARRANTY EXTENSION
ZSWTC1K01	TC1K +1 YEAR WARRANTY EXTENSION
ZSWTC1K02	TC1K +2 YEARS WARRANTY EXTENSION

DATALOGIC AUTOMATION

Standard Products and Accessories Price List

Order No.	Material Description
FAM.1000	
PD8330	PowerScan D8330
PD8330-AR	PowerScan D8330 AR
CAB-433	CAB-433 RS232 PWR 9P Female Straight
CAB-434	CAB-434 RS232 PWR 9P Female Coiled
CAB-459	CAB-459 RS232 PWR 9P Female Coiled 3.6m
CAB-438	CAB-438 USB Type A Straight
CAB-439	CAB-439 USB Type A Coiled
CAB-467	CAB-467 USB Type A Coiled Full SP 3.6m
HLD-P080	HLD-8000 Desk/Wall Holder
7-0404	Industrial Take Up Reel
11-0139	Holder, Heated, 24VDC
11-0138	Holder, Heated, 36VDC
11-0140	Holder, Heated, 48VDC
90ACC1883	PG12-10P55 Power Supply Unit 12 Vdc w/out Power Cord
90ACC1885	Power Cord EU 2-Pin
90ACC1886	Power Cord US 2-Pin
90ACC1887	Power Cord UK 2-Pin
PM8300-433RB	PowerScan M8300 433MHz Removable Battery
PM8300-AR433RB	PowerScan M8300 AR 433MHz Removable Battery
BC8030-433	BC-8030 Base/Charger M-INT 433MHz
BC8060-433	BC-8060 Base/Charger M-INT/RS485 433MHz
90A051950	CAB-428 RS485 Interface Splitter
MC-P080	Battery Charger, 4-Slot, MC-8000
CHR-PM80	Battery Charger, C-8000
SBS-PM80	SBS-8000 Spare Battery Slot
FBP-PM80	Battery Pack, Fixed, FBP-8000

RBP-PM80	Battery Pack, Removable, RBP-8000
PD8530	PowerScan D8530
PD8530-HD	PowerScan D8530 High Density
PD8530-WA	PowerScan D8530 Wide Angle
CAB-440	CAB-440 USB Type A PWR Straight
CAB-441	CAB-441 USB Type A PWR Coiled
PM8500-433RB	PowerScan PM8500 433MHZ Removable Battery
PM8500-HD433RB	PowerScan PM8500 433MHZ High Density Removable Battery
PM8500-WA433RB	PowerScan PM8500 433MHZ Wide Angle Removable Battery
PD7130-YB	PowerScan PD7130, Linear Imager, USB/KBW/RS-232/Wand, No Pointer, Yellow/Black
PBT7100-YB	PowerScan PBT7100, Bluetooth, Linear Imager, No Pointer, Yellow/Black
BC7030	BC7030 Bluetooth Receiver/Charging Cradle, RS-232, Wedge, Wand and USB
11-0204	Battery Charger, Four Station, EU
11-0218	Battery Pack, Li-Ion
11-0351	POWER SUPPLY, DESK TOP, 5V, 12 WATT, POWER CORD WITH (EU "SHUKO" PLUG)
CAB-512	CBL ASY, RS,25P,M,CBX800 POT,COIL,12'
CAB-509	CBL ASY, RS,25P,M,CBX800 E/P,COIL,12'
GD4130-BK	GRYPHON D4130-BLACK, Corded,1D, Multi I/F
GM4100-BK-433	GRYPHON M4100-BLACK - 433MHZ
BC4030-BK-433	BC4030-BASE/CHARGER M INT-BLACK-433MHZ
CHR-GM40-BK	C-4000 CHARGING ONLY BASE BLACK
90G001010	CAB-321 IBM PS/2 Straight Wedge Cable – Minidin Connector
90A051740	CAB-391 IBM PS/2 Wedge Minidin Coiled Cable – External Power Supply
90G001070	CAB-327 RS232 Straight Cable – 9-pin Female Connector
90A051330	CAB-362 RS232 Coiled Cable – 9-pin Female Connector
90A051902	CAB-412-USB USB Type A Straight – Ext. Power
90A051922	CAB-412 USB Type A, Opt-Pwr, Coiled
90A052044	CAB-426E Enhanced USB Type A, Straight
90ACC1882	PG5-05P55 Power Supply Unit 5 Vdc w/out Power Cord

DATALOGIC AUTOMATION

Standard Products and Accessories Price List

Order No.	Material Description
MATRIX 210™	
937501026	MATRIX 210 211-100 WVGA-NEAR-25P-ST
937501027	MATRIX 210 212-100 WVGA-MED-25P-ST
937501028	MATRIX 210 213-100 WVGA-FAR-25P-ST
937501029	MATRIX 210 214-100 WVGA-UHD-25P-ST
937501030	MATRIX 210 211-110 WVGA-NEAR-ETH-ST
937501031	MATRIX 210 212-110 WVGA-MED-ETH-ST
937501032	MATRIX 210 213-110 WVGA-FAR-ETH-ST
937501033	MATRIX 210 214-110 WVGA-UHD-ETH-ST
937501034	MATRIX 210 211-120 WVGA-NEAR-USB-ST
937501035	MATRIX 210 212-120 WVGA-MED-USB-ST
937501036	MATRIX 210 213-120 WVGA-FAR-USB-ST
937501037	MATRIX 210 214-120 WVGA-UHD-USB-ST
937501038	MATRIX 210 211-000 WVGA-NEAR-90-25P-ST
937501039	MATRIX 210 212-000 WVGA-MED-90-25P-ST
937501040	MATRIX 210 213-000 WVGA-FAR-90-25P-ST
937501041	MATRIX 210 214-000 WVGA-UHD-90-25P-ST
937501042	MATRIX 210 211-010 WVGA-NEAR-90-ETH-ST
937501043	MATRIX 210 212-010 WVGA-MED-90-ETH-ST
937501044	MATRIX 210 213-010 WVGA-FAR-90-ETH-ST
937501045	MATRIX 210 214-010 WVGA-UHD-90-ETH-ST
937501046	MATRIX 210 211-020 WVGA-NEAR-90-USB-ST
937501047	MATRIX 210 212-020 WVGA-MED-90-USB-ST
937501048	MATRIX 210 213-020 WVGA-FAR-90-USB-ST
937501049	MATRIX 210 214-020 WVGA-UHD-90-USB-ST
937501120	MATRIX 210 211-101 WVGA-NEAR-25P-ES
937501121	MATRIX 210 212-101 WVGA-MED-25P-ES
937501122	MATRIX 210 213-101 WVGA-FAR-25P-ES

Order No.	Material Description
937501123	MATRIX 210 214-101 WVGA-UHD-25P-ES
937501124	MATRIX 210 211-111 WVGA-NEAR-ETH-ES
937501125	MATRIX 210 212-111 WVGA-MED-ETH-ES
937501126	MATRIX 210 213-111 WVGA-FAR-ETH-ES
937501127	MATRIX 210 214-111 WVGA-UHD-ETH-ES
937501128	MATRIX 210 211-121 WVGA-NEAR-USB-ES
937501129	MATRIX 210 212-121 WVGA-MED-USB-ES
937501130	MATRIX 210 213-121 WVGA-FAR-USB-ES
937501131	MATRIX 210 214-121 WVGA-UHD-USB-ES
937501132	MATRIX 210 211-001 WVGA-NEAR-90-25P-ES
937501133	MATRIX 210 212-001 WVGA-MED-90-25P-ES
937501134	MATRIX 210 213-001 WVGA-FAR-90-25P-ES
937501135	MATRIX 210 214-001 WVGA-UHD-90-25P-ES
937501136	MATRIX 210 211-011 WVGA-NEAR-90-ETH-ES
937501137	MATRIX 210 212-011 WVGA-MED-90-ETH-ES
937501138	MATRIX 210 213-011 WVGA-FAR-90-ETH-ES
937501139	MATRIX 210 214-011 WVGA-UHD-90-ETH-ES
937501140	MATRIX 210 211-021 WVGA-NEAR-90-USB-ES
937501141	MATRIX 210 212-021 WVGA-MED-90-USB-ES
937501142	MATRIX 210 213-021 WVGA-FAR-90-USB-ES
937501143	MATRIX 210 214-021 WVGA-UHD-90-USB-ES
937501220	MATRIX 210 211-112 WVGA-NEAR-ETH-ESYF
937501221	MATRIX 210 212-112 WVGA-MED-ETH-ESYF
937501222	MATRIX 210 213-112 WVGA-FAR-ETH-ESYF
937501223	MATRIX 210 214-112 WVGA-UHD-ETH-ESYF
937501224	MATRIX 210 211-012 WVGA-NEAR-90-ETH-ESYF
937501225	MATRIX 210 212-012 WVGA-MED-90-ETH-ESYF
937501226	MATRIX 210 213-012 WVGA-FAR-90-ETH-ESYF
937501227	MATRIX 210 214-012 WVGA-UHD-90-ETH-ESYF
MATRIX 410™	
937401031	MATRIX 410 400-000 SXGA-BS-CM-SER-STD
937401032	MATRIX 410 400-010 SXGA-BS-CM-ETH-STD
937401033	MATRIX 410 600-000 UXGA-BS-CM-SER-STD

Order No.	Material Description
937401034	MATRIX 410 600-010 UXGA-BS-CM-ETH-STD
	Matrix 410™ Lenses
93ACC1793	LNS-1006 6MM C-MOUNT LENS
93ACC1794	LNS-1109 9MM C-MOUNT LENS
93ACC1795	LNS-1112 12,5MM C-MOUNT LENS
93ACC1796	LNS-1116 16MM C-MOUNT LENS
93ACC1797	LNS-1125 25MM C-MOUNT LENS
93ACC1798	LNS-1135 35MM C-MOUNT LENS
93ACC1799	LNS-1150 50MM C-MOUNT LENS
	Matrix 410™ Internal Lighting
93A401019	LT-001 INTERNAL LT RED NARROW ANGLE
93A401020	LT-002 INTERNAL LT RED WIDE ANGLE
93A401021	LT-003 INTERNAL LT WHITE NARROW ANGLE
93A401022	LT-004 INTERNAL LT WHITE WIDE ANGLE
93A401024	LT-006 INTERNAL LT RED SUPERNARROW ANGLE
93A401026	LT-010 HI POWER LT BLUE SUPERNARROW
93A401025	LT-020 ULTRA POWER LT BLUE SUPERNAR.
	External Lighting Systems
93A401003	LT-100 CONE LIGHTING SYSTEM FOR MATRIX
93A401004	LT-200 SPOT LIGHTING SYSTEM FOR MATRIX
93A401012	LT-210 MINI-SPOT LIGHTING SYS
93A401008	LT-300 RING LIGHTING SYSTEM FOR MATRIX
93A401013	LT-314 45° DARK FIELD RING
93A401014	LT-316 60° DARK FIELD RING
93A401015	LT-410 COAXIAL LIGHTING SYST
93A401016	LT-510 MINI-DOME LIGHTING SY
93A401017	LT-511 DOME LIGHTING SYSTEM
93A401018	LT-630 FOUR BAR LIGHTING SY
93ACC1790	LTC-630 FOUR BAR LIGHT.SYST
93ACC1800	FLT-111 IR CUT FILTER (D 27MM)
93ACC1801	FLT-112 IR CUT FILTER (D 25.5MM)
93ACC1802	FLT-121 LINEAR POLARIZER (D 27MM)
93ACC1803	FLT-122 LINEAR POLARIZER (D 25.5MM)

Order No.	Material Description
	Accessories
93ACC1804	BK-4410 COAXIAL LT BRACKET MATRIX
93ACC1805	BK-4990 GENERIC LT BRACKET MATRIX
93ACC1858	ESD SAFE LENS COVER MATRIX 400
93ACC1859	PLASTIC WINDOW LENS COVER MATRIX 400
93ACC1841	ISO/IEC REFLECTANCE CALIBRATION CHART
93A051346	CAB-ETH-M01 M12-IP67 ETHERNET CABLE (1M)
93A051347	CAB-ETH-M03 M12-IP67 ETHERNET CABLE (3M)
93A051348	CAB-ETH-M05 M12-IP67 ETHERNET CABLE (5M)
93A051387	CAB-MS003 M16 IP-67 CABLE TO QL 0,35M
93A051358	CAB-MS01 M16-IP67 CABLE TO CBX 1M
93A051359	CAB-MS03 M16-IP67 CABLE TO CBX 3M
93A051360	CAB-MS05 M16-IP67 CABLE TO CBX 5M
MATRIX 2000	
937201193	MATRIX-2011 UHD
937201194	MATRIX-2021 HD
937201195	MATRIX-2031 SD
937201196	MATRIX-2041 LD
937201197	MATRIX-2051 MR
937201198	MATRIX-2061 LR
937201199	MATRIX-2111 UHD ETH
937201200	MATRIX-2121 HD ETH
937201201	MATRIX-2131 SD ETH
937201202	MATRIX-2141 LD ETH
937201203	MATRIX-2151 MR ETH
937201204	MATRIX-2161 LR ETH
937201218	MATRIX 2121-R HD, ETH, 90°
937201219	MATRIX 2141-R LD, ETH, 90°
	Accessories
93A201090	GFC-MATRIX-2000 90° READING DEV
93ACC1729	USX-60 ADJUSTABLE BRACKET
93ACC1786	BK-410 COAXIAL LIGHT. SYST.
93ACC1787	BK-510 MINI-DOME LIGHT. SYST.

Order No.	Material Description
93ACC1788	BK-511 DOME/RING LIGHT. SYST
93ACC1789	BK-630 FOUR BAR LIGHT. SYST
	Note: for cables see CAB-S01,CAB-S02,CAB-S05,CAB-S10
STS400™	Solutions for Tires Sorting
937401023	STS400-005 SOLUT TIRE SORT 5_HEAD ST RES
937401024	STS400-006 SOLUT TIRE SORT 6_HEAD ST RES
937401025	STS400-007 SOLUT TIRE SORT 7_HEAD ST RES
937401026	STS400-008 SOLUT TIRE SORT 8_HEAD ST RES
937401027	STS400-015 SOLUT TIRE SORT 5_HEAD HI RES
937401028	STS400-016 SOLUT TIRE SORT 6_HEAD HI RES
937401029	STS400-017 SOLUT TIRE SORT 7_HEAD HI RES
937401030	STS400-018 SOLUT TIRE SORT 8_HEAD HI RES
937401037	STS400-105 SOLUT TIRE 5_HEAD LONG RANGE
937401038	STS400-106 SOLUT TIRE 6_HEAD LONG RANGE
937401039	STS400-107 SOLUT TIRE 7_HEAD LONG RANGE
937401040	STS400-108 SOLUT TIRE 8_HEAD LONG RANGE
937401035	MATRIX 410 ATS-000 ASSY FOR STS400-00X
937401036	MATRIX 410 ATS-010 ASSY FOR STS400-01X
937401041	MATRIX 410 ATS-100 ASSY FOR STS400-10X
93A301083	CBX500 ATS-001 ASSEMBLY FOR STS400-XXX
Warranty Extensions	
ZSMMATR01	MATRIX 24 Hours Service Swap
ZSWMATR01	MATRIX +1 Year Warranty Extension
ZSWMATR02	MATRIX +2 Years Warranty Extension
ZSMMATR05	MATRIX 5 Days Service Agreement
ZSMMTX201	MATRIX200 24 Hours Service Swap
ZSWMTX201	MATRIX200 +1 Year Warranty Extension
ZSWMTX202	MATRIX200 +2 Years Warranty Extension
ZSMMTX205	MATRIX200 5 Days Service Agreement