

TRACOPOWER® AC/DC POWER SUPPLIES**TOP 60 series 60 W, Open Frame**

High power density in 4.0" x 2.0" footprint
universal input 90-264 VAC, EN 55022-B & EN 61000-3-2 filter
International safety approvals

TOP 60105
TOP 60112
TOP 60115
TOP 60124
TOP 60148
TOP 60252
TOP 60254
TOP 60522
TOP 60533
TOP 60316
TOP 60317
TOP 60318

TOP 100 series 100 W, Open Frame

Highest power density in 4.0" x 2.0" footprint
universal input 90-264 VAC, EN 55022-B & EN 61000-3-2 filter
International safety approvals

TOP 100-103
TOP 100-105
TOP 100-112
TOP 100-115
TOP 100-124
TOP 100-148

TOP 200 series 200 W, Open Frame

Highest power density in 5.0" x 3.0" footprint
universal input 85-264 VAC, EN 55022-B & EN 61000-3-2 filter
International safety approvals

TOP 200-112
TOP 200-115
TOP 200-124
TOP 200-148

TOF-M series 10 to 150 W, Open Frame

universal input 85-264 VAC, with MOLEX pin connector terminals
International safety approvals, EN 55022-B filter

TOF 10-05SM
TOF 10-12SM
TOF 10-15SM
TOF 10-24SM
TOF 15-05SM
TOF 15-12SM
TOF 15-15SM
TOF 15-24SM
TOF 30-05SM
TOF 30-12SM
TOF 30-15SM
TOF 30-24SM
TOF 50-05SM
TOF 50-12SM
TOF 50-15SM
TOF 50-24FM
TOF 75-05SM
TOF 75-12SM
TOF 75-15SM
TOF 75-24FM
TOF 100-05SM
TOF 100-12SM
TOF 100-15SM
TOF 100-24FM
TOF 150-05SM
TOF 150-12SM
TOF 150-15SM
TOF 150-24FM

TOF series 10 to 150 W, Open Frame

universal input 85-264 VAC, with screw terminal blocks
International safety approvals, EN 55022-B filter

TOF 10-05S
TOF 10-12S
TOF 10-15S
TOF 10-24S
TOF 15-05S
TOF 15-12S
TOF 15-15S
TOF 15-24S
TOF 30-05S
TOF 30-12S
TOF 30-15S
TOF 30-24S
TOF 50-05S
TOF 50-12S
TOF 50-15S
TOF 50-24F
TOF 75-05S
TOF 75-12S
TOF 75-15S
TOF 75-24F
TOF 100-05S
TOF 100-12S
TOF 100-15S
TOF 100-24F
TOF 150-05S
TOF 150-12S
TOF 150-15S
TOF 150-24F

TOF series 15/30 W, Triple Output, Open Frame

universal input 85-264 VAC, with screw terminal blocks
International safety approvals, EN 55022-B filter

TOF 15-0522T

TOF 15-0533T

TOF 30-0522T

TOF 30-0533T

Availability is only guaranteed based on uncommitted inventory!

Chassis and Cover kit for TOF series

TOF 10-MC

TOF 15-MC

TOF 15T-MC

TOF 30-MC

TOF 30T-MC

TOF 50-MC

TOF 75-MC

TOF 100-MC

TOF 150-MC

TOM series 12W / 25W, open frame module

universal input 85-264 VAC, for PCB mounting
International safety approvals, EN 55022-B filter

TOM 12105

TOM 12112

TOM 12115

TOM 12124

TOM 12212

TOM 12215

TOM 25105

TOM 25112

TOM 25115

TOM 25124

TOL series 10 to 300 W, Open Frame

universal input 85-264 VAC, pin-connector, EN 55022-B filter
International safety approvals, adjustable output

TOL 10-05
TOL 10-12
TOL 10-24
TOL 15-05
TOL 15-12
TOL 15-24
TOL 30-05
TOL 30-12
TOL 30-24
TOL 50-05
TOL 50-12
TOL 50-24F
TOL 75-05
TOL 75-12
TOL 75-24F
TOL 100-05
TOL 100-12
TOL 100-24F
TOL 100-48
TOL 150-05
TOL 150-12
TOL 150-24F
TOL 150-48
TOL 300-12
TOL 300-24
TOL 300-48

Chassis and Cover kit for TOL series

TOL 10-MC
TOL 15-MC
TOL 30-MC
TOL 50-MC
TOL 75-MC
TOL 100-MC
TOL 150-MC
TOL 300-MC

Harness (Connector with cables) for TOL series

TOL-C31
TOL-C41
TOL-C42
TOL-C61
TOL-C62
TOL-C71
TOL-C81

TMP series 7 to 60 W, encapsulated modules

universal input 85-264 VAC, single/ dual/ triple output models,
safety approvals (incl. UL 508), safety class II, PCB mounting

TMPM 04103
TMPM 04105
TMPM 04109
TMPM 04112
TMPM 04115
TMPM 04124
TMPM 04212
TMPM 04215
TMPM 04253
TMPM 04225
TMP 07103
TMP 07105
TMP 07112
TMP 07115
TMP 07124
TMPM 10103
TMPM 10105
TMPM 10112
TMPM 10115
TMPM 10124
TMP 10103
TMP 10105
TMP 10112
TMP 10115
TMP 10124
TMP 10212
TMP 10215
TMP 15105
TMP 15112
TMP 15115
TMP 15124
TMP 15148
TMP 15212
TMP 15215
TMP 15252
TMP 15512
TMP 15515
TMP 30105
TMP 30112
TMP 30115
TMP 30124
TMP 30148
TMP 30212
TMP 30215
TMP 30252
TMP 30512
TMP 30515
TMP 30522
TMP 30316
TMP 30317
TMP 60105
TMP 60112
TMP 60115
TMP 60124
TMP 60136
TMP 60148

TMP-C series 15 to 60 W, encapsulated modules

universal input 85-264 VAC, single/ dual/ triple output models,
safety approvals (incl. UL 508), safety class II, chassis mousing

TMP 15105C
TMP 15112C
TMP 15115C
TMP 15124C
TMP 15148C
TMP 15212C
TMP 15215C
TMP 15252C
TMP 15512C
TMP 15515C
TMP 30105C
TMP 30112C
TMP 30115C
TMP 30124C
TMP 30148C
TMP 30212C
TMP 30215C
TMP 30252C
TMP 30512C
TMP 30515C
TMP 30522C
TMP 30316C
TMP 30317C
TMP 60105C
TMP 60112C
TMP 60115C
TMP 60124C
TMP 60136C
TMP 60148C

DIN-Rail adapter for TMP-C series

TMP-MK1 (for TMP15xxxC)
TMP-MK2 (for TMP30xxxC / TMP60xxxC)

TMLM series 4/20 W, encapsulated modules

universal input 90-264 VAC, single and dual output models
International safety approvals

TMLM 04103
TMLM 04105
TMLM 04109
TMLM 04112
TMLM 04115
TMLM 04124
TMLM 04253
TMLM 04225
TMLM 05103
TMLM 05105
TMLM 05112
TMLM 05115
TMLM 05124
TMLM 10103
TMLM 10105
TMLM 10112
TMLM 10115
TMLM 10124
TMLM 20103
TMLM 20105
TMLM 20112
TMLM 20115
TMLM 20124

TML series 5 to 40 W, encapsulated modules

universal input 85-264 VAC, single, dual and triple output models
International safety approvals, PCB mounting

TML 05105
TML 05112
TML 05115
TML 05124
TML 05205
TML 05212
TML 05215
TML 10105
TML 10112
TML 10115
TML 10124
TML 10205
TML 10212
TML 10215
TML 15105
TML 15112
TML 15115
TML 15124
TML 15205
TML 15212
TML 15215
TML 15512
TML 15515
TML 20103
TML 20105
TML 20112
TML 20115
TML 20124
TML 20205
TML 20212
TML 20215
TML 20512
TML 20515
TML 30103
TML 30105
TML 30112
TML 30115
TML 30124
TML 30205
TML 30212
TML 30215
TML 30252
TML 30512
TML 30515
TML 40103
TML 40105
TML 40112
TML 40115
TML 40124
TML 40205
TML 40212
TML 40215
TML 40252
TML 40254
TML 40512
TML 40515

TML-C series 15 to 40 W, encapsulated modules

universal input 85-264 VAC, single, dual and triple output models
International safety approvals, chassis mounting

TML 15105C
TML 15112C
TML 15115C
TML 15124C
TML 15205C
TML 15212C
TML 15215C
TML 15512C
TML 15515C
TML 20103C
TML 20105C
TML 20112C
TML 20115C
TML 20124C
TML 20205C
TML 20212C
TML 20215C
TML 20512C
TML 20515C
TML 30103C
TML 30105C
TML 30112C
TML 30115C
TML 30124C
TML 30205C
TML 30212C
TML 30215C
TML 30252C
TML 30512C
TML 30515C
TML 40103C
TML 40105C
TML 40112C
TML 40115C
TML 40124C
TML 40205C
TML 40212C
TML 40215C
TML 40252C
TML 40254C
TML 40512C
TML 40515C

TMT series 10 to 50 W, encapsulated modules

universal input 85-264 VAC, single/ dual/ triple output models,
safety class II, safety approvals IEC/EN/UL 60950, UL 508,
IEC/EN/UL 60601-1 medical safety standard

TMT 10105
TMT 10112
TMT 10115
TMT 10124
TMT 15105
TMT 15112
TMT 15115
TMT 15124
TMT 15212
TMT 15215
TMT 30105
TMT 30112
TMT 30115
TMT 30124
TMT 30212
TMT 30215
TMT 30252
TMT 30522
TMT 30515
TMT 30503
TMT 30505
TMT 50105
TMT 50112
TMT 50115
TMT 50124
TMT 50148
TMT 15105C
TMT 15112C
TMT 15115C
TMT 15124C
TMT 15212C
TMT 15215C
TMT 30105C
TMT 30112C
TMT 30115C
TMT 30124C
TMT 30212C
TMT 30215C
TMT 30252C
TMT 30522C
TMT 30515C
TMT 50105C
TMT 50112C
TMT 50115C
TMT 50124C
TMT 50148C

DIN-Rail adapter for TMT-C series

TMT-MK1 (for TMT 15xxxC)
TMT-MK2 (for TMT 30xxxC Single & $\pm 12V/ \pm 15V$)
TMT-MK5 (for TMT 50xxxC)

TMS series 6 to 25 W, encapsulated modules

universal input 85-264 VAC, single and dual output models
PCB-mounting, screw terminal block and FASTON-terminal version
International safety approvals, EN 55022-B filter

TMS 06105
TMS 06112
TMS 06115
TMS 06124
TMS 06212
TMS 06215
TMS 10105
TMS 10112
TMS 10115
TMS 10124
TMS 10212
TMS 10215
TMS 15105
TMS 15112
TMS 15115
TMS 15124
TMS 15212
TMS 15215
TMS 25105
TMS 25112
TMS 25115
TMS 25124
TMS 25212
TMS 25215
TMS 10105F
TMS 10112F
TMS 10115F
TMS 10124F
TMS 10212F
TMS 10215F
TMS 15105F
TMS 15112F
TMS 15115F
TMS 15124F
TMS 15212F
TMS 15215F
TMS 25105F
TMS 25112F
TMS 25115F
TMS 25124F
TMS 25212F
TMS 25215F
TMS 15105C
TMS 15112C
TMS 15115C
TMS 15124C
TMS 15212C
TMS 15215C
TMS 25105C
TMS 25112C
TMS 25115C
TMS 25124C
TMS 25212C
TMS 25215C

DIN-rail mounting kit for TMS series

TMS-DM10
TMS-DM15
TMS-DM25
TMS-DM15C
TMS-DM25C

TPM series 5 to 30 W, encapsulated modules

universal input 85-264 VAC, single, dual and triple output models
International safety approvals, safety class II, PCB mounting

TPM 05105
TPM 05112
TPM 05124
TPM 05212
TPM 05215
TPM 10105
TPM 10112
TPM 10124
TPM 10212
TPM 10215
TPM 10512
TPM 10515
TPM 15105
TPM 15112
TPM 15124
TPM 15212
TPM 15215
TPM 15512
TPM 15515
TPM 30105
TPM 30112
TPM 30124
TPM 30212
TPM 30215
TPM 30252
TPM 30254
TPM 30512
TPM 30515

TPM series 5 to 30 W, encapsulated modules

universal input 85-264 VAC, single, dual and triple output models
International safety approvals, safety class II, chassis mounting

TPM 10105C
TPM 10112C
TPM 10124C
TPM 10212C
TPM 10215C
TPM 10512C
TPM 10515C
TPM 15105C
TPM 15112C
TPM 15124C
TPM 15212C
TPM 15215C
TPM 15512C
TPM 15515C
TPM 30105C
TPM 30112C
TPM 30124C
TPM 30212C
TPM 30215C
TPM 30252C
TPM 30254C
TPM 30512C
TPM 30515C

TIW series 6 / 12W, fits in standardized in-wall flush boxes

universal input 85-264 VAC, dust & waterproof to IP67
Safety approvals (incl. EN 60335-1), EN 55022-B filter

TIW 06-103
TIW 06-105
TIW 06-106
TIW 12-112
TIW 12-115
TIW 12-124

TXH series 120-360 W, single output models

universal input 90-264 VAC, boxed type with screw terminals
International safety approvals

TXH 120-112
TXH 120-124
TXH 120-148
TXH 240-112
TXH 240-124
TXH 240-148
TXH 360-112
TXH 360-124
TXH 360-148
TXH 480-112
TXH 480-124
TXH 480-148

TXH Cover

TXH 120-COV
TXH 240-COV

TXL series 15 to 1000 W, single output models

universal input 85-264 VAC, boxed type with screw terminals
International safety approvals

TXL 015-3.3S
TXL 015-05S
TXL 015-12S
TXL 015-15S
TXL 015-24S
TXL 015-48S
TXL 025-3.3S
TXL 025-05S
TXL 025-12S
TXL 025-15S
TXL 025-24S
TXL 025-48S
TXL 035-3.3S
TXL 035-05S
TXL 035-12S
TXL 035-15S
TXL 035-24S
TXL 035-48S
TXL 050-05S
TXL 060-3.3S
TXL 060-05S
TXL 060-12S
TXL 060-15S
TXL 060-24S
TXL 070-12S
TXL 070-15S
TXL 070-24S
TXL 070-48S
TXL 100-3.3S
TXL 100-05S
TXL 100-12S
TXL 100-15S
TXL 100-24S
TXL 100-48S
TXL 120-12S
TXL 120-15S
TXL 120-24S
TXL 120-48S
TXL 150-05S
TXL 150-12S
TXL 150-24S
TXL 150-48S
TXL 230-12S
TXL 230-24S
TXL 230-48S
TXL 300-24S (will be replaced by TXL 350-24S)
TXL 300-48S (will be replaced by TXL 350-48S)
TXL 350-24S (substitute for TXL 300-24S)
TXL 350-48S (substitute for TXL 300-48S)
TXL 600-24S (will be replaced by TXL 750-24S)
TXL 600-48S (will be replaced by TXL 750-48S)
TXL 750-24S (substitute for TXL 600-24S)
TXL 750-48S (substitute for TXL 600-48S)
TXL 1000-24S
TXL 1000-48S

TXL series 35-100 W, dual / triple output models

universal input 85-264 VAC, boxed type with screwterminals

60/100 W models with isolated outputs

International safety approvals

TXL 035-0512D

TXL 035-0524D

TXL 035-1212D

TXL 035-1515D

TXL 060-0512DI

TXL 060-0524DI

TXL 060-0521TI

TXL 060-0522TI

TXL 060-0533TI

TXL 060-0534TI

TXL 100-0512DI

TXL 100-0524DI

TXL 100-0521TI

TXL 100-0522TI

TXL 100-0533TI

TXL 100-0534TI

ESP series 18-150 W, single output models

universal input 85-264 VAC, boxed type with screwterminals

International safety approvals

ESP 18-05SN

ESP 18-12SN

ESP 18-15SN

ESP 18-24SN

ESP 18-48SN

ESP 36-05SN

ESP 36-12SN

ESP 36-15SN

ESP 36-24SN

ESP 36-48SN

ESP 60-05SN

ESP 60-12SN

ESP 60-15SN

ESP 60-24SN

ESP 60-48SN

ESP 75-05S

ESP 75-12S

ESP 75-15S

ESP 75-24S

ESP 75-48S

ESP 100-05S

ESP 100-12S

ESP 100-15S

ESP 100-24S

ESP 100-48S

ESP 150-05S

ESP 150-12S

ESP 150-15S

ESP 150-24S

ESP 150-48S

TEX series 120 Watt

Sealed, rugged die-cast aluminium case, universal input 85-264 VAC
Dust-/ water resistant to IP67& NEMA 4X
International safety approvals, ATEX approved

TEX 120-112

TEX 120-124

Accessories for TEX series

TEX-P11 (AC in Plug)

TEX-P21 (DC out Plug)

TEX-C11 (AC in cable assembly, 2m)

TEX-C21 (DC out cable assembly, 2m)

TBL series 15-150 Watt

Power supplies for DIN-Rail mounting, safety class II
International safety approvals, universal input 85-264 VAC

TBL 015-105
TBL 015-112
TBL 015-124
TBL 030-112
TBL 030-124
TBL 060-112
TBL 060-124
TBL 090-112
TBL 090-124
TBL 150-112
TBL 150-124

TBL-BC series 60 Watt

Uninterruptible power supply for DIN-Rail mounting, safety class II
International safety approvals, 100-240 VAC autorange

TBL 060-124BC

TCL series 24-240 Watt

Power supplies for DIN-Rail mounting
International safety approvals, 100-240 VAC universal input

TCL 012-124 DC
TCL 024-105 DC
TCL 024-112 DC
TCL 024-124 DC
TCL 024-105
TCL 024-112
TCL 024-124
TCL 024-124C
TCL 060-112
TCL 060-112C
TCL 060-112 DC
TCL 060-124
TCL 060-124C
TCL 060-124 DC
TCL 060-148
TCL 060-148C
TCL 120-112
TCL 120-112C
TCL 120-124
TCL 120-124C
TCL 240-124
TCL-REM240

TSPC series 80-480 Watt

Power supplies for DIN-Rail mounting, cost optimized design,
safety approvals incl. ATEX, 115/230 VAC selectable input

TSPC 080-124
TSPC 120-124
TSPC 240-124
TSPC 480-124
TSPC-DCM600

TSP series 70-600 Watt

Power supplies for DIN-Rail mounting
International safety approvals, 100-240 VAC autorange

TSP 070-112
TSP 090-124
TSP 090-124N
TSP 090-148
TSP 140-112
TSP 180-124
TSP 180-148
TSP 360-124
TSP 360-148
TSP 600-124
TSP 600-136
TSP 600-148
TSP-REM360
TSP-REM600
TSP-BCM24 (TSP-TS included)
TSP-BCM24A (TSP-TS included)
TSP-BFM24
TSP-TS (temperature sensor for TSP-BCM24/A) cable length 1.5m

Option -EX (ATEX/ IECEx compliant version)

for TSP 090-xxx, TSP 180-xxx, TSP 360-xxx
for TSP 600-xxx

Battery Packs

TSP-BAT24-012
TSP-BAT24-034
TSP-BAT24-072
TSP-BAT24-120
TSP-BAT24-072 KIT
TSP-BAT24-120 KIT

Chassis mounting Brackets

TSP-WMK01 (TSP 070 -TSP 180)
TSP-WMK02 (TSP 360 / TSP 600)

TSP 3P series 240-960 Watt

Power supplies for 3-phase networks, DIN-Rail mounting,
rugged metal casing, safety approvals incl. ATEX

TSP 240-124-3PAC400
TSP 240-124-3PAC500
TSP 480-124-3PAC400
TSP 480-124-3PAC500
TSP 960-124-3PAC400
TSP 960-124-3PAC500

TSP-WR series 180-600 Watt

Power supplies for DIN-Rail mounting

International safety approvals, 100-550 VAC autorange

TSP 180-124WR

TSP 360-124WR

TSP 600-124WR

TSL series 30-480 Watt

Power supplies for DIN-Rail mounting

International safety approvals, 100-240 VAC autorange

TSL 030-112

TSL 030-124

TSL 060-112

TSL 060-124

TSL 120-124

TSL 120-124P

TSL 120-148

TSL 120-148P

TSL 240-124

TSL 240-124P

TSL 240-148

TSL 240-148P

TSL 480-124

TSL 480-124P

TSL 480-148

TSL 480-148P

TIS series 50 - 600 Watt

Power supplies for DIN-Rail mounting

International safety approvals, 115/230 VAC selectable input

prices include terminal connectors!

TIS 50-112
TIS 50-124
TIS 75-112
TIS 75-124
TIS 75-148
TIS 150-124
TIS 150-124P
TIS 150-148
TIS 150-148P
TIS 300-124
TIS 300-124P
TIS 300-148
TIS 300-148P
TIS 300-172
TIS 500-124-115
TIS 500-124-230
TIS 600-124
TIS 600-148
TIS 600-172
TIS 150-124 SIG
TIS 150-148 SIG
TIS 300-124 SIG
TIS 300-148 SIG
TIS 600-124 SIG
TIS 600-148 SIG
TIS 300-124 UDS
TIS 600-124 UDS
TIS 150-124 RED
TIS 150-148 RED
TIS 300-124 RED
TIS 300-148 RED
TIS 600-124 RED
TIS 600-148 RED

Accessories for TIS series

TIS 24-32 AP (Battery-Pack 3.2 Ah)
TIS 24-70 AP (Battery-Pack 7.0 Ah)
MK-75 (Chassis mounting Kit)
MK-150 (Chassis mounting Kit)
MK-300 (Chassis mounting Kit)
MK-500 (Chassis mounting Kit)
MK-600 (Chassis mounting Kit)

TIS PLUG-1 (Connector Kit for TIS 50/ 75/150)
TIS PLUG-3 (Connector Kit for TIS 300)
TIS PLUG-5 (Connector Kit for TIS 500)
TIS PLUG-1-RED (Connector Kit for TIS 150-1xx RED)
TIS PLUG-3-RED (Connector Kit for TIS 300-1xx RED)
TIS PLUG-6-RED (Connector Kit for TIS 600-1xx RED)
TIS PLUG-3-UDS (Connector Kit for TIS 300-1xx UDS)
TIS PLUG-6-UDS (Connector Kit for TIS 600-1xx UDS)